

signal.ca - verified list of what is broken

Compiled 2026-09-14. Every link below was fetched from the live site.

Open the page in the Where to check column and you will see the problem there.

A print-ready copy of this page is at [signal-broken-links.pdf](#) in the same folder.

1. Download links that lead to a missing file

8 documents are linked from the site but return "not found".

Where to check	What to click	What happens
/telechargements/	the link to MU-FBS12R-R0.pdf	goes to https://www.signal.ca/web/MU-FBS12R-R0.pdf -> 404
/location-de-signalisation-temporaire/	the link to ProduitsLocation-2021.pdf	goes to https://signal.ca/web/ProduitsLocation-2021.pdf -> 404
/remorque-agile-signal/	the link to FP-0072_RMS12.pdf	goes to https://www.signal.ca/web/FP-0072_RMS12.pdf -> 404
/radars-signal-gestion-de-vitesse-ville/ /nos-rad50-installation-a-brossard/	the link to FP-0053_RAD50.pdf	goes to https://signal.ca/web/FP-0053_RAD50.pdf -> 404
/journal-saisonnier-hiver-2018/	the link to JSSignal_H2018.pdf	goes to https://www.signal.ca/web/JSSignal_H2018.pdf -> 404
/produit/balise-baliplast-type-t-rv-2/ /produit/panneaux-enroulables-t-d-80/	the link to Systeme_Baliplast-Balismart.pdf	goes to https://www.signal.ca/web/Systeme_Baliplast-Balismart.pdf -> 404
/produit/bollard-plat-forme-concave/	the link to fiche_bollard.pdf	goes to https://www.signal.ca/web/fiche_bollard.pdf -> 404
/telechargements/	the link to Ulti-mate_L6X	goes to https://www.signal.ca/web/Ulti-mate_L6X -> 404

2. Images and audio that do not load

Where to check	The file	What happens
/radars-signal-gestion-de-vitesse-ville/	rad52_revisé.jpg plus 3 resized copies WordPress made of it	/wp-content/uploads/2017/06/rad52_revisé.jpg -> 404, so nothing displays
/sommets-a-radio/	Signal-SIGN_Recrutement_Été21.mp3	/wp-content/uploads/2021/06/Signal-SIGN_Recrutement_Été21.mp3 -> 404, so nothing displays
/le-big-bollard/	FP-0058_BIGbollard-1.pdf	/wp-content/uploads/2018/07/FP-0058_BIGbollard-1.pdf -> 404, so nothing displays

3. Links to pages that no longer exist

19 links inside page and post content point at URLs that return 404.

Where to check	The link on that page points to	What happens
/concours-signal-embauche/	/a-propos/carrieres/	404
/nos-services/service-de-fabrication/	/categorie-produit/nouveautes/	404
/zone-de-securite-corridor-sanitaire/	/categorie-produit/solutions-covid-19/barrieres-de-foule/	404
/produit/cloture-temporaire/	/en/produit/patte-pour-cloture/	404
/services/	/nos-services/repatriation-support-technique/	404
/soyez-visibles/	/nos-services/services-de-location/	404
/produit/pesees-pour-t-rv-7/	/pesees-signal-ap1010d/	404
/remorque-pour-signaleurs/	/produit/remorque-pour-signaleur/	404
/produit/feux-de-chantier-a-radio-frequence-copie/	/produit/boite-de-contrôle-rf-pour-feu-de-chantier-feuflex/	404
/produit/support-motorise-sbm22/ /produit/support-motorise-profil-bas/	/produit/fleche-de-signalisation-moulee-avec-capteur-photosensible/	404
/nos-services/installation-de-fleches-sur-vehicule/	/produit/fleche-portative-a-leds-montee-poteau-effia/	404
/produit/feux-de-chantier-a-radio-frequence-copie/	/produit/option-chargeur-de-batterie/	404
/produit/feux-de-chantier-a-radio-frequence-copie/	/produit/option-panneau-solaire-pour-feuflex/	404
/soyez-visibles/	/vos-besoins/barriere-signaleur-routier/	404
/dispositifs-de-cadenassage-daqueduc/	/vos-besoins/cadenassage/	404
/location-de-signalisation-temporaire/ /octobre-mois-pieton/ /evitons-accidents-velos-fantomes/	/vos-besoins/panneaux-lumineux/	404
/location-de-signalisation-temporaire/ /evitons-accidents-velos-fantomes/	/vos-besoins/radars-pedagogiques-signal/	404
/location-de-signalisation-temporaire/	/vos-besoins/securite-signaleurs/	404
/la-rentree-scolaire/	/vos-besoins/securite-zone-scolaire/	404

4. Catalogue links that are not documents

Where to check	The link	The problem
/telechargements/	/catalogues/G_Achat-2026.html	This opens a flipbook website, not a file. It cannot be downloaded, printed or emailed to a customer. The source PDF is needed.
/telechargements/	/catalogues/B_Guide-2025.html	This opens a flipbook website, not a file. It cannot be downloaded, printed or emailed to a customer. The source PDF is needed.

5. Email links that are broken

Clicking these opens a blank email addressed to something that does not exist, so the message is never sent.

Where to check	The link on the page	What is wrong
/support-technique/	opens an email to servicetechnique@signal	- starts with a space, which many mail apps refuse - the domain has no ending, so the address does not exist
/politique-de-confidentialite/	opens an email to confidentialite@signal.ca	- contains an accented character, which most mail servers reject
/signal-services-au-coeur-du-marathon-de-montreal-2025/	opens an email to info@signal..ca	- starts with a space, which many mail apps refuse - the domain has two dots in a row

6. Email addresses customers cannot use

Addresses on these pages are stored backwards and flipped around with CSS, an old anti-spam trick.

It stops spammers, and it also stops customers: the address is not a link so it cannot be clicked, it cannot be selected or copied because the letters are genuinely in reverse order, and a screen reader reads it out backwards. On a phone there is no way to use it at all.

Where to check	The address shown	Try it yourself
/faq/	info@signal.ca	Select the address and copy it. You get it reversed.
/faq/	location@signal.ca	Select the address and copy it. You get it reversed.
/politique-de-confidentialite/	cai.communications@cai.gouv.qc.ca	Select the address and copy it. You get it reversed.
/conditions-generales-de-vente/	marketing@signal.ca	Select the address and copy it. You get it reversed.
/conditions-generales-de-vente/	comptabilite@signal.ca	Select the address and copy it. You get it reversed.
/nous-joindre/	info@signal.ca	Select the address and copy it. You get it reversed.
/soyez-visibles/	location@signal.ca	Select the address and copy it. You get it reversed.

Where to check	The address shown	Try it yourself
/octobre-mois-pieton/	info@signal.ca	Select the address and copy it. You get it reversed.
/installation-fleche-2021/	info@signal.ca	Select the address and copy it. You get it reversed.
/message-clients-covid19/	info@signal.ca	Select the address and copy it. You get it reversed.
/signalisation-temporaire-deneigement-municipal/	info@signal.ca	Select the address and copy it. You get it reversed.
/panneau-a-feux-del-signal/	info@signal.ca	Select the address and copy it. You get it reversed.
/les-panneaux-enroulables/	info@signal.ca	Select the address and copy it. You get it reversed.
/14594/	marketing@signal.ca	Select the address and copy it. You get it reversed.

7. Pages showing raw code to visitors

Where to check	What a visitor sees	Should be
/location-de-signalisation-temporaire/	literal text such as [trx_button type= "square " ...], printed on the page	a button
/soyez-visibles/	literal text such as [trx_button type= "square " ...], printed on the page	a button
/octobre-mois-pieton/	literal text such as [trx_button type= "square " ...], printed on the page	a button
/concours-signal-embauche/	literal text such as [trx_button type= "square " ...], printed on the page	a button
/zone-de-securite-corridor-sanitaire/	literal text such as [trx_button type= "square " ...], printed on the page	a button
/remorque-agile-signal/	literal text such as [trx_button type= "square " ...], printed on the page	a button
/signalisation-temporaire-deneigement-municipal/	literal text such as [trx_button type= "square " ...], printed on the page	a button
/panneau-a-feux-del-signal/	literal text such as [trx_button type= "square " ...], printed on the page	a button
/radars-signal-gestion-de-vitesse-ville/	literal text such as [trx_button type= "square " ...], printed on the page	a button
/dispositifs-de-cadenassage-daqueduc/	literal text such as [trx_button type= "square " ...], printed on the page	a button

Where to check	What a visitor sees	Should be
/la-rentree-scolaire/	literal text such as [trx_button type= "square " ...], printed on the page	a button
/nos-rad50-installation-a-brossard/	literal text such as [trx_button type= "square " ...], printed on the page	a button
/somm-es-a-radio/	an audio player that does not play	a working player

8. Products with no SKU

13 products. A customer cannot quote a part number and your team cannot look them up.

Product	WordPress ID	Page
AXE post	113581	/produit/poteau-axe/
High-visibility medallion	113563	/produit/medaillon-de-visibilite/
Red Diamond Grade conspicuity tape, 6" x 150', Orafol V98	112838	/produit/ruban-de-signalisation-diamant-rouge-6-x-150-v98-orafol/
PTBA - Post on adjustable base	112556	/produit/ptba-poteau-pour-panneau/
UltraFlex T-RV-10 bollard	112512	/produit/bollard-t-rv-10-ultraflex/
UltraFlex bollard	112458	/produit/bollard-ultraflex/
No smoking or vaping signs - Cannabis	78693	/produit/panneaux-interdiction-de-fumer-de-vapoter-cannabis/
Zero Tolerance for Cannabis at Work signs	78683	/produit/panneaux-tolerance-zero-cannabis-travail/
OSHA standard signs: Fire extinguisher	20998	/produit/panneaux-norme-osh-a-extincteur/
OSHA standard signs: Danger - Electrical hazard, authorized personnel only	20255	/produit/panneaux-norme-osh-a-danger-danger-electrique-personnel-autorise-seulement/
CSA standard signs: Fire cabinet	19494	/produit/panneaux-norme-csa-cabinet-dincendie-fire-cabinet/
CSA standard signs: Caution - Obstacle	18734	/produit/panneaux-norme-csa-attention-obstacle/
CSA standard signs: No running	17973	/produit/panneaux-norme-csa-interdiction-de-courir/

9. Products with no image

64 products show a blank placeholder in the catalogue.

Product	SKU	Page
T-160-2 (product variation)	EA7S36T1602Q3	/produit/t-160-2x-product-variation-3/
T-160-2 (product variation)	EA7S36T1602Q2	/produit/t-160-2x-product-variation-2/
T-160-2 (product variation)	EA7S36T1602Q1	/produit/t-160-2x-product-variation/
Lane merge T-100-10-G	T-100-10-Gx	/produit/fusion-de-voies-t-100-10-g/
BICYCLE DETOUR T-090-6	T-90-6x	/produit/detour-bicyclettet-090-6/
Pedestrian detour to the left T-090-18-G	T-90-18-Gx	/produit/detour-a-gauche-pour-pietons-t-090-18-g/
\$100 fine tab	P-310-P-100x	/produit/panonceau-amende-100/
Reserved lane - buses and carpools, centre arrow, hours and days	P-250-4-Hx	/produit/voie-reservee-aux-bus-et-covoiturage-fleche-au-centre-heures-et-jours/
Reserved lane - buses, right arrow, hours and days	P-250-2-Hx	/produit/voie-reservee-aux-bus-fleche-a-droite-heures-et-jours/
EXCEPT AUTHORIZED VEHICLES	P-100-P-2x	/produit/excepte-vehicules-autorises/
Stop line, right arrow. Installed on the left.	P-60-Gx	/produit/ligne-darret-fleche-a-droite-installation-a-gauche/
Stop line, left arrow. Installed on the right.	P-60-Dx	/produit/ligne-darret-fleche-a-gauche-installation-a-droite/
P-18 DOUBLE-SIDED	P-18x	/produit/p-18-recto-verso/
Stop sign (English)	P-10Sx	/produit/stop/
Stop tab, T-intersection (English)	P-10-P-2Sx	/produit/panonceau-stop-a-intersection-en-t/
Stop sign, Inuktitut	P-10-lx	/produit/arret-inuit/
ARRÊT-STOP sign (bilingual)	P-10-ASx	/produit/arret-stop/
Directions to an off-road cycling route	I-535x	/produit/acheminement-vers-un-itineraire-cyclable-hors-route/
Dead end, with left arrow	I-375-2-Gx	/produit/route-sans-issue-avec-fleche-a-gauche/
Hiker parking area	I-350-13x	/produit/aire-de-stationnement-pour-randonneurs/
Certified airport - pointing at 45 degrees (right) or (left)	I-300-2-G-Dx	/produit/aeroport-homologue-pointant-a-45-degres-droite-ou-gauche/
Major airport pointing at 45 degrees, right or left	I-300-1-G-Dx	/produit/aeroport-majeur-pointant-a-45-degres-droite-ou-gauche/
Distance XXX m	I-245-P-2x	/produit/distance-xxxm/
Diagonal right arrow X km tab	I-240-P-7-D-Vx	/produit/panonceau-fleche-oblique-a-droite-x-km-2/
Direction tab, diagonal right X km	I-240-P-7-D-BRx	/produit/panonceau-de-direction-oblique-a-droite-x-km/

Product	SKU	Page
Diagonal right arrow X km tab	I-240-P-7-D-BLx	/produit/panonceau-fleche-oblique-a-droite-x-km/
Highway exit number, left, with cardinal direction	I-201-GPCx	/produit/numero-de-sortie-dautoroute-a-gauche-avec-point-cardinal/
Highway exit number, left	I-201-Gx	/produit/numero-de-sortie-dautoroute-a-gauche/
Highway exit number, right, with cardinal direction	I-201-DPCx	/produit/numero-de-sortie-dautoroute-a-droite-avec-point-cardinal/
Highway exit number, right	I-201-Dx	/produit/numero-de-sortie-dautoroute-a-droite/
Tourist route marker: Route du fleuve	I-185-3-Bx	/produit/jalonnement-le-long-de-la-route-ou-du-circuit-touristiqueroute-du-fleuve/
Tourist route marker	I-185-3x	/produit/jalonnement-le-long-de-la-route-ou-du-circuit-touristique/
Tourist route identification	I-185-2x	/produit/identification-de-la-route-ou-du-circuit-touristique/
Directions to tourist route: Route des Sommets	I-185-1-Lx	/produit/acheminement-vers-la-route-ou-le-circuit-touristiqueroute-des-sommets/
Tourist route marker: Chemin des cantons	I-185-1-Jx	/produit/jalonnement-le-long-de-la-route-ou-du-circuit-touristiquechemin-des-cantons/
Directions to tourist route	I-185-1x	/produit/acheminement-vers-la-route-ou-le-circuit-touristique/
Crossing location tab, diagonal left arrow (bike paths)	D-270-P-1x	/produit/panonceau-de-localisation-dun-passage-fleche-oblique-a-gauche-voies-cyclables/
Reserved lane intersection	D-255x	/produit/intersection-dune-voie-reservee/
Advisory exit speed 85 km/h	D-120-P-85x	/produit/vitesse-recommandee-sortie-85-kmh/
Advisory exit speed 75 km/h	D-120-P-75x	/produit/vitesse-recommandee-sortie-75-kmh/
Advisory exit speed 65 km/h	D-120-P-65x	/produit/vitesse-recommandee-sortie-65-kmh/
Advisory exit speed 55 km/h	D-120-P-55x	/produit/vitesse-recommandee-sortie-55-kmh/
Advisory exit speed 45 km/h	D-120-P-45x	/produit/vitesse-recommandee-sortie-45-kmh/
Advisory exit speed 35 km/h	D-120-P-35x	/produit/vitesse-recommandee-sortie-35-kmh/
Advisory exit speed 25 km/h	D-120-P-25x	/produit/vitesse-recommandee-sortie-25-kmh/
OSHA standard signs: Fire extinguisher	(none)	/produit/panneaux-norme-osh-extincteur/
OSHA standard signs: Danger - Electrical hazard, authorized personnel only	(none)	/produit/panneaux-norme-osh-danger-danger-electrique-personnel-autorise-seulement/
CSA standard signs: Fire cabinet	(none)	/produit/panneaux-norme-csa-cabinet-dincendie-fire-cabinet/
CSA standard signs: Caution - Obstacle	(none)	/produit/panneaux-norme-csa-attention-obstacle/
CSA standard signs: No running	(none)	/produit/panneaux-norme-csa-interdiction-de-courir/

Product	SKU	Page
Placards	DP[M]PN403-3170x	/produit/placards-10/
DP[M]102 (product variation)	DPS102Q3	/produit/dpm102x-product-variation-6/
DP[M]102 (product variation)	DPS102Q2	/produit/dpm102x-product-variation-5/
DP[M]102 (product variation)	DPS102Q1	/produit/dpm102x-product-variation-4/
OSHA standard signs: Emergency station only	DSO[M][F]0-010x	/produit/panneaux-norme-osh-poste-de-secours-seulement/
CSA standard signs: Fire extinguisher	DSC[M][F]7-001x	/produit/panneaux-norme-csa-extincteur/
CSA standard signs: Use stairs in case of emergency	DSC[M][F]7-006x	/produit/panneaux-norme-csa-utilisez-lescalier-en-cas-durgence/
CSA standard signs: Emergency exit	DSC[M][F]7-005x	/produit/panneaux-norme-csa-sortie-durgence/
CSA standard signs: Opening this door will trigger an alarm	DSC[M][F]7-004x	/produit/panneaux-norme-csa-ouvrir-cette-porte-declenche-un-systeme-dalarm/
CSA standard signs: Water intake	DSC[M][F]7-003x	/produit/panneaux-norme-csa-prise-deau/
CSA standard signs: Cartridge respirator required	DSC[M][F]2-025x	/produit/panneaux-norme-csa-respirateur-a-cartouche-obligatoire/
Straps for round posts	AECCxxx30x	/produit/courroies-pour-poteau-rond/
Strap buckle for round posts	AECBxxxx	/produit/boucle-dattache-de-courroie-pour-poteau-rond/
Flared U-bolt	AECAExxxx	/produit/attache-en-u-evasee/

10. Products in no category

11 products. They cannot be reached by browsing, only by direct link or search.

Product	SKU	Page
T-160-2 (product variation)	EA7S36TI602Q3	/produit/t-160-2x-product-variation-3/
T-160-2 (product variation)	EA7S36TI602Q2	/produit/t-160-2x-product-variation-2/
T-160-2 (product variation)	EA7S36TI602Q1	/produit/t-160-2x-product-variation/
OSHA standard signs: Fire extinguisher	(none)	/produit/panneaux-norme-osh-extincteur/
OSHA standard signs: Danger - Electrical hazard, authorized personnel only	(none)	/produit/panneaux-norme-osh-danger-danger-electrique-personnel-autorise-seulement/
CSA standard signs: Fire cabinet	(none)	/produit/panneaux-norme-csa-cabinet-dincendie-fire-cabinet/
CSA standard signs: Caution - Obstacle	(none)	/produit/panneaux-norme-csa-attention-obstacle/

Product	SKU	Page
CSA standard signs: No running	(none)	/produit/panneaux-norme-csa-interdiction-de-courir/
DP[M]102 (product variation)	DPS102Q3	/produit/dpm102x-product-variation-6/
DP[M]102 (product variation)	DPS102Q2	/produit/dpm102x-product-variation-5/
DP[M]102 (product variation)	DPS102Q1	/produit/dpm102x-product-variation-4/

11. Pages that are published but show nothing

Page	What is on it	Note
/boutique/	a heading and a newsletter box	Listed in your sitemap, so search engines index it
/produits-test/	a heading and a newsletter box	Named "test", visible to the public
/test-typo/	lorem ipsum placeholder text in four fonts	An internal design test page, public and in the sitemap
/equipe/	nothing	Three records, all named France Couture, none display

12. Hidden spam injected into product pages

This looks like a compromised WordPress install. Thirteen product descriptions contain a block of markup that positions a link thousands of pixels off the left of the screen, so a visitor never sees it while a search engine does. It links to ewpacfo.com, which has nothing to do with Signal.

This is worth showing whoever maintains the site. It usually means a plugin or theme was exploited, and the injected content is a symptom rather than the problem. None of it is carried into the rebuild.

Where to check	What to do	What is hidden there
/produit/ptba-poteau-pour-panneau/	View the page source and search for div-comments	A link to ewpacfo.com, positioned off-screen
/produit/boite-de-cadenassage-portative/	View the page source and search for div-comments	A link to ewpacfo.com, positioned off-screen
/produit/moraillon-bouchon-de-cadenassage/	View the page source and search for div-comments	A link to ewpacfo.com, positioned off-screen
/produit/cloture-temporaire/	View the page source and search for div-comments	A link to ewpacfo.com, positioned off-screen
/produit/kit-pour-brigadier-scolaire/	View the page source and search for div-comments	A link to ewpacfo.com, positioned off-screen
/produit/interdiction-de-jeter-des-dechets/	View the page source and search for div-comments	A link to ewpacfo.com, positioned off-screen
/produit/enseigne-pliante-pour-dissimuler-le-pictogramme/	View the page source and search for div-comments	A link to ewpacfo.com, positioned off-screen

Where to check	What to do	What is hidden there
/produit/amortisseur-apneu/	View the page source and search for div-comments	A link to ewpacfo.com, positioned off-screen
/produit/support-de-fleche-pivotant-en-acier/	View the page source and search for div-comments	A link to ewpacfo.com, positioned off-screen
/produit/structure-complete-en-acier/	View the page source and search for div-comments	A link to ewpacfo.com, positioned off-screen
/produit/barre-lumineuse-signal-a-del/	View the page source and search for div-comments	A link to ewpacfo.com, positioned off-screen
/produit/lampe-halogene/	View the page source and search for div-comments	A link to ewpacfo.com, positioned off-screen
/produit/lampe-a-del-pour-fleches/	View the page source and search for div-comments	A link to ewpacfo.com, positioned off-screen

13. Other things worth fixing

Where	Problem	Why it matters
/	the CONSULTEZ LE PRODUIT button under "SÉCURISEZ VOS ROUTES" has an empty link	Clicking it does nothing. It sits under the headline product on your home page. On the rebuild it points at the Rectangular rapid-flashing beacons product page.
/politique-de-confidentialite/	contains the address privacy@challengeu.com	That is another company. Your privacy policy tells customers to contact them.
Footer of every page	the privacy policy link points at a staging domain	Visitors land on a test copy of the site instead of the real policy.
/produits/	takes about 22 seconds to load when not cached	Most visitors leave before it appears.
Any link written without www	signal.ca/web/... returns 404 while www.signal.ca/web/... works	Two of the dead documents in section 1 are this mistake rather than a missing file.