

# signal.ca - verified list of what is broken

Compiled 2026-09-14. Every link below was fetched from the live site.

Open the page in the Where to check column and you will see the problem there.

A print-ready copy of this page is at [signal-broken-links.pdf](#) in the same folder.

## 1. Download links that lead to a missing file

8 documents are linked from the site but return "not found".

| Where to check                                                                  | What to click                               | What happens                                                                                                                                     |
|---------------------------------------------------------------------------------|---------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------|
| /telechargements/                                                               | the link to MU-FBS12R-R0.pdf                | goes to <a href="https://www.signal.ca/web/MU-FBS12R-R0.pdf">https://www.signal.ca/web/MU-FBS12R-R0.pdf</a> -> 404                               |
| /location-de-signalisation-temporaire/                                          | the link to ProduitsLocation-2021.pdf       | goes to <a href="https://signal.ca/web/ProduitsLocation-2021.pdf">https://signal.ca/web/ProduitsLocation-2021.pdf</a> -> 404                     |
| /remorque-agile-signal/                                                         | the link to FP-0072_RMS12.pdf               | goes to <a href="https://www.signal.ca/web/FP-0072_RMS12.pdf">https://www.signal.ca/web/FP-0072_RMS12.pdf</a> -> 404                             |
| /radars-signal-gestion-de-vitesse-ville/<br>/nos-rad50-installation-a-brossard/ | the link to FP-0053_RAD50.pdf               | goes to <a href="https://signal.ca/web/FP-0053_RAD50.pdf">https://signal.ca/web/FP-0053_RAD50.pdf</a> -> 404                                     |
| /journal-saisonnier-hiver-2018/                                                 | the link to JSSignal_H2018.pdf              | goes to <a href="https://www.signal.ca/web/JSSignal_H2018.pdf">https://www.signal.ca/web/JSSignal_H2018.pdf</a> -> 404                           |
| /produit/balise-baliplast-type-t-rv-2/<br>/produit/panneaux-enroulables-t-d-80/ | the link to Systeme_Baliplast-Balismart.pdf | goes to <a href="https://www.signal.ca/web/Systeme_Baliplast-Balismart.pdf">https://www.signal.ca/web/Systeme_Baliplast-Balismart.pdf</a> -> 404 |
| /produit/bollard-plat-forme-concave/                                            | the link to fiche_bollard.pdf               | goes to <a href="https://www.signal.ca/web/fiche_bollard.pdf">https://www.signal.ca/web/fiche_bollard.pdf</a> -> 404                             |
| /telechargements/                                                               | the link to Ulti-mate_L6X                   | goes to <a href="https://www.signal.ca/web/Ulti-mate_L6X">https://www.signal.ca/web/Ulti-mate_L6X</a> -> 404                                     |

## 2. Images and audio that do not load

| Where to check                           | The file                                                                      | What happens                                                                              |
|------------------------------------------|-------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------|
| /radars-signal-gestion-de-vitesse-ville/ | rad52_revisé.jpg<br><small>plus 3 resized copies WordPress made of it</small> | /wp-content/uploads/2017/06/rad52_revisé.jpg -> 404, so nothing displays                  |
| /sommets-a-radio/                        | Signal-SIGN_Recrutement_Été21.mp3                                             | /wp-content/uploads/2021/06/Signal-SIGN_Recrutement_Été21.mp3 -> 404, so nothing displays |
| /le-big-bollard/                         | FP-0058_BIGbollard-1.pdf                                                      | /wp-content/uploads/2018/07/FP-0058_BIGbollard-1.pdf -> 404, so nothing displays          |

### 3. Links to pages that no longer exist

19 links inside page and post content point at URLs that return 404.

| Where to check                                                                                        | The link on that page points to                                     | What happens |
|-------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------|--------------|
| /concours-signal-embauche/                                                                            | /a-propos/carrieres/                                                | 404          |
| /nos-services/service-de-fabrication/                                                                 | /categorie-produit/nouveautes/                                      | 404          |
| /zone-de-securite-corridor-sanitaire/                                                                 | /categorie-produit/solutions-covid-19/barrieres-de-foule/           | 404          |
| /produit/cloture-temporaire/                                                                          | /en/produit/patte-pour-cloture/                                     | 404          |
| /services/                                                                                            | /nos-services/reparation-support-technique/                         | 404          |
| /soyez-visibles/                                                                                      | /nos-services/services-de-location/                                 | 404          |
| /produit/pesees-pour-t-rv-7/                                                                          | /pese-signal-ap1010d/                                               | 404          |
| /remorque-pour-signaleurs/                                                                            | /product/remorque-pour-signaleur/                                   | 404          |
| /produit/feux-de-chantier-a-radio-frequence-copie/                                                    | /produit/boite-de-contrôle-rf-pour-feu-de-chantier-feuflex/         | 404          |
| /produit/support-motorise-sbm22/<br>/produit/support-motorise-profil-bas/                             | /produit/fleche-de-signalisation-moulee-avec-capteur-photosensible/ | 404          |
| /nos-services/installation-de-fleches-sur-vehicule/                                                   | /produit/fleche-portative-a-leds-montee-poteau-effia/               | 404          |
| /produit/feux-de-chantier-a-radio-frequence-copie/                                                    | /produit/option-chargeur-de-batterie/                               | 404          |
| /produit/feux-de-chantier-a-radio-frequence-copie/                                                    | /produit/option-panneau-solaire-pour-feuflex/                       | 404          |
| /soyez-visibles/                                                                                      | /vos-besoins/barriere-signaleur-routier/                            | 404          |
| /dispositifs-de-cadenassage-daqueduc/                                                                 | /vos-besoins/cadenassage/                                           | 404          |
| /location-de-signalisation-temporaire/<br>/octobre-mois-pieton/<br>/evitons-accidents-velos-fantomes/ | /vos-besoins/panneaux-lumineux/                                     | 404          |
| /location-de-signalisation-temporaire/<br>/evitons-accidents-velos-fantomes/                          | /vos-besoins/radars-pedagogiques-signal/                            | 404          |
| /location-de-signalisation-temporaire/                                                                | /vos-besoins/securite-signaleurs/                                   | 404          |
| /la-rentree-scolaire/                                                                                 | /vos-besoins/securite-zone-scolaire/                                | 404          |

## 4. Catalogue links that are not documents

| Where to check    | The link                      | The problem                                                                                                                     |
|-------------------|-------------------------------|---------------------------------------------------------------------------------------------------------------------------------|
| /telechargements/ | /catalogues/G_Achat-2026.html | This opens a flipbook website, not a file. It cannot be downloaded, printed or emailed to a customer. The source PDF is needed. |
| /telechargements/ | /catalogues/B_Guide-2025.html | This opens a flipbook website, not a file. It cannot be downloaded, printed or emailed to a customer. The source PDF is needed. |

## 5. Email links that are broken

Clicking these opens a blank email addressed to something that does not exist, so the message is never sent.

| Where to check                                          | The link on the page                        | What is wrong                                                                                                   |
|---------------------------------------------------------|---------------------------------------------|-----------------------------------------------------------------------------------------------------------------|
| /support-technique/                                     | opens an email to servicetechnique@signal   | - starts with a space, which many mail apps refuse<br>- the domain has no ending, so the address does not exist |
| /politique-de-confidentialite/                          | opens an email to confidentialite@signal.ca | - contains an accented character, which most mail servers reject                                                |
| /signal-services-au-coeur-du-marathon-de-montreal-2025/ | opens an email to info@signal..ca           | - starts with a space, which many mail apps refuse<br>- the domain has two dots in a row                        |

## 6. Email addresses customers cannot use

Addresses on these pages are stored backwards and flipped around with CSS, an old anti-spam trick.

It stops spammers, and it also stops customers: the address is not a link so it cannot be clicked, it cannot be selected or copied because the letters are genuinely in reverse order, and a screen reader reads it out backwards. On a phone there is no way to use it at all.

| Where to check                  | The address shown                 | Try it yourself                                      |
|---------------------------------|-----------------------------------|------------------------------------------------------|
| /faq/                           | info@signal.ca                    | Select the address and copy it. You get it reversed. |
| /faq/                           | location@signal.ca                | Select the address and copy it. You get it reversed. |
| /politique-de-confidentialite/  | cai.communications@cai.gouv.qc.ca | Select the address and copy it. You get it reversed. |
| /conditions-generales-de-vente/ | marketing@signal.ca               | Select the address and copy it. You get it reversed. |
| /conditions-generales-de-vente/ | comptabilite@signal.ca            | Select the address and copy it. You get it reversed. |
| /nous-joindre/                  | info@signal.ca                    | Select the address and copy it. You get it reversed. |
| /soyez-visibles/                | location@signal.ca                | Select the address and copy it. You get it reversed. |

| Where to check                                   | The address shown   | Try it yourself                                      |
|--------------------------------------------------|---------------------|------------------------------------------------------|
| /octobre-mois-pieton/                            | info@signal.ca      | Select the address and copy it. You get it reversed. |
| /installation-fleche-2021/                       | info@signal.ca      | Select the address and copy it. You get it reversed. |
| /message-clients-covid19/                        | info@signal.ca      | Select the address and copy it. You get it reversed. |
| /signalisation-temporaire-deneigement-municipal/ | info@signal.ca      | Select the address and copy it. You get it reversed. |
| /panneau-a-feux-del-signal/                      | info@signal.ca      | Select the address and copy it. You get it reversed. |
| /les-panneaux-enroulables/                       | info@signal.ca      | Select the address and copy it. You get it reversed. |
| /14594/                                          | marketing@signal.ca | Select the address and copy it. You get it reversed. |

## 7. Pages showing raw code to visitors

| Where to check                                   | What a visitor sees                                                         | Should be |
|--------------------------------------------------|-----------------------------------------------------------------------------|-----------|
| /location-de-signalisation-temporaire/           | literal text such as [trx_button type= "square " ... ], printed on the page | a button  |
| /soyez-visibles/                                 | literal text such as [trx_button type= "square " ... ], printed on the page | a button  |
| /octobre-mois-pieton/                            | literal text such as [trx_button type= "square " ... ], printed on the page | a button  |
| /concours-signal-embauche/                       | literal text such as [trx_button type= "square " ... ], printed on the page | a button  |
| /zone-de-securite-corridor-sanitaire/            | literal text such as [trx_button type= "square " ... ], printed on the page | a button  |
| /remorque-agile-signal/                          | literal text such as [trx_button type= "square " ... ], printed on the page | a button  |
| /signalisation-temporaire-deneigement-municipal/ | literal text such as [trx_button type= "square " ... ], printed on the page | a button  |
| /panneau-a-feux-del-signal/                      | literal text such as [trx_button type= "square " ... ], printed on the page | a button  |
| /radars-signal-gestion-de-vitesse-ville/         | literal text such as [trx_button type= "square " ... ], printed on the page | a button  |
| /dispositifs-de-cadenassage-daqueduc/            | literal text such as [trx_button type= "square " ... ], printed on the page | a button  |

| Where to check                      | What a visitor sees                                                         | Should be        |
|-------------------------------------|-----------------------------------------------------------------------------|------------------|
| /la-rentree-scolaire/               | literal text such as [trx_button type= "square " ... ], printed on the page | a button         |
| /nos-rad50-installation-a-brossard/ | literal text such as [trx_button type= "square " ... ], printed on the page | a button         |
| /somm-es-a-radio/                   | an audio player that does not play                                          | a working player |

## 8. Products with no SKU

13 products. A customer cannot quote a part number and your team cannot look them up.

| Product                                                                    | WordPress ID | Page                                                                               |
|----------------------------------------------------------------------------|--------------|------------------------------------------------------------------------------------|
| AXE post                                                                   | 113581       | /produit/poteau-axe/                                                               |
| High-visibility medallion                                                  | 113563       | /produit/medaillon-de-visibilite/                                                  |
| Red Diamond Grade conspicuity tape, 6" x 150', Orafol V98                  | 112838       | /produit/ruban-de-signalisation-diamant-rouge-6-x-150-v98-orafol/                  |
| PTBA - Post on adjustable base                                             | 112556       | /produit/ptba-poteau-pour-panneau/                                                 |
| UltraFlex T-RV-10 bollard                                                  | 112512       | /produit/bollard-t-rv-10-ultraflex/                                                |
| UltraFlex bollard                                                          | 112458       | /produit/bollard-ultraflex/                                                        |
| No smoking or vaping signs - Cannabis                                      | 78693        | /produit/panneaux-interdiction-de-fumer-de-vapoter-cannabis/                       |
| Zero Tolerance for Cannabis at Work signs                                  | 78683        | /produit/panneaux-tolerance-zero-cannabis-travail/                                 |
| OSHA standard signs: Fire extinguisher                                     | 20998        | /produit/panneaux-norme-osh-extincteur/                                            |
| OSHA standard signs: Danger - Electrical hazard, authorized personnel only | 20255        | /produit/panneaux-norme-osh-danger-danger-electrique-personnel-autorise-seulement/ |
| CSA standard signs: Fire cabinet                                           | 19494        | /produit/panneaux-norme-csa-cabinet-dincendie-fire-cabinet/                        |
| CSA standard signs: Caution - Obstacle                                     | 18734        | /produit/panneaux-norme-csa-attention-obstacle/                                    |
| CSA standard signs: No running                                             | 17973        | /produit/panneaux-norme-csa-interdiction-de-courir/                                |

## 9. Products with no image

64 products show a blank placeholder in the catalogue.

| Product                                                          | SKU             | Page                                                                            |
|------------------------------------------------------------------|-----------------|---------------------------------------------------------------------------------|
| T-160-2 (product variation)                                      | EA7S36T1602Q3   | /produit/t-160-2x-product-variation-3/                                          |
| T-160-2 (product variation)                                      | EA7S36T1602Q2   | /produit/t-160-2x-product-variation-2/                                          |
| T-160-2 (product variation)                                      | EA7S36T1602Q1   | /produit/t-160-2x-product-variation/                                            |
| Lane merge T-100-10-G                                            | T-100-10-Gx     | /produit/fusion-de-voies-t-100-10-g/                                            |
| BICYCLE DETOUR T-090-6                                           | T-90-6x         | /produit/detour-bicyclettet-090-6/                                              |
| Pedestrian detour to the left T-090-18-G                         | T-90-18-Gx      | /produit/detour-a-gauche-pour-pietons-t-090-18-g/                               |
| \$100 fine tab                                                   | P-310-P-100x    | /produit/panonceau-amende-100/                                                  |
| Reserved lane - buses and carpools, centre arrow, hours and days | P-250-4-Hx      | /produit/voie-reservee-aux-bus-et-covoiturage-fleche-au-centre-heures-et-jours/ |
| Reserved lane - buses, right arrow, hours and days               | P-250-2-Hx      | /produit/voie-reservee-aux-bus-fleche-a-droite-heures-et-jours/                 |
| EXCEPT AUTHORIZED VEHICLES                                       | P-100-P-2x      | /produit/excepte-vehicules-autorises/                                           |
| Stop line, right arrow. Installed on the left.                   | P-60-Gx         | /produit/ligne-darret-fleche-a-droite-installation-a-gauche/                    |
| Stop line, left arrow. Installed on the right.                   | P-60-Dx         | /produit/ligne-darret-fleche-a-gauche-installation-a-droite/                    |
| P-18 DOUBLE-SIDED                                                | P-18x           | /produit/p-18-recto-verso/                                                      |
| Stop sign (English)                                              | P-10Sx          | /produit/stop/                                                                  |
| Stop tab, T-intersection (English)                               | P-10-P-2Sx      | /produit/panonceau-stop-a-intersection-en-t/                                    |
| Stop sign, Inuktitut                                             | P-10-lx         | /produit/arret-inuit/                                                           |
| ARRÊT-STOP sign (bilingual)                                      | P-10-ASx        | /produit/arret-stop/                                                            |
| Directions to an off-road cycling route                          | I-535x          | /produit/acheminement-vers-un-itineraire-cyclable-hors-route/                   |
| Dead end, with left arrow                                        | I-375-2-Gx      | /produit/route-sans-issue-avec-fleche-a-gauche/                                 |
| Hiker parking area                                               | I-350-13x       | /produit/aire-de-stationnement-pour-randonneurs/                                |
| Certified airport - pointing at 45 degrees (right) or (left)     | I-300-2-G-Dx    | /produit/aeroport-homologue-pointant-a-45-degres-droite-ou-gauche/              |
| Major airport pointing at 45 degrees, right or left              | I-300-1-G-Dx    | /produit/aeroport-majeur-pointant-a-45-degres-droite-ou-gauche/                 |
| Distance XXX m                                                   | I-245-P-2x      | /produit/distance-xxxm/                                                         |
| Diagonal right arrow X km tab                                    | I-240-P-7-D-Vx  | /produit/panonceau-fleche-oblique-a-droite-x-km-2/                              |
| Direction tab, diagonal right X km                               | I-240-P-7-D-BRx | /produit/panonceau-de-direction-oblique-a-droite-x-km/                          |

| Product                                                                    | SKU             | Page                                                                                    |
|----------------------------------------------------------------------------|-----------------|-----------------------------------------------------------------------------------------|
| Diagonal right arrow X km tab                                              | I-240-P-7-D-BLx | /produit/panonceau-fleche-oblique-a-droite-x-km/                                        |
| Highway exit number, left, with cardinal direction                         | I-201-GPCx      | /produit/numero-de-sortie-dautoroute-a-gauche-avec-point-cardinal/                      |
| Highway exit number, left                                                  | I-201-Gx        | /produit/numero-de-sortie-dautoroute-a-gauche/                                          |
| Highway exit number, right, with cardinal direction                        | I-201-DPCx      | /produit/numero-de-sortie-dautoroute-a-droite-avec-point-cardinal/                      |
| Highway exit number, right                                                 | I-201-Dx        | /produit/numero-de-sortie-dautoroute-a-droite/                                          |
| Tourist route marker: Route du fleuve                                      | I-185-3-Bx      | /produit/jalonnement-le-long-de-la-route-ou-du-circuit-touristiqueroute-du-fleuve/      |
| Tourist route marker                                                       | I-185-3x        | /produit/jalonnement-le-long-de-la-route-ou-du-circuit-touristique/                     |
| Tourist route identification                                               | I-185-2x        | /produit/identification-de-la-route-ou-du-circuit-touristique/                          |
| Directions to tourist route: Route des Sommets                             | I-185-1-Lx      | /produit/acheminement-vers-la-route-ou-le-circuit-touristiqueroute-des-sommets/         |
| Tourist route marker: Chemin des cantons                                   | I-185-1-Jx      | /produit/jalonnement-le-long-de-la-route-ou-du-circuit-touristiquechemin-des-cantons/   |
| Directions to tourist route                                                | I-185-1x        | /produit/acheminement-vers-la-route-ou-le-circuit-touristique/                          |
| Crossing location tab, diagonal left arrow (bike paths)                    | D-270-P-1x      | /produit/panonceau-de-localisation-dun-passage-fleche-oblique-a-gauche-voies-cyclables/ |
| Reserved lane intersection                                                 | D-255x          | /produit/intersection-dune-voie-reservee/                                               |
| Advisory exit speed 85 km/h                                                | D-120-P-85x     | /produit/vitesse-recommandee-sortie-85-kmh/                                             |
| Advisory exit speed 75 km/h                                                | D-120-P-75x     | /produit/vitesse-recommandee-sortie-75-kmh/                                             |
| Advisory exit speed 65 km/h                                                | D-120-P-65x     | /produit/vitesse-recommandee-sortie-65-kmh/                                             |
| Advisory exit speed 55 km/h                                                | D-120-P-55x     | /produit/vitesse-recommandee-sortie-55-kmh/                                             |
| Advisory exit speed 45 km/h                                                | D-120-P-45x     | /produit/vitesse-recommandee-sortie-45-kmh/                                             |
| Advisory exit speed 35 km/h                                                | D-120-P-35x     | /produit/vitesse-recommandee-sortie-35-kmh/                                             |
| Advisory exit speed 25 km/h                                                | D-120-P-25x     | /produit/vitesse-recommandee-sortie-25-kmh/                                             |
| OSHA standard signs: Fire extinguisher                                     | (none)          | /produit/panneaux-norme-osha-extincteur/                                                |
| OSHA standard signs: Danger - Electrical hazard, authorized personnel only | (none)          | /produit/panneaux-norme-osha-danger-danger-electrique-personnel-autorise-seulement/     |
| CSA standard signs: Fire cabinet                                           | (none)          | /produit/panneaux-norme-csa-cabinet-dincendie-fire-cabinet/                             |
| CSA standard signs: Caution - Obstacle                                     | (none)          | /produit/panneaux-norme-csa-attention-obstacle/                                         |
| CSA standard signs: No running                                             | (none)          | /produit/panneaux-norme-csa-interdiction-de-courir/                                     |

| Product                                                     | SKU              | Page                                                                         |
|-------------------------------------------------------------|------------------|------------------------------------------------------------------------------|
| Placards                                                    | DP[M]PN403-3170x | /produit/placards-10/                                                        |
| DP[M]102 (product variation)                                | DPS102Q3         | /produit/dpm102x-product-variation-6/                                        |
| DP[M]102 (product variation)                                | DPS102Q2         | /produit/dpm102x-product-variation-5/                                        |
| DP[M]102 (product variation)                                | DPS102Q1         | /produit/dpm102x-product-variation-4/                                        |
| OSHA standard signs: Emergency station only                 | DSO[M][F]0-010x  | /produit/panneaux-norme-osha-poste-de-secours-seulement/                     |
| CSA standard signs: Fire extinguisher                       | DSC[M][F]7-001x  | /produit/panneaux-norme-csa-extincteur/                                      |
| CSA standard signs: Use stairs in case of emergency         | DSC[M][F]7-006x  | /produit/panneaux-norme-csa-utilisez-lescalier-en-cas-durgence/              |
| CSA standard signs: Emergency exit                          | DSC[M][F]7-005x  | /produit/panneaux-norme-csa-sortie-durgence/                                 |
| CSA standard signs: Opening this door will trigger an alarm | DSC[M][F]7-004x  | /produit/panneaux-norme-csa-ouvrir-cette-porte-declenche-un-systeme-dalarme/ |
| CSA standard signs: Water intake                            | DSC[M][F]7-003x  | /produit/panneaux-norme-csa-prise-deau/                                      |
| CSA standard signs: Cartridge respirator required           | DSC[M][F]2-025x  | /produit/panneaux-norme-csa-respirateur-a-cartouche-obligatoire/             |
| Straps for round posts                                      | AECCxxx30x       | /produit/courroies-pour-poteau-rond/                                         |
| Strap buckle for round posts                                | AECBxxxx         | /produit/boucle-dattache-de-courroie-pour-poteau-rond/                       |
| Flared U-bolt                                               | AECAExxxx        | /produit/attache-en-u-evasee/                                                |

## 10. Products in no category

11 products. They cannot be reached by browsing, only by direct link or search.

| Product                                                                    | SKU           | Page                                                                                |
|----------------------------------------------------------------------------|---------------|-------------------------------------------------------------------------------------|
| T-160-2 (product variation)                                                | EA7S36TI602Q3 | /produit/t-160-2x-product-variation-3/                                              |
| T-160-2 (product variation)                                                | EA7S36TI602Q2 | /produit/t-160-2x-product-variation-2/                                              |
| T-160-2 (product variation)                                                | EA7S36TI602Q1 | /produit/t-160-2x-product-variation/                                                |
| OSHA standard signs: Fire extinguisher                                     | (none)        | /produit/panneaux-norme-osha-extincteur/                                            |
| OSHA standard signs: Danger - Electrical hazard, authorized personnel only | (none)        | /produit/panneaux-norme-osha-danger-danger-electrique-personnel-autorise-seulement/ |
| CSA standard signs: Fire cabinet                                           | (none)        | /produit/panneaux-norme-csa-cabinet-dincendie-fire-cabinet/                         |
| CSA standard signs: Caution - Obstacle                                     | (none)        | /produit/panneaux-norme-csa-attention-obstacle/                                     |

| Product                        | SKU      | Page                                                |
|--------------------------------|----------|-----------------------------------------------------|
| CSA standard signs: No running | (none)   | /produit/panneaux-norme-csa-interdiction-de-courir/ |
| DP[M]102 (product variation)   | DPS102Q3 | /produit/dpm102x-product-variation-6/               |
| DP[M]102 (product variation)   | DPS102Q2 | /produit/dpm102x-product-variation-5/               |
| DP[M]102 (product variation)   | DPS102Q1 | /produit/dpm102x-product-variation-4/               |

## 11. Pages that are published but show nothing

| Page            | What is on it                              | Note                                                    |
|-----------------|--------------------------------------------|---------------------------------------------------------|
| /boutique/      | a heading and a newsletter box             | Listed in your sitemap, so search engines index it      |
| /produits-test/ | a heading and a newsletter box             | Named "test", visible to the public                     |
| /test-typo/     | lorem ipsum placeholder text in four fonts | An internal design test page, public and in the sitemap |
| /equipe/        | nothing                                    | Three records, all named France Couture, none display   |

## 12. Hidden spam injected into product pages

This looks like a compromised WordPress install. Thirteen product descriptions contain a block of markup that positions a link thousands of pixels off the left of the screen, so a visitor never sees it while a search engine does. It links to ewpacfo.com, which has nothing to do with Signal.

This is worth showing whoever maintains the site. It usually means a plugin or theme was exploited, and the injected content is a symptom rather than the problem. None of it is carried into the rebuild.

| Where to check                                            | What to do                                       | What is hidden there                         |
|-----------------------------------------------------------|--------------------------------------------------|----------------------------------------------|
| /produit/ptba-poteau-pour-panneau/                        | View the page source and search for div-comments | A link to ewpacfo.com, positioned off-screen |
| /produit/boite-de-cadenassage-portative/                  | View the page source and search for div-comments | A link to ewpacfo.com, positioned off-screen |
| /produit/moraillon-bouchon-de-cadenassage/                | View the page source and search for div-comments | A link to ewpacfo.com, positioned off-screen |
| /produit/cloture-temporaire/                              | View the page source and search for div-comments | A link to ewpacfo.com, positioned off-screen |
| /produit/kit-pour-brigadier-scolaire/                     | View the page source and search for div-comments | A link to ewpacfo.com, positioned off-screen |
| /produit/interdiction-de-jeter-des-dechets/               | View the page source and search for div-comments | A link to ewpacfo.com, positioned off-screen |
| /produit/enseigne-pliante-pour-dissimuler-le-pictogramme/ | View the page source and search for div-comments | A link to ewpacfo.com, positioned off-screen |

| Where to check                                | What to do                                       | What is hidden there                         |
|-----------------------------------------------|--------------------------------------------------|----------------------------------------------|
| /produit/amortisseur-apneu/                   | View the page source and search for div-comments | A link to ewpacfo.com, positioned off-screen |
| /produit/support-de-fleche-pivotant-en-acier/ | View the page source and search for div-comments | A link to ewpacfo.com, positioned off-screen |
| /produit/structure-complete-en-acier/         | View the page source and search for div-comments | A link to ewpacfo.com, positioned off-screen |
| /produit/barre-lumineuse-signal-a-del/        | View the page source and search for div-comments | A link to ewpacfo.com, positioned off-screen |
| /produit/lampe-halogene/                      | View the page source and search for div-comments | A link to ewpacfo.com, positioned off-screen |
| /produit/lampe-a-del-pour-fleches/            | View the page source and search for div-comments | A link to ewpacfo.com, positioned off-screen |

## 13. Other things worth fixing

| Where                          | Problem                                                                        | Why it matters                                                                                                                                                   |
|--------------------------------|--------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| /                              | the CONSULTEZ LE PRODUIT button under "SÉCURISEZ VOS ROUTES" has an empty link | Clicking it does nothing. It sits under the headline product on your home page. On the rebuild it points at the Rectangular rapid-flashing beacons product page. |
| /politique-de-confidentialite/ | contains the address privacy@challengeu.com                                    | That is another company. Your privacy policy tells customers to contact them.                                                                                    |
| Footer of every page           | the privacy policy link points at a staging domain                             | Visitors land on a test copy of the site instead of the real policy.                                                                                             |
| /produits/                     | takes about 22 seconds to load when not cached                                 | Most visitors leave before it appears.                                                                                                                           |
| Any link written without www   | signal.ca/web/... returns 404 while www.signal.ca/web/... works                | Two of the dead documents in section 1 are this mistake rather than a missing file.                                                                              |