
Find the drum; keep the grid

Retain useful controls and fast routes. A change must earn its tradeoff in actual use.

ACTUAL HISTORICAL / 79280e76



NEW R3 / DESIGN MODEL



Current 3c41 actual capture: not yet received in this workspace. The parent reports fresh current Elite/Pro exercise; its report and launch bytes are pending intake. Historical package 0.0.25 was requested/displayed as 25.1.

Same known visible task: 909, four kick hits, 16 steps, 1/16, 125 bpm, REC off, running. Playhead phase is not synchronized.

Keep All 11 tracks plus accent, 16 columns, LENGTH/RATE, black-key selection, white/pad step entry and PATCH+black mute.

Change New percussion pictures replace row abbreviations. The selected picture/full name uses only the former unmapped K7/K8 display area; both knobs remain unmapped.


Access Running snare selection: G#3, then pad 4 toggles step 5. Length/rate still need one direct K5/K6 turn. No extra page or confirmation.

Tradeoff Tiny-symbol and 808 variant recognition is unqualified. The large picture must not imply a new editable control. Retain baseline if actual-use benefit does not outweigh that cost.


Keep the sound overview

Retain useful controls and fast routes. A change must earn its tradeoff in actual use.

ACTUAL HISTORICAL / 79280e76



NEW R3 / DESIGN MODEL



Current 3c41 actual capture: not yet received in this workspace. The parent reports fresh current Elite/Pro exercise; its report and launch bytes are pending intake. Historical package 0.0.25 was requested/displayed as 25.1.

Known visible filter task: Chicago A, FILTER 1, CUTOFF25%, PEAK75%, ENV+56%, stopped. Different versions/rasterizers; no current LCD equivalence claimed.

Keep Four neighboring parameter groups, one four-column physical mapping, existing glyph/readout/ADSR families, reverse wrap and deep list.

Withdraw The rejected single-group focus replacement. Chicago 8, Miami 6, Juno 5, Drone 3 page cycles include SOUND.

Access Known OSC memory from SEQ: PARA → K2+ → K5 =3 logical gestures. Deep list: SCALE → K2+ → K2+ → K3 → PATCH =5. R3 retains both routes.

Tradeoff No improvement over current parameter navigation is claimed. This is deliberate retention. Other values are illustrative fixtures; native DSP wave-cache and typography parity are not established.

Keep live context during WAIT

Retain useful controls and fast routes. A change must earn its tradeoff in actual use.

ACTUAL HISTORICAL / 79280e76



NEW R3 / DESIGN MODEL



Current 3c41 actual capture: not yet received in this workspace. The parent reports fresh current Elite/Pro exercise; its report and launch bytes are pending intake. Historical package 0.0.25 was requested/displayed as 25.1.

Known stopped Home reference: P01, 909four kicks, 125 bpm, SWING50%, FILTER OFF, PUMP4.0dB. Current exact before remains pending intake.

Keep Sixteen pattern thumbnails, five part-content lanes, and all four graphical PERFORM controls. Ordinary cue/WAIT/fault state does not replace these with a diagnostic list.

Change Compact clock WAIT treatment plus a read-only coarse power glyph in the strip-caption gap. No charging state, percentage or extra knob binding.

Access Home pump remains zero navigation plus one K8 turn, including WAIT. Filter stays K7; source DJ macro deadband is retained in the model.

Tradeoff Clock/power collisions, readability and applied-state fidelity still need current-candidate comparison. Normal pads cannot substitute for all-part mute identity.

Keep arrangement neighbors

Retain useful controls and fast routes. A change must earn its tradeoff in actual use.

ACTUAL HISTORICAL / 79280e76



NEW R3 / DESIGN MODEL



Current 3c41 actual capture: not yet received in this workspace. The parent reports fresh current Elite/Pro exercise; its report and launch bytes are pending intake. Historical package 0.0.25 was requested/displayed as 25.1.

Known empty Song reference: first authoring entry, stopped, 125 bpm. This is existing manual authoring, not a selected recording strategy.

Keep Up to 11 visible entries with per-part patterns, mutes, repeats, selected/playing bar, and both four-knob BAR pages.

Withdraw The rejected isolated-bar list. Empty remains empty with its existing add-bars hint; no fictional data fills the page.

Access From Home: PATCH enters Song. K2+ reaches BAR2; K8 is repeats. PATCH returns Home. Existing key-entry and mute routes remain.


Tradeoff CP2 whole-idea/repeated-take selection and dependent CP3 lifecycle remain open. A readable bar selector is not recording, replay or recovery success.

One interface: screen, pads, buttons

Source-derived feedback map at 3c41ef4b. Browser diagrams are not measured hardware output.

Physical facts Sixteen RGB pads;37 keybed keys have no LEDs. Normal button outputs are binary. REC has its own red LED; SMK PLAY-red is unused.

Stopped four-kick pattern



Step5 playhead: stored hit inverts off



Held input Holding pad 4 overrides that inversion and makes it bright. No unique held-step or accepted-lock colour is invented.

Mute Muted selected-track hits still display on pads. Track/part mute identity stays on the LCD; there is no physical black-key mute lamp.

REC and WAIT REC arming is not capture success. WAIT PLAY uses frame 32, Home cue pads frame 8, LCD cue frame 16. No common phase or measured blink rate is assumed.

Separate owners Clip/Loopy host palette, eligible division pads and development calibration retain their gated owners. Local light changes do not prove host launch or durable recording.

What remains before acceptance

The revised candidate is concrete; the proof boundary remains explicit.

Whole scope All 39 R22 journeys and261 routing rows are retained.35 source-derived access tasks and complete engine/drum control tables are in the machine-readable function map.

No hidden removals Mapped bottom controls, parameter columns, neighbor overview, deep-list entries, reverse wrap, held release ownership and meaningful light states must be accounted for. Planned retained-route delta is zero; actual task speed/usefulness is unqualified.

Current finding intake Parent reports clip LOAD advertises masked SCALE YES and held Chicago sound stops on Global entry. Neither is called fixed. Exact stage1534 report, launch and capture bytes still need a supported result route.

Fresh review The parent reconciles the existing independent emulator reviewer. No duplicate is created. That reviewer must exercise this exact R3 proposal and actual package with no prior scores or desired rating.

Reserved work Settings component and seven CP1 cases stay reserved. CP2 must select one whole-idea/repeated-take strategy before CP3. Comparator adoption, DF1, combined resources, audible correction/repeat/recovery and physical qualification remain open.

Owner delivery This PDF and the separate240 square PNGs are the owner-facing artifacts. The HTML workbench remains available for interaction checks; it is not the sole deliverable.

Identities
Current source: 3c41ef4bedf9701f549ce2752b73306e2fab1eb8
Tree: fa0c3fe75483534f12839eeb8f5e29ec9cb52c6d
Historical package SHA256: 5e24e0d4afccc30906b334fbe73bcad3621df8df3c325790b7af2f94accffb1a
Rejected proposal: a8986ac2d364bb59a38e068381e18ca068fe7c8d
Exact R3 HTML, PNG, source and model-check pins: ARTIFACT-MANIFEST.json.