

WP - Assignment

Static WebPage Designing

Br Sp II - Web Programming
Division F | Batch F1

Garvit Shah | F-24 | U21CS089

HTML Code -

CSS-Style1.html

```
<html>
    <head>
        <title>Style 1</title>
        <style>
            .head{
background-color: #11d45f;
padding-left: 1%;
padding-right: 1%;
padding-top: 0.01%;
padding-bottom: 0.01%;
}

h1.head{
    color: white;
    font-family: Verdana, Geneva, Tahoma, sans-serif;
    margin-bottom: 0%;
    padding-bottom: 0%;
}

p.head{
    padding-top: 0%;
    margin-top: 0%;
    color: white;
    font-family: Verdana, Geneva, Tahoma, sans-serif;
}

.menu{
    margin-right: 5%;
```

```

    float:left;
    width:30%;
}

.menu li{
    text-align: left;
    border: 1px solid #444444;
    background-color: #eaeec;
    padding-left: 2%;
    padding-top: 2%;
    padding-bottom: 2%;
    margin-bottom: 2%;
    margin-top: 2%;
    list-style-type: none;
    font-family: Verdana, Geneva, Tahoma, sans-serif;
}

.menu li a{
    text-decoration: none;
    color: black;
}

.body{
    float:left;
    width:65%;
}

</style>
</head>
<body>
    <div class = 'head'>
        <h1 class = 'head'>Welcome to My Homepage</h1>
        <p class = 'head'>Use the menu to select different
Stylesheets</p>
    </div>

    <div class = 'menu'>
        <ul>
            <span><li style = "background-color: #11da5f;
color:white;">Stylesheet 1</li></span>

```

```

        <li><a href="CSS-Style2.html">Stylesheet 2</a></li>
    </li>
        <li><a href="CSS-Style3.html">Stylesheet 3</a></li>
    </li>
        <li><a href="">Stylesheet 4</a></li>
        <li><a href="">No Stylesheet</a></li>
    </ul>
</div>

```

```

<div class = 'body'>
    <h1>Same Page Different Styles</h1>
    <p>This is demonstration of how different styles can
change the layout of your HTML page. You can change the
        layout of this page by selecting different
stylesheets in the menu, or by selecting one of the following
links:

```

```

    <br>
        <a href ="CSS-Style1.html">Stylesheet 1</a>
        <a href ='CSS-Style2.html'>Stylesheet 2</a>
        <a href ='CSS-Style3.html'>Stylesheet 3</a>
        <a href =' '>Stylesheet 4</a>
        <a href =' '>No Stylesheet</a>
    </p>

```

```

    <h2>No Styles</h2>
    <p>This page uses DIV elements to group differnt
sections of the HTML page. Click here to see how the page looks
like

```

whith no stylesheet:

```

    <br>
        <a href =' '>No Stylesheet</a>
    </p>
</div>
</body>
</html>

```

CSS-Style2.html

```
<html>
<head>
    <link rel="Stylesheet" href="css2.css">
</head>

<body bgcolor="#d04631">
    <div class = 'head'>
        <h1 class = 'head'>Welcome to My Homepage</h1>
        <p class = 'head'>Use the menu to select different
Stylesheets</p>
    </div>

    <div class="mainbody">
        <div class = 'menu'>
            <ul>
                <li><a href="CSS-Style1.html">Stylesheet 1</a></
li>
                <span><li style = "background-color:white;
color:#bb3422;">Stylesheet 2</li></span>
                <li><a href="CSS-Style3.html">Stylesheet 3</a></
li>
                <li><a href="">Stylesheet 4</a></li>
                <li><a href="">No Stylesheet</a></li>
            </ul>
        </div>

        <div class = 'body'>
            <h1 style="color:#bb3422;">Same Page Different
Styles</h1>
            <p>This is demonstration of how different styles can
change the layout of your HTML page. You can change the
                layout of this page by selecting different
stylesheets in the menu, or by selecting one of the following
links:
            <br>
            <a href ='CSS-Style1.html'>Stylesheet 1</a>
            <a href ='CSS-Style2.html'>Stylesheet 2</a>
            <a href ='CSS-Style3.html'>Stylesheet 3</a>
```

```
    <a href = ''>Stylesheet 4</a>
    <a href = ''>No Stylesheet</a>
</p>
```

```
<h2 style="color: #bb3422;">No Styles</h2>
```

<p>This page uses DIV elements to group different sections of the HTML page. Click here to see how the page looks like

with no stylesheet:

```
<br>
<a href = ''>No Stylesheet</a>
</p>
```

```
</div>
```

```
</div>
```

```
<div class="side">
```

```
    <h3>Side Bar</h3>
```

<p>Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed diam nonummy nibh euismod tincidunt ut laoreet dolore magna aliquam erat volutpat.

```
    </p>
```

```
</div>
```

```
<div class="bottom">
```

<p>Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed diam nonummy nibh euismod tincidunt ut laoreet dolore magna aliqua erat volutpat. Ut wisi enim ad minim veniam, quis nostrud exerci tation ullamcorper suscipit lobortis nisl ut aliquip ex ea commodo consequat. Duis autem vel eum iriure dolor in hendrerit in vulputate velit esse molestie consequat, vel illum dolore eu feugiat nulla facilisis at vero eros et accumsan et iusto odio dignissim qui blandit praesent luptatum zzril delenit augue duis dolore te feugait nulla facilisi.

```
    </p>
```

```
</div>
```

```
</body>
```

```
</html>
```

CSS-Style3.html

```
<html>
<head>
  <link rel="Stylesheet" href="css3.css">
</head>

<body>
  <div class = 'head'>
    <h1 class = 'head'>Welcome to My Homepage</h1>
    <p class = 'head'>Use the menu to select different
Stylesheets</p>
  </div>

  <div class = 'menu'>
    <ul>
      <li><a href="CSS-Style1.html">Stylesheet 1</a></li>
      <li><a href="CSS-Style2.html">Stylesheet 2</a></li>
      <span><li>Stylesheet 3</li></span>
      <li><a href="">Stylesheet 4</a></li>
      <li><a href="">No Stylesheet</a></li>
    </ul>
  </div>

  <div class = 'body'>
    <h1 style="color: #27b817">Same Page Different Styles</h1>
    <p>This is demonstration of how different styles can
change the layout of your HTML page. You can change the
      layout of this page by selecting different stylesheets
in the menu, or by selecting one of the following links:
    <br>
      <a href = 'CSS-Style1.html'>Stylesheet 1</a>
      <a href = 'CSS-Style2.html'>Stylesheet 2</a>
      <a href = ''>Stylesheet 3</a>
      <a href = ''>Stylesheet 4</a>
      <a href = ''>No Stylesheet</a>
    </p>

    <h2 style="color: #27b817">No Styles</h2>
```

`<p>`This page uses DIV elements to group different sections of the HTML page. Click here to see how the page looks like with no stylesheet:

```
<br>
<a href = ''>No Stylesheet</a>
</p>
</div>
```

```
<div class="side">
  <h3 style="color: #27b817">Side Bar</h3>
  <p>Lorem ipsum dolor sit amet, consectetur adipiscing
elit, sed diam nonummy nibh euismod tincidunt ut laoreet dolore
  magna aliquam erat volutpat.
  </p>
</div>
```

```
<div class="bottom">
  <p size="2px">Lorem ipsum dolor sit amet, consectetur
adipiscing elit, sed diam nonummy nibh euismod tincidunt ut
laoreet dolore
    magna aliqua erat volutpat. Ut wisi enim ad minim
veniam, quis nostrud exerci tation ullamcorper suscipit lobortis
    nisl ut aliquip ex ea commodo consequat. Duis autem
vel enim iriure dolor in hendrerit in vulputate velit esse
    molesite consequat, vel illum dolore eu feugiat nulla
facilisis at vero eros et accumsan et iusto
    odio dignissim qui blandit praesent luptatum zzril
delenit augue duis dolore te feugait nulla facilisi.
  </p>
</div>
</body>
</html>
```

css2.css

```
.head{
    padding-left: 1%;
    padding-right: 1%;
    padding-top: 0.01%;
    padding-bottom: 0.01%;
}

h1.head{
    color: white;
    font-family: Verdana, Geneva, Tahoma, sans-serif;
    margin-bottom: 0%;
    padding-bottom: 0%;
}

p.head{
    padding-top: 0%;
    margin-top: 0%;
    color: white;
    font-family: Verdana, Geneva, Tahoma, sans-serif;
}

.mainbody{
    background-color: white;
}

.menu{
    float:right;
    width:17%;
    /* background-color: white; */
    /* height : 40%; */
    padding-right: 1%;
    padding-top: 3%;
}

.menu li{
    text-align: left;
    border: 1px solid #d04631;
```



```
background-color: #d04631;
margin-right: 2%;
margin-bottom: 5%;
padding-top: 2.2%;
padding-bottom: 2.2%;
text-align: center;
border-radius: 20px;
border-color: #d04631;
list-style-type: none;
font-family: Verdana, Geneva, Tahoma, sans-serif;
}

.menu li a{
    text-decoration: none;
    color: rgb(255, 255, 255);
}

.body{
    width:81%;
    padding-top: 1%;
    padding-left: 2%;
    padding-bottom: 0.5%;
    font-family: Verdana, Geneva, Tahoma, sans-serif;
}

.body a{
    color: #d04631;
}

.side{
    width:98%;
    background-color: rgb(252, 197, 195);
    padding-top: 1%;
    padding-left: 2%;
    padding-bottom: 1%;
    margin-right: 10%;
    color: #bb3422;
    font-family: Verdana, Geneva, Tahoma, sans-serif;
}
```

```
.bottom{  
    color:white;  
    text-align: center;  
}
```

css3.css

```
.head{  
    padding-left: 1%;  
    padding-right: 1%;  
}
```

```
.head h1{  
    color: #27b817;  
    font-family: Verdana, Geneva, Tahoma, sans-serif;  
}
```

```
.menu{  
    width:100%;  
    padding-right: 1%;  
}
```

```
.menu li{  
    text-align: left;  
    border: 1px solid rgb(45, 44, 44);  
    background-color: rgb(45, 44, 44);  
  
    padding-top: 0.3%;  
    padding-bottom: 0.3%;  
    padding-left:5%;  
    padding-right:5%;  
  
    margin-right: 1%;  
    text-align: center;  
    display: inline-block;  
    list-style-type: none;  
    font-family: Verdana, Geneva, Tahoma, sans-serif;  
}
```

```
.menu li a{
    text-decoration: none;
    color: rgb(255, 255, 255);
}

.menu span li{
    background-color: #27b817;
    color: white;
    border: #27b817;
}

.body{
    background-color: white;
    padding-left: 2%;
    font-family: Verdana, Geneva, Tahoma, sans-serif;
}

.body a{
    color: black;
}

.side{
    background-color: rgb(240, 240, 240);
    border: grey;
    padding-top: 0.5%;
    padding-left: 1%;
    padding-bottom: 0.5%;
    margin-right: 1%;
    margin-left: 1%;
    font-family: Verdana, Geneva, Tahoma, sans-serif;
}

.bottom p{
    text-align: center;
    font-family: Verdana, Geneva, Tahoma, sans-serif;
    padding-left: 1%;
    padding-right: 1%;
    font-size: 10px;
}
```

CSS-NoStyle.html

```
<html>
<head>
  <title>No Stylesheet</title>
</head>

<body>
  <div class = 'head'>
    <h1 class = 'head'>Welcome to My Homepage</h1>
    <p class = 'head'>Use the menu to select different
Stylesheets</p>
  </div>

  <div class="mainbody">
    <div class = 'menu'>
      <ul>
        <li><a href="CSS-Style1.html">Stylesheet 1</a></
li>
        <span><li><a href="CSS-Style2.html">Stylesheet 2</
a></li></span>
        <li><a href="CSS-Style3.html">Stylesheet 3</a></
li>
        <li><a href="">Stylesheet 4</a></li>
        <li><a href="">No Stylesheet</a></li>
      </ul>
    </div>

    <div class = 'body'>
      <h1>Same Page Different Styles</h1>
      <p>This is demonstration of how different styles can
change the layout of your HTML page. You can change the
      layout of this page by selecting different
stylesheets in the menu, or by selecting one of the following
links:
      <br>
      <a href ='CSS-Style1.html'>Stylesheet 1</a>
      <a href ='CSS-Style2.html'>Stylesheet 2</a>
      <a href ='CSS-Style3.html'>Stylesheet 3</a>
```

```
    <a href = ''>Stylesheet 4</a>
    <a href = ''>No Stylesheet</a>
</p>
```

```
<h2>No Styles</h2>
```

<p>This page uses DIV elements to group differnt sections of the HTML page. Click here to see how the page looks like

whith no stylesheet:

```
<br>
<a href = ''>No Stylesheet</a>
</p>
```

```
</div>
```

```
</div>
```

```
<div class="side">
```

```
    <h3>Side Bar</h3>
```

<p>Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed diam nonummy nibh euismod tincidunt ut laoreet dolore magna aliquam erat volutpat.

```
    </p>
```

```
</div>
```

```
<div class="bottom">
```

<p>Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed diam nonummy nibh euismod tincidunt ut laoreet dolore magna aliqua erat volutpat. Ut wisi enim ad minim veniam, quis nostrud exerci tation ullamcorper suscipit lobortis nisl ut aliquip ex ea commodo consequat. Duis autem vel eum iriure dolor in hendrerit in vulputate velit esse molestie consequat, vel illum dolore eu feugiat nulla facilisis at vero eros et accumsan et iusto odio dignissim qui blandit praesent luptatum zzril delenit augue duis dolore te feugait nulla facilisi.

```
    </p>
```

```
</div>
```

```
</body>
```

```
</html>
```

