
Gobli Sniper

Setup Guide

Version 1.2
20 September 2026

Contents

1. Start here	3
2. What you'll need	3
3. Make a burner wallet	4
4. Create your Telegram bot	5
5. Find your Telegram ID	5
6. Connect to Helius	6
7. Fill in your config with the Setup Wizard	7
8. Rent a VPS	8
9. Put Gobli on the VPS and run it 24/7	9
10. The honest security talk.....	11
11. Your first snipe	12
12. When something breaks	13
13. Risk.....	14

1. Start here

Gobli Sniper is **self-hosted**. That means there is no app to log into and no account on anyone's servers, because there are no servers. You run the bot on a small rented computer (a VPS), it takes orders from your own private Telegram chat, and it trades with your own wallet.

The trade-off for that freedom is that you do the setup. This guide walks every step. Take it in order and you will be sniping by the end. A point-and-click setup wizard handles the fiddly configuration-file part for you — no code editor required.

Speed, not judgment. The bot lands a buy in under a second so you are not fat-fingering the trade against a stopwatch. It cannot tell you which token to buy, and it cannot turn a bad trade into a good one. That decision stays with you.

2. What you'll need

Before you touch a single file, gather these. You can get all of it in one sitting.

Thing	What it's for	Cost
A computer	Windows or Mac. You only need it for setup; once Gobli is on the VPS, you run everything from your phone.	Have it
A Telegram account	Gobli's entire control panel lives in Telegram. You will make a private bot inside it.	Free
A burner Solana wallet	A fresh, throwaway wallet that holds only your trading money. Never your main one. Section 3.	Free
A Helius account	Your private, fast lane to the Solana network. The free tier works to start.	Free–\$49/mo
A VPS (Contabo)	A small always-on computer in a datacenter. This is where Gobli actually lives and runs 24/7.	~\$7/mo
Some SOL	Your trading float, plus a little for network fees. Start small.	Your call
A payment card	For the VPS, and for Helius if you upgrade. Crypto-only options exist too.	Have it

Total to get started. Realistically about \$7 for the first month (just the VPS), plus whatever SOL you want to trade with. Helius can stay free until you are ready to go faster. You do not need to spend big to test the whole thing.

How the pieces fit together

It looks like a lot of accounts, but the picture is simple. Four things talk to each other:

Your phone → Gobli → Helius → Solana

Node	Role
Your phone	You, in Telegram, pasting a token address.
Gobli	Running on your VPS, holding your <code>.env</code> .
Helius	The fast pipe to the Solana network.
Solana	Where the trade actually happens.

Your `.env` file is the keyring that lets Gobli talk to all of this — your wallet key, your bot token, your Helius key. Guard it like a seed phrase. More on that in section 10.

3. Make a burner wallet

Gobli trades with a real wallet, and that wallet's private key will live on your VPS. So the rule is: **this wallet must be a fresh throwaway that only ever holds money you are actively trading.** Never your main wallet.

Never use your main wallet. A private key on a rented server is convenient but not a vault (section 10 is direct about exactly who could reach it). A burner means the absolute worst case is losing your small trading float, not your savings. Treat the burner like cash in your pocket: enough to be useful, never enough to hurt.

Create the wallet

1. Install **Phantom** (the browser extension or phone app) from `phantom.app`. If you already have it, use its "add / create new wallet" option to make a **separate** one — don't reuse your existing wallet.
2. Create a brand-new wallet. Write the seed phrase down on paper and store it somewhere safe. **Never type your seed phrase into anything online, and never give it to anyone** — including Gobli support.
3. Fund it with a small amount of SOL: enough to trade with, plus a little for fees. Start small while you test; you can always send more later.

Export the private key

Gobli needs the wallet's **private key** (a long string of letters and numbers, different from your seed phrase) to sign trades for you.

1. In Phantom, open **Settings** → **Security & Privacy** → **Export Private Key**.
2. Confirm with your password. Phantom shows a long "base58" string.
3. Copy it somewhere safe for now — you'll paste it into the Setup Wizard in section 7. Then forget it exists.

This key is everything. Anyone who has this string controls this wallet completely. Never share it, screenshot it into a chat, paste it into a website, or put it on GitHub. It belongs in exactly one place: your `.env` file. Gobli support will never ask you for it.

4. Create your Telegram bot

Gobli does not have a website you log into — it talks to you through a private Telegram bot that *you* own. Telegram has a built-in bot for making bots, called BotFather. Five steps and you'll have a token.

1. Open Telegram and search for @BotFather. Open the one with the **blue verified checkmark** — there are fakes.
2. Tap **Start**, then send the message `/newbot`.
3. It asks for a **name** (anything, e.g. "My Gobli"). Then a **username**, which must be unique and end in bot (e.g. `my_gobli_bot`).
4. BotFather replies with a **token**, a long string like `7812...:AAH...xyz`. This is your `TELEGRAM_BOT_TOKEN`. Copy it and keep it for section 7.
5. Open a chat with your new bot (tap its `t.me/...` link in BotFather's message) and send it any message, like "hi". You'll need this in the next section.

PICK A LOW-KEY NAME AND BIO

Telegram sweeps crypto-trading bots into its automated enforcement net, and a public username or bio with words like "sniper" or "solana" is what its filters and casual user reports latch onto — not what the code actually does. Pick something unremarkable, a name a stranger scrolling past wouldn't look at twice. This is a precaution, not a guarantee. If it happens anyway, the ban is tied to the bot registration, not your setup: appeal through Telegram, make a fresh bot with a quieter name, and drop the new token into `.env`.

Keep the token secret. Anyone with your bot token can send commands to Gobli. Don't paste it publicly. If it ever leaks, send BotFather `/revoke` to generate a fresh one, then update your `.env`.

The bot is just an empty shell right now — it does nothing until you run Gobli's code on the VPS and point it at this token. Making the bot and running the bot are two different steps; this section is the easy one.

5. Find your Telegram ID

This is the security lock. Gobli will ignore every message from everyone except your exact Telegram ID — a number unique to your account. Even if someone finds your bot, they cannot make it trade. Let's grab that number.

The easy way

1. In Telegram, search for @userinfobot and open it.
2. Tap **Start**. It instantly replies with your account info, including Id: `1234567890`.
3. That number is your `TELEGRAM_CHAT_ID`. Copy it for section 7.

The backup way, if the above ever fails

1. Make sure you've already sent your own bot a message (you did this in section 4).
2. In any browser, open this URL, replacing <TOKEN> with your bot token from section 4:

```
https://api.telegram.org/bot<TOKEN>/getUpdates
```

3. You'll see some text (JSON). Look for "chat": {"id": 1234567890. That number is your chat ID.

Why this matters. This single number is what makes Gobli yours. Get it wrong and the bot silently ignores you, since it thinks you're a stranger. If Gobli ever seems "dead" and won't respond, a wrong TELEGRAM_CHAT_ID is the number one cause — see section 12.

6. Connect to Helius

To trade fast, Gobli needs a high-speed connection to Solana. That's what an **RPC** is: your private on-ramp to the network. Helius is the provider Gobli is built around.

1. Sign up at helius.dev.
2. In your dashboard, create an **API key**. It's a string like a1b2c3d4-.... Copy it.
3. You'll build **two URLs** out of that one key, same key, different prefix. Both go in your `.env`:

```
# Your main RPC connection
HTTP_RPC_URL=https://mainnet.helius-rpc.com/?api-key=YOUR_KEY

# The fast "Sender" lane (strongly recommended - same key)
HELIUS_SENDER_URL=https://staked.helius-rpc.com?api-key=YOUR_KEY
```

Replace YOUR_KEY in both lines with the key you copied. Notice the second URL has **no slash** before the ? — copy it exactly.

Free vs paid: which to pick

Plan	What you get	Price
Free	Fully functional for testing and light use. Rate-limited, and without "staked connections" your buys can get dropped when the network is busy.	\$0
Developer (recommended)	Unlocks staked connections , a priority lane so your trades land reliably even during congestion. This is the single biggest speed upgrade. It also auto-enables a couple of fee optimizations in the bot.	~\$24.50 first month, then \$49/mo

Start free, upgrade when serious. The free tier is perfect for getting everything wired up and doing your first test trades. Upgrade to Developer once you're trading for real and want every buy to land, especially in busy markets.

7. Fill in your config with the Setup Wizard

Every value from sections 3–6 — your wallet's private key, your bot token, your chat ID, your two Helius URLs — needs to land in one place: a file called `.env` that Gobli reads on startup. The old way meant installing a code editor and hand-typing this file, where one stray character could keep the bot from starting. The Setup Wizard skips all of that: a page that lives inside your Gobli Sniper folder, runs entirely on your own computer, and writes the file for you.

It never leaves your computer. This page makes zero network requests. It isn't a website; it's a file sitting on your hard drive that your browser happens to open. Nothing you type into it, including your private key, is sent anywhere, ever. Skeptical? Press `Ctrl/Cmd + U` while it's open and read every line yourself. There's nothing hidden.

Open the wizard

1. In your Gobli Sniper folder, find `setup.html`.
2. Double-click it. It opens in your normal web browser (Chrome, Edge, Firefox, whatever you already use) — no install, no account, nothing to log into.

Fill in the form

Work down the page in order; it's grouped the same way as sections 3–6 above:

- **RPC Provider** — paste the two Helius URLs from section 6.
- **Wallet** — paste your burner wallet's private key from section 3. Click "Show" if you want to double-check what you pasted; it's hidden by default, like a password.
- **Trade Sizing and Safety Thresholds** — the numbers already filled in are sane starting defaults. Leave them as-is for your first snipe; you can tune them later, including live from Telegram with `/setbuy` and `/setslippage`.
- **Telegram** — paste your bot token from section 4 and your chat ID from section 5.

Every field checks itself as you go. If something's off — a URL missing `https://`, a private key that decodes to the wrong length, a number outside its allowed range — that field is outlined in red with a plain-English reason, before you're able to save anything broken.

Save it

Click **Save .env** at the bottom. What happens next depends on your browser:

Browser	What happens
Chrome or Edge	A normal "Save As" window pops up, already suggesting the name <code>.env</code> . Make sure you're saving into your Gobli Sniper folder, the same one <code>setup.html</code> is sitting in, then click Save. Done — the file is written directly.

Browser	What happens
Firefox or Safari	These browsers can't ask "where do you want this?" mid-page, so it downloads like a normal file into your Downloads folder, and often renames it to <code>env</code> or <code>env.txt</code> , since a filename that's just a dot with nothing after it confuses them. Find it in Downloads, rename it to exactly <code>.env</code> (delete any <code>.txt</code>), then drag it into your Gobli Sniper folder.

Re-running the wizard later, to fix a typo or rotate a leaked token, works the same way — but only on Chrome/Edge does saving again cleanly overwrite the same file. On Firefox/Safari, each save downloads a brand-new file (`env`, `env (1)`, `env (2)`...) since browsers won't silently overwrite a previous download. Delete the older one(s) from Downloads before moving the newest into your Gobli Sniper folder, so you don't get confused about which is current.

Confirm it worked

Your Gobli Sniper folder should now contain a file named exactly `.env`. Open the folder and check — on Windows, a leading dot doesn't hide a file the way it does on Mac/Linux, so you should see it listed normally.

This file is everything, still. The wizard changed *how* you create this file, not *what's in it*. It still holds your wallet's private key, your bot token, and your Helius key, in plain text. Never share it, screenshot it, or upload it anywhere public. It has exactly two homes, ever: your Gobli Sniper folder, and later, your VPS (section 9).

8. Rent a VPS

A VPS (Virtual Private Server) is just a small computer in a datacenter that's always on. This is where Gobli actually lives. Why bother instead of running it on your laptop? Two real reasons:

- **Always on.** It runs 24/7, so your stop-losses keep watching your positions while you sleep, and you never have to keep your own computer awake.
- **Closer to the action.** A datacenter near Solana's infrastructure shaves your trade latency from roughly 100–200 ms on home internet down to a few milliseconds. Faster fills.

Which provider

Gobli is tested on **Contabo**: it's cheap, accepts cards, and is one of the more permissive providers about where its customers sign up from. A heads-up on the others:

Provider	Notes	Verdict
Contabo	Cheap, card/Skrill accepted, Frankfurt datacenter, works from most countries.	Recommended
OVHcloud	Solid alternative, also permissive, card accepted.	Good backup
Vultr / DigitalOcean	Fast and clean, but their sanctions checks reject sign-ups from some countries.	May block you
Hetzner	Great hardware, but limited payment options in some regions.	Payment hassle

Order it (Contabo example)

1. At `contabo.com`, pick the cheapest Cloud VPS — the entry plan is already overkill for Gobli, around \$7/month.
2. **Term:** choose 1 month first. Don't lock into 12 months until you've tested everything.
3. **Region:** choose European Union — Frankfurt. Ignore any "best latency for you" suggestion based on your home location; what matters is the server's distance to the network, not to you.
4. **Operating system:** select Ubuntu 24.04 LTS. This is important — the rest of the guide assumes it.
5. Turn **Auto Backup off** (you don't need it for this). Complete payment.
6. Within a few minutes you'll get an email with your server's **IP address** and **root password**. Keep these — you need them next.

The VPS runs even when you don't. Once Gobli is set up there (next section), the server stays on forever — close your laptop, go to sleep, leave the house. Gobli keeps watching and you keep controlling it from your phone.

9. Put Gobli on the VPS and run it 24/7

This is the longest section, but it's just typing commands. You'll connect to your server, upload Gobli, install what it needs, test it, and then set it to run forever. Take it line by line.

Step A — connect to your server

You'll use **SSH**, a way to control the server by typing commands. It's built into both Windows and Mac.

- **Windows:** open PowerShell (search for it in the Start menu).
- **Mac:** open Terminal (search for it with Spotlight).

Then type this, replacing `YOUR_VPS_IP` with the IP from Contabo's email:

```
ssh root@YOUR_VPS_IP
```

It'll ask "are you sure?" (type `yes`) and then for the root password from the email. The cursor won't move as you type the password — that's normal; just type it and press Enter.

Step B — upload the Gobli files

Open a **second** terminal window on your own computer, not the SSH one, and run this, replacing the folder path and IP. It copies your whole Gobli folder — **including the `.env` you created with the Setup Wizard in section 7** — to the server:

```
# Mac/Linux - drag the folder into the terminal to autofill its path
scp -r /path/to/gobli-folder root@YOUR_VPS_IP:/root/gobli

# Windows PowerShell - same idea
scp -r C:\path\to\gobli-folder root@YOUR_VPS_IP:/root/gobli
```

Enter the root password again when asked. When it finishes, your files live at `/root/gobli` on the server.

Step C — install what Gobli needs

Back in your SSH window, the one connected to the server, run these one at a time:

```
# move into the folder
cd /root/gobli

# install Python and helpers
apt update && apt install -y python3 python3-pip python3-venv

# create an isolated environment and install Gobli's libraries
python3 -m venv venv
source venv/bin/activate
pip install -r requirements.txt

# lock down your secrets file so only you can read it (see section 10)
chmod 600 .env
```

Step D — test run

Start Gobli manually once to make sure everything's wired correctly:

```
python3 main.py
```

Now open Telegram, go to your bot, and send `/help`. If Gobli replies, you're live. Paste a Solana token address to do a tiny test buy — you set `BUY_AMOUNT_SOL` small, right?

When you're happy, stop the test by pressing `Ctrl + C`. Don't worry — the next step makes it permanent.

Right now, Gobli stops when you disconnect. Running `python3 main.py` by hand means the bot dies the moment you close the SSH window. That's only fine for testing. Step E fixes it so Gobli runs forever, restarts itself if it ever crashes, and survives you logging out.

Step E — make it run forever (24/7)

Gobli's folder already includes a ready-made service file with some extra hardening baked in — it locks the process out of the rest of the filesystem, even though it runs as root — no typing required. In the SSH window:

```
cp vps/bot.service /etc/systemd/system/gobli.service
systemctl daemon-reload
systemctl enable gobli    # start automatically on every boot
systemctl start gobli     # start it now
systemctl status gobli    # check it's running (look for "active")
```

If your install path isn't `/root/gobli`, open `/etc/systemd/system/gobli.service` in nano first and update the `WorkingDirectory` and `ExecStart` lines to match, before running the commands above.

That's it. Gobli now runs 24/7. You can close the terminal, shut your laptop, and control everything from Telegram.

Handy server commands for later. `systemctl restart gobli` restarts after editing `.env`. `systemctl stop gobli` pauses the bot. `journalctl -u gobli -f` watches the live log to see what Gobli is doing, or why it errored.

10. The honest security talk

Most crypto tools hand-wave this part. This section won't. Here is the plain truth about where your money actually sits and who could theoretically touch it, so you can decide for yourself how much to risk.

Gobli itself never sees your private key. It's self-hosted: there is no Gobli server, no account, no database with your keys in it. Your key only ever exists in the `.env` on the machine you rent. But "the machine you rent" belongs to someone, and that's the part worth saying plainly.

Who can technically reach your wallet key

Your `PRIVATE_KEY` sits in a file on a server owned by your VPS provider, e.g. Contabo. Being honest about what that means:

- The provider has full administrative access to the underlying hardware. Their staff **could**, in theory, clone the disk and read your `.env`.
- If the provider itself were hacked, files on their servers — including yours — **could** be exposed.
- This isn't unique to Gobli. It's true of any bot, on any VPS, from any provider. Self-hosting moves the trust from a tool's company to a server landlord; it doesn't delete trust entirely.

What actually happens in practice

- Major providers (Contabo, OVH, DigitalOcean, AWS) don't snoop on customer files. If it ever leaked that they stole keys, their entire business would evaporate overnight. The incentive runs hard the other way.
- The realistic risk of your specific VPS provider draining a small burner wallet is **very low**.
- Your bigger, more common risks are mundane: malware on your own computer, getting phished, or pasting your key somewhere you shouldn't. Guard against those first.

The one rule that makes all of this fine. Burner wallet only, funded with only what you're actively trading. If your VPS holds a wallet with a couple of SOL in it, then even the worst-case scenario costs you a couple of SOL, not your savings. Never put a wallet you can't afford to lose on a rented server.

Hardening: do these, they're quick

Step	Why
Lock the file — <code>chmod 600 .env</code>	Makes the secrets file readable only by your user. You already did this in section 9.
Use SSH keys, then disable password login	Stops bots on the internet from brute-forcing your server's root password. The strongest single upgrade.
Keep the wallet thin	Top it up as you trade rather than parking a big balance. Smaller target, smaller worst case.
Full-disk encryption (<i>optional</i>)	For the cautious: encrypt the server's disk so a cloned copy is unreadable without your password.
The Setup Wizard stayed local too	Same self-hosted principle, one step earlier — <code>setup.html</code> (section 7) never touched a network either, so your key had exactly one hop: your browser to your <code>.env</code> file.

11. Your first snipe

Gobli is live and locked to you. Here's how to actually drive it, all from Telegram, with no commands to memorize.

The core loop

1. **Paste a Solana token's contract address** into the chat. Gobli detects it and buys instantly through Jupiter, while running safety checks at the same time (Rugcheck, liquidity, taxes) and showing them on the receipt.
2. You get a **position card**: price, market cap, liquidity, safety score, time-to-wallet, and a Solscan link.
3. Tap a sell button — 25% / 50% / 75% / 100% — whenever you want out. Or set an automatic target.

Safety checks don't block the buy. Gobli is built for speed: the buy fires at the same time as the safety checks, so those checks are information, not a seatbelt. A bad Rugcheck score shows as a warning on your receipt; it does not stop the purchase. You decide what to paste. Gobli just gets you there first.

Commands

Send this	What happens
paste a token address	Instantly buys that token.
Sell 25/50/75%	Sells that share of your position.
Sell 100%	Sells everything. Reads your true on-chain balance first.
Set Take Profit	Auto-sell when up by your percentage, e.g. type 50 for +50%.

Send this	What happens
Set Stop Loss	Auto-sell when down by your percentage, e.g. type 30 for -30%.
/positions	All open positions with live profit/loss and sell buttons.
/setbuy 0.05	Change buy size to 0.05 SOL. Live, no restart.
/setslippage 1000	Change slippage to 10% (1000 bps). Live.
/config	Show current settings.
/help	List every command.

Good to know. Position tracking lives in memory, so restarting the bot, or the server rebooting, clears the open-position list and pauses take-profit/stop-loss. Your tokens are safe in your wallet the whole time — Gobli just stops watching them until you re-add them. After any restart, glance at your wallet and re-set any TP/SL you were relying on.

12. When something breaks

Something not landing? Nearly every setup hiccup is one of the usual suspects below. Work top to bottom and you'll almost always find it.

Symptom	Most likely fix
Bot ignores all my messages / seems dead	Your TELEGRAM_CHAT_ID is wrong. Re-check it with @userinfobot (section 5), fix the .env, then <code>systemctl restart gobli</code> .
Bot won't start at all	Almost always the .env file itself: either it's missing from the folder, or it's named something other than exactly .env (check for a leftover env.txt from a Firefox/Safari download, section 7). Re-run the Setup Wizard if you're unsure of a value; it won't let you save something invalid in the first place. Watch the live error with <code>journalctl -u gobli -f</code> .
Downloaded a file called env or env.txt instead of .env	Expected behavior on Firefox/Safari (section 7): your browser can't save exactly where you want, so it downloads and renames it. Rename it to exactly .env and move it into your Gobli Sniper folder.
Re-ran the Wizard and now have several env / env (1) / env (2) files	Expected on Firefox/Safari (section 7): each save downloads a new file rather than overwriting. Keep only the newest one, rename it to exactly .env, and delete the rest before moving it into your Gobli Sniper folder.
Buys fail / "quote failed"	Check your Helius URLs are exact (section 6), your key is valid, and the wallet actually holds SOL for the buy plus fees.
Buys keep getting dropped in busy markets	You're on the Helius free tier. Upgrade to Developer for staked connections (section 6).
Gobli stops when I close my laptop	You're still running it by hand. Set up the systemd service so it runs on the server itself (section 9, Step E).
"Sell 100%" failed once	Retry. Gobli re-reads your real on-chain balance before a full sell; a transient network blip can cause a one-off miss.

Symptom	Most likely fix
Lost my positions after a restart	Expected: tracking is in-memory. Your tokens are safe in the wallet; just re-add them and re-set any TP/SL (section 11).
Can't connect via SSH	Double-check the IP and that you typed <code>root@</code> before it. The password is invisible as you type; that's normal.

13. Risk

Gobli is a tool, not a money printer. Faster execution does not guarantee profitable trades.

Trading memecoins and newly launched tokens is extremely high-risk, and you can lose everything you put in. You are solely responsible for your own funds, your own keys, and every trade you make.

Nothing in this guide is financial advice. Your keys, your server, your call.