ST Lab 5

SAHIL BONDRE: U18CO021

1. Write a PHP program to Replace and Append a cookie in PHP

q1.php:

```
<html lang="en">
<head>
 <meta charset="UTF-8">
 <meta name="viewport" content="width=device-width, initial-scale=1.0">
 <title>Document</title>
 <style>
   button {
     margin: 10px;
   }
 </style>
  <script>
   function set() {
     window.location.replace("/lab-5/q1-set.php");
   }
   function replace() {
     window.location.replace("/lab-5/q1-replace.php");
    }
   function append() {
     window.location.replace("/lab-5/q1-append.php");
   }
  </script>
</head>
<body>
 <button onclick="set()">Set Cookie</button>
 <button onclick="replace()">Replace Cookie</button>
 <button onclick="append()">Append Cookie</button>
 <?php
 if (isset($_COOKIE["name"])) {
   echo "<h1>Cookie set to: " . $_COOKIE["name"] . "</h1>";
 } else {
   echo "<h1>Cookie not set</h1>";
 }
```

```
?>
</body>
</html>
```

q1-set.php:

```
<?php
setcookie("name", "abc", time() + 60 * 60);

?>
<script>
  window.location.replace("/lab-5/q1.php");
</script>
```

q1-replace.php:

```
<?php
setcookie("name", "xyz", time() + 60 * 60);

?>
<script>
  window.location.replace("/lab-5/q1.php");
</script>
```

q1-append.php

```
<?php
setcookie("name", $_COOKIE["name"] . "123", time() + 60 * 60);

?>
<script>
  window.location.replace("/lab-5/q1.php");
</script>
```

Set Cookie	Replace Cookie	Append Cookie
	2000 St. 1900	
Cookie	set to: abo	2
JOOKIC	see to. abt	_

set cookie

Set Cookie Replace Cookie Append Cookie

Cookie set to: xyz

replace cookie

Set Cookie Replace Cookie Append Cookie

Cookie set to: xyz123

append cookie

2. Write a PHP program to use cookie for 2 days.

q2.php:


Output:

Cookie name set to: xyz for 2 days

3. To display the session count using PHP programming.

```
setcookie("count", 1, time() + 60 * 60 * 24 * 2);
} else {
    setcookie("count", $_COOKIE["count"] + 1, time() + 60 * 60 * 24 *

2);
} echo "<h1>Cookie count is set to: " . $_COOKIE["count"] . "</h1>"
?>
</body>
</html>
```



Cookie count is set to: 2

After reloading once

Cookie count is set to: 8

After reloading 7 times

4. Set the value for a cookie from the user.

q4.php:

```
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>q4</title>
</head>
<body>
  <form action="/lab-5/q4-set.php" method="post">
    <input type="text" name="value" />
    <input type="submit" />
  </form>
  <?php
  if (isset($_COOKIE["value"])) {
   echo "<h1>Cookie set to: " . $_COOKIE["value"] . "</h1>";
  } else {
   echo "<h1>Cookie not set</h1>";
  }
  ?>
</body>
</html>
```

q4-set.php:

```
<?php
setcookie("value", $_POST["value"], time() + 60 * 60);
?>
<script>
  window.location.replace("/lab-5/q4.php");
</script>
```



Before user input



After user input