

# Example Slide Set

## L<sup>A</sup>T<sub>E</sub>X beamer theme “FrankfurtUniversity”

Prof. Dr. Eicke Godehardt  
Frankfurt University of Applied Sciences  
Faculty of Computer Science and Engineering  
`godehardt@fb2.fra-uas.de`

Wissen durch Praxis stärkt

If you are not prepared to be wrong,  
you never come up with anything  
original.

Sir Ken Robinson

# Agenda

## Normal Slide

## Floats

Figures

Tables

## Emphasize

Block

Text Emphasize

Code Blocks

# Example of Normal Slide

## Subtitle

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Etiam sit amet vulputate ante, vel laoreet erat. Cras pulvinar, sem nec lobortis vehicula, leo dolor commodo.

- Item 1
- Item 2:
  - Subitem 2.1
  - ...

## Figure on slide



Artist: Tony Auth

# Image and Bullet Points Side by Side

## ■ Lorem ipsum

1. Lorem ipsum dolor sit amet, consectetur adipiscing elit.
2. Donec ut est laoreet, sagittis tortor ac, rhoncus metus.

## ■ Etiam eget

- Etiam eget lectus ac nisl blandit pretium in id velit.

## ■ Ut in lorem sollicitudin

- Ut in lorem sollicitudin, condimentum magna ac, condimentum urna.
- Ut malesuada eros id odio rutrum auctor varius a mi.
- Nulla nec sapien condimentum, faucibus libero at, tristique ante.



## Example of a Table

2015 (2014)	Language	Ratings	Change
1 (1)	C	16.703%	-1.24%
2 (2)	Java	15.528%	-1.00%
3 (3)	Objective-C	6.953%	-4.14%
4 (4)	C++	6.705%	-0.86%
5 (5)	C#	5.045%	-0.80%
6 (6)	PHP	3.784%	-0.82%
7 (9)	JavaScript	3.274%	<b>+1.70%</b>
8 (8)	Python	2.613%	+0.24%
9 (13)	Perl	2.256%	+1.33%
10 (17)	PL/SQL	2.014%	+1.38%

**Table:** TIOBE Index as of January 2015

Source: <http://www.tiobe.com>

# Using the `block` environment

Title of Block

Content of block goes here.

Example No. 42

This is an example.

Watch out!!!

You must not do that!



## Using the `\emph` command

You can **emphasize** words by using `\emph{emphasize}`.  
It will automatically use the color of your faculty.

BTW you can access all the different colors as `FB1Color`,  
`FB2Color` etc.

# Displaying chunks of code

```
1 part = new Part()  
2 part.name = "Sample part"  
3 part.price = 123.45  
4 part.save()
```

## Another example with SQL:

```
1 INSERT INTO parts (name, price) VALUES ('Sample part', 123.45);
```

You must not forget

... to mark your frame as [fragile]