SMDM-2 Mini Project

Group Information

Group: Group 8

FT272010	MISHA JHA
FT272070	POOJA SINGH
FT272022	NAMAN JAIN
FT272040	YASH KASHYAP
FT272029	DEVESH SETY

Course: Statistical Methods in Decision Making 2 (SMDM-2)

Year/Term - 2026-27 / T2

Topic: Topic 1 – Amazon product pricing & sales (e-commerce order values)

Faculty names: Dr. Sandeep Srivathsan & Prof. N Vivek

Data source disclosure: Amazon Sale Report (https://www.kaggle.com/datasets/nagarajjeeva/amazon-sales-datasets)

Business Question

Does the average order value on Amazon.in match the finance team's planning figure, and does it depend on who fulfils the order?

Dataset: Amazon Sale Report (order-level e-commerce sales, Amazon India, 2022), supplied as the file Cleaned_Amazon_Sales.csv. The file holds 121,176 order rows across four months of 2022 (March to June).

Source repository: Kaggle, Amazon Sale Report dataset.

Observations used in the analysis: 118,833 orders carrying a non-zero monetary value.

Antigravity Use Disclosure

"This project used Google Antigravity (Gemini-based agentic IDE) to build and execute the statistical analysis. Antigravity was used to access the dataset from [https://www.kaggle.com/datasets/nagarajjeeva/amazon-sales-datasets] by reading the downloaded CSV and to run the following skills: sample-point-estimator, confidence-interval-builder, hypothesis-framer, type2-error-analyzer, hypothesis-test-decision-maker, two-population-t-tester. All prompts and skill outputs were reviewed and verified by the group members named above. No content was submitted without human verification."

Skills Used and Session Mapping

Skill	What it does	Session / concept
sample-point-estimator	Draws the random sample; computes mean, s, SE, FPC and CLT checks	S1 sampling & point estimation
confidence-interval-builder	Builds the 95% confidence interval (z vs t choice, margin of error)	S2 CLT & interval estimation
hypothesis-framer	Frames H0 / Ha and the test direction from the business claim	S3 hypothesis formulation
type2-error-analyzer	Computes beta and power; shows the sample-size effect	S4 Type I / Type II errors
hypothesis-test-decision-maker	Applies critical-value and p-value rules to reach one decision	S5 decision rules
two-population-t-tester	Runs one-sample, independent, and paired t-tests	S6 t-tests

1. Business Context and Data

The dataset records individual apparel orders placed on Amazon.in during 2022. Each row is one order and carries an order value in rupees (the Amount field), the product category (T-shirt, Shirt, Blazzer, Trousers and a few smaller lines), who fulfilled the order (Amazon or the merchant), the shipping state, the month, and the order status. Two variables drive the whole study. The numeric variable is Amount, the value of an order, and the categorical variable is Fulfilment, which splits every order into an Amazon-fulfilled group and a Merchant-fulfilled group.

Across the 118,833 orders used here, the average order value is about 661 rupees with a standard deviation near 269 rupees, so order values spread fairly wide around the middle. The managerial question is simple to state. The finance team plans revenue on the assumption that a typical order is worth 700 rupees, and the operations team assumes Amazon-fulfilled orders are worth more than merchant-fulfilled ones. Both assumptions are worth checking before they feed budgets or fulfilment decisions.

2. Step 1: Sampling and Point Estimation

We treated the 118,833 orders as the population and drew a simple random sample of n = 50 orders without replacement, using a fixed seed of 42 so the draw can be reproduced and re-checked. The sample-point-estimator skill returned the point estimates below.


Quantity	Value	Formula and working
Sample mean (x-bar)	610.15	average of the 50 sampled Amount values
Sample std. dev. (s)	241.19	spread of the 50 values, divisor n-1
n / N	0.00042	50 / 118,833, far below 0.05
Finite population correction	Not applied	n/N is tiny, so the FPC factor is unnecessary
Standard error SE(x-bar)	34.11	$s / \sqrt{n} = 241.19 / \sqrt{50} = 34.11$

The sample puts the average order value near 610 rupees, with a standard error of 34.1 rupees. The standard error is what carries into every interval and test that follows, so it is the number to hold onto. Because the sample is a vanishingly small fraction of the population, the finite population correction changes nothing and was left out.

3. Step 2: Central Limit Theorem and Confidence Interval

To see the central limit theorem at work we drew 500 repeated samples of 50 orders each and recorded the mean of every one. Figure 1 shows the result. The individual order values are right-skewed, but the means of the samples pile up into a bell shape centred on 660 rupees, which is almost exactly the population mean of 661 rupees. The spread of those 500 means is about 39.4 rupees, close to the 38.0 rupees the theory predicts for the standard error. That agreement is the central limit theorem showing up in real data.

Figure 1. Means of 500 resamples (n = 50) form a near-normal distribution around the population mean.



A formal Shapiro-Wilk test on the 500 means gives W = 0.992, which sits right against 1 and confirms the shape is very close to normal. Its p-value is small only because the test becomes hard to satisfy with several hundred points, so we read the near-1 W statistic and the picture as the honest signal here rather than treating the p-value as a red flag.

Because the population standard deviation is not known, the confidence interval uses the t-distribution with 49 degrees of freedom rather than the normal.

Step	Working
Distribution	t with 49 df (population sigma unknown)
Critical value	t(0.025, 49) = 2.010
Margin of error	2.010 × 34.11 = 68.55
95% confidence interval	610.15 ± 68.55 = (541.60, 678.69)

We are 95 percent confident that the true average order value lies between about 542 and 679 rupees. The population mean of 661 rupees falls inside this interval, which is a useful sanity check that the sampling and arithmetic hang together. Notice that the whole interval sits below the 700-rupee planning figure, which is the first hint that the finance assumption may be set too high.

4. Step 3: Framing the Hypothesis

The claim we test is the finance team's planning figure. They budget as if a typical order is worth 700 rupees, and the concern that matters to them is whether the real average falls short of that, because an inflated assumption overstates projected revenue. That concern points in one direction, so the test is one-tailed on the low side. The hypothesis-framer skill set it up as follows.

Parameter	Mean order value, mu (rupees)
Baseline	mu-zero = 700 (the finance planning figure)
Null hypothesis H0	mu = 700
Alternative hypothesis Ha	mu < 700 (lower-tailed)
Significance level	alpha = 0.05
Reject H0 when	the sample mean is far enough below 700 that chance is an unlikely explanation

A parametric t-test is appropriate here. The sample has 50 observations, which is comfortably past the point where the central limit theorem lets us treat the sample mean as normal, and Amount is a continuous measurement. A non-parametric test such as the sign test would be the fallback if the sample were tiny or the mean were a poor summary, but neither problem applies.

5. Step 4: Type I and Type II Errors

In this setting a Type I error means concluding that average order value is below 700 rupees when it truly is 700 or higher. Finance would then revise the planning figure down without cause and understate the budget. A Type II error means failing to flag a genuine shortfall: the real average is below 700, but the test misses it, so finance keeps planning on an inflated number and overstates expected revenue. For a revenue plan the second mistake is the more expensive one, since it quietly builds optimism into the budget.

The Type II error rate depends on how large a shortfall we want to catch. Taking the real population mean of 661 rupees as the value worth detecting, a gap of about 39 rupees below the 700 benchmark, and using sigma = 269, the type2-error-analyzer skill returns the power figures below.

Sample size n	Critical mean	Beta (Type II)	Power (1 - beta)
50	638	0.735	0.265
150	664	0.453	0.547
300	674	0.199	0.801




Figure 2. Power to detect a 39-rupee shortfall rises with sample size and reaches 0.80 only near n = 300.

At n = 50 the power is only 0.27, so a test built to catch that 39-rupee gap would miss it roughly 73 times out of 100. The shortfall we care about is small relative to how much order values vary, and small effects need large samples. Reaching the usual 0.80 power target takes a sample near 300 orders. This is the practical lesson of Step 4: a 50-order pull is fine for a rough estimate but underpowered for confirming a modest shortfall, and any firm decision should rest on a larger sample.

6. Step 5: Critical-Value and p-Value Decisions Agree

We now run the Step 3 test on our 50-order sample two ways and check that they land on the same decision. The test statistic is t = (x-bar minus 700) / SE = (610.15 minus 700) / 34.11 = -2.634, with 49 degrees of freedom.

Approach	Rule	Result	Decision
Critical value	reject if t < -1.677	t = -2.634	Reject H0
P-value	reject if p < 0.05	p = 0.0056	Reject H0

Both approaches reject the null at the 5 percent level. The observed t of -2.63 is well past the critical value of -1.68, and the p-value of 0.0056 is below 0.05. At alpha = 0.05 the sample gives sufficient evidence that the average order value is below the 700-rupee planning figure. The two methods always agree by construction, and they do here.

One honest caveat ties this back to Step 4. This particular sample rejected partly because its mean, 610 rupees, landed on the low side of the sampling distribution. The power calculation warned that a test aimed at the true 39-rupee gap would often fail to reject at n = 50. Both statements are correct at once: power describes what happens on average across many samples, while the p-value describes the one sample we drew. It is a reason to confirm the finding on a larger pull before acting, not to distrust the arithmetic.

7. Step 6: Three t-Tests

7.1 One-sample t-test

This is the same test as Step 5. Against the 700-rupee benchmark the sample mean of 610 rupees gives t = -2.63 on 49 df, p = 0.0056, so we reject H0 and conclude the average order value is significantly below 700.

7.2 Independent Two-Sample t-Test: Amazon vs Merchant Fulfilment

Here we test the operations assumption that Amazon-fulfilled orders are worth more than merchant-fulfilled ones. We drew 50 orders from each group and ran Welch's t-test, which does not assume the two groups share a variance. The hypotheses are H0: the two means are equal, against Ha: they differ.

Group	n	Mean	Std dev
Amazon	50	704.64	226.28
Merchant	50	600.13	210.63

The difference in sample means is about 105 rupees, the standard error of the difference is 43.7, and t = 2.39 on roughly 98 df, giving p = 0.019. At alpha = 0.05 this rejects the null: in this pair of samples, Amazon-fulfilled orders look worth more, with a 95 percent interval for the gap of 18 to 191 rupees and a Cohen's d of 0.48.

This result deserves a hard second look rather than a victory lap, and it is where verification earns its keep. Because we hold the entire dataset, we can compute the true group averages directly. Across all 118,833 orders, Amazon-fulfilled orders average 661.6 rupees and merchant-fulfilled orders average 660.9 rupees, a gap of well under one rupee. The two channels carry essentially the same order value. The significant 105-rupee difference in the samples is a false positive produced by sampling variability in two 50-order draws, which is exactly the Type I error Step 4 described made concrete. Read on its own, the sample would have pushed operations toward a fulfilment decision the full data does not support.

7.3 Paired t-Test: Order Value by Category, April vs May

For a paired design we treated each product category as a unit measured twice, once by its average order value in April and again in May. Eight categories appear in both months, giving eight matched pairs. The hypotheses are H0: the mean April-to-May change is zero, against Ha: it is not zero.




Figure 3. Average order value by category in April and May. Most categories drift upward, but not all.

The average category moved up by about 32 rupees from April to May, with a paired standard deviation of 48 rupees across the eight categories. That gives t = 1.90 on 7 df and p = 0.099. At alpha = 0.05 we fail to reject the null. The 95 percent interval for the change runs from -8 to 73 rupees and includes zero, so the upward drift is real in direction but not statistically conclusive. The effect size is moderate (Cohen's d = 0.67), which together with only eight pairs suggests a real but small shift that more months of data could confirm or overturn.

8. How We Verified the Numbers

The booklet asks for at least one result checked by hand, and we took the standard error from Step 1 as that result. Working only from the 50 sampled Amount values, we recomputed the mean, then the variance as the sum of squared deviations divided by n minus 1, took its square root for s, and divided by the square root of 50. The hand calculation returns SE = 34.1095, which matches the skill's SE = 34.1095 to four decimals. The sample mean and standard deviation matched as well. As a second check, every t-test was run twice, once from the skill formulas and once through the independent SciPy routines, and the t-statistics and p-values agreed in all three tests. The population cross-check in Step 7.2 is a third form of verification, since it caught a sample result that the full data contradicts.

9. Managerial Recommendation


Read together, the six steps point to one recommendation. The finance planning figure of 700 rupees per order is too high. The sample estimate, its confidence interval, and the one-sample test all place the true average near 660 rupees and firmly below 700, so revenue built on a 700-rupee order overstates what the data supports, and the planning figure should come down to roughly 660.

On the operations question, the answer is that fulfilment channel does not change order value: the sample suggested Amazon-fulfilled orders were worth more, but the full dataset shows the two channels are within a rupee of each other, so the choice between Amazon and merchant fulfilment should be made on cost and delivery grounds, not on any expected difference in order value. The month-to-month drift in category order values is mildly upward but not yet conclusive on eight categories, so it is worth monitoring rather than acting on. Underneath all three findings sits the sample-size lesson from Step 4: a 50-order pull is enough for a first look but underpowered for the modest differences that matter here, and the near-miss on fulfilment shows how a single small sample can mislead. Before finance or operations changes a number, the finding should be confirmed on a sample nearer 300 orders.

References

- Anderson, D. R., Sweeney, D. J., Williams, T. A., Camm, J. D., & Cochran, J. J. (2020). Statistics for business and economics (14th ed.). Cengage Learning.
- Google. (2025). Antigravity (Gemini-based agentic IDE)
- Amazon Sale Report [Data set]. (2022). Kaggle. File used: Cleaned_Amazon_Sales.csv, 118,833 orders with non-zero value

Cleaned Data Set Screenshot –



Order ID	Date	Status	Fulfilment	Sales Char	ship-servi	Category	Size	Courier St	Qty	currency	Amount	ship-city	ship-state	ship-posta	ship-coun	B2B	fulfilled-b	Month	Year	Total_Sales
405-80787	########	Cancelled	Merchant	Amazon.ir	Standard	T-shirt	S	On the W	0	INR	647.62	MUMBAI	MAHARAS	400081	IN	FALSE	Easy Ship	April	2022	0
171-91981	########	Shipped -	Merchant	Amazon.ir	Standard	Shirt	3XL	Shipped	1	INR	406	BENGALUI	KARNATAI	560085	IN	FALSE	Easy Ship	April	2022	406
404-0687(	########	Shipped	Amazon	Amazon.ir	Expedited	Shirt	XL	Shipped	1	INR	329	NAVI MUM	MAHARAS	410210	IN	TRUE		April	2022	329
403-96153	########	Cancelled	Merchant	Amazon.ir	Standard	Blazzer	L	On the W	0	INR	753.33	PUDUCHE	PUDUCHE	605008	IN	FALSE	Easy Ship	April	2022	0
407-10697	########	Shipped	Amazon	Amazon.ir	Expedited	Trousers	3XL	Shipped	1	INR	574	CHENNAI	TAMIL NA	600073	IN	FALSE		April	2022	574
404-1490(	########	Shipped	Amazon	Amazon.ir	Expedited	T-shirt	XL	Shipped	1	INR	824	GHAZIABA	UTTAR PR	201102	IN	FALSE		April	2022	824
408-57484	########	Shipped	Amazon	Amazon.ir	Expedited	T-shirt	L	Shipped	1	INR	653	CHANDIG	CHANDIG	160036	IN	FALSE		April	2022	653
406-78077	########	Shipped -	Merchant	Amazon.ir	Standard	Shirt	S	Shipped	1	INR	399	HYDERAB	TELANGAI	500032	IN	FALSE	Easy Ship	April	2022	399
402-43937	########	Shipped	Amazon	Amazon.ir	Expedited	Shirt	XXL	Shipped	1	INR	363	Chennai	TAMIL NA	600041	IN	FALSE		April	2022	363
407-5633(	########	Shipped	Amazon	Amazon.ir	Expedited	Shirt	S	Shipped	1	INR	685	CHENNAI	TAMIL NA	600073	IN	FALSE		April	2022	685
171-46384	########	Shipped	Amazon	Amazon.ir	Expedited	Shirt	XS	Shipped	1	INR	364	NOIDA	UTTAR PR	201303	IN	FALSE		April	2022	364
405-5513(	########	Shipped -	Merchant	Amazon.ir	Standard	Shirt	XS	Shipped	1	INR	399	Amravati.	MAHARAS	444606	IN	FALSE	Easy Ship	April	2022	399
408-7955(	########	Shipped	Amazon	Amazon.ir	Expedited	T-shirt	XS	Shipped	1	INR	657	MUMBAI	MAHARAS	400053	IN	FALSE		April	2022	657
408-12983	########	Shipped -	Merchant	Amazon.ir	Standard	T-shirt	L	Shipped	1	INR	771	MUMBAI	MAHARAS	400053	IN	FALSE	Easy Ship	April	2022	771
403-49655	########	Shipped -	Merchant	Amazon.ir	Standard	Shirt	6XL	Shipped	1	INR	544	GUNTAKA	ANDHRA F	515801	IN	FALSE	Easy Ship	April	2022	544
406-93793	########	Shipped	Amazon	Amazon.ir	Expedited	Shirt	XXL	Shipped	1	INR	329	JAIPUR	RAJASTHA	302020	IN	FALSE		April	2022	329
405-9013(	########	Shipped	Amazon	Amazon.ir	Expedited	Shirt	XL	Shipped	1	INR	399	NEW DELI	DELHI	110074	IN	FALSE		April	2022	399
402-40303	########	Shipped -	Merchant	Amazon.ir	Standard	Shirt	XXL	Shipped	1	INR	458	Gurgaon	HARYANA	122004	IN	FALSE	Easy Ship	April	2022	458
405-5957(	########	Shipped	Amazon	Amazon.ir	Expedited	T-shirt	XS	Shipped	1	INR	886	BENGALUI	KARNATAI	560017	IN	FALSE		April	2022	886
405-06077	########	Shipped	Amazon	Amazon.ir	Expedited	Shirt	3XL	Shipped	1	INR	517	TIRUCHIR	TAMIL NA	620018	IN	FALSE		April	2022	517
404-84945	########	Shipped	Amazon	Amazon.ir	Expedited	T-shirt	M	Shipped	1	INR	666	BENGALUI	KARNATAI	560040	IN	FALSE		April	2022	666

Appendix A: Prompts and Commands Given to Antigravity

```
# Step 1 - sampling and point estimation (sample-point-estimator skill)
python3 sample_estimator.py --input population_amount_positive.csv \
 --column Amount --n 50 --seed 42

# Steps 2-6 - CLT resampling, 95% CI, Type II/power, one-sample,
# independent (Welch) and paired t-tests, all seeded at 42.
# Skills reused: confidence-interval-builder, hypothesis-framer,
# type2-error-analyzer, hypothesis-test-decision-maker, two-population-t-
tester.

Prompt used with the skills:
"Treat orders with Amount > 0 as the population. Draw a random sample of 50.
 Give the mean, s and standard error. Build a 95% CI for mean order value.
 Frame and test the claim that mean order value is at least 700 (lower-tailed,
 alpha 0.05) with both the critical-value and p-value rules. Report beta and
 power at n = 50, 150, 300. Run a one-sample t-test vs 700, an independent
 Welch t-test of Amazon vs Merchant order value, and a paired t-test of
 category mean order value in April vs May. Verify one result by hand.
```

Appendix B: Raw Skill Output (Key Figures)

The following JSON structure represents the consolidated output from all skills:


```
{
 "step1_sample": {
  "n": 50,
  "x_bar": 610.1466,
  "s": 241.1907,
  "se": 34.1095
 },
 "step2_ci": {
  "conf": 0.95,
  "df": 49,
  "t_crit": 2.0096,
  "SE": 34.1095,
  "ME": 68.5456,
  "CI_low": 541.6,
  "CI_high": 678.69
 },
 "step4": { ... },
 "step5_step6a_onesample": { ... },
 "step6b_independent": { ... },
 "step6c_paired": { ... },
 "verification": { ... }
}
```


Step 1:


2. Step 1: sampling and point estimation

We treated the 118,833 orders as the population and drew a simple random sample of n = 50 orders without replacement, using a fixed seed of 42 so the draw can be reproduced and re-checked. The sample-point-estimator skill returned the point estimates below.

Sample mean (x-bar)	610.15	average of the 50 sampled Amount values
Sample std. dev. (s)	241.19	spread of the 50 values, divisor n-1
n / N	0.00042	50 / 118,833, far below 0.05
Finite population correction	Not applied	n/N is tiny, so the FPC factor is unnecessary
Standard error SE(x-bar)	34.11	s / √n = 241.19 / √50 = 34.11
CLT condition	Met	n = 50 ≥ 30, so x-bar is treated as approximately normal

The sample puts the average order value near 610 rupees, with a standard error of 34.1 rupees. The standard error is what carries into every interval and test that follows, so it is the number to hold onto. Because the sample is a vanishingly small fraction of the population, the finite population correction changes nothing and was left out.

Step 2:



Step 3:

4. Step 3: framing the hypothesis

The claim we test is the finance team's planning figure. They budget as if a typical order is worth 700 rupees, and the concern that matters to them is whether the real average falls short of that, because an inflated assumption overstates projected revenue. That concern points in one direction, so the test is one-tailed on the low side. The hypothesis-framer skill set it up as follows.

Parameter	Mean order value, mu (rupees)
Baseline	mu-zero = 700 (the finance planning figure)
Null hypothesis H0	mu = 700
Alternative hypothesis Ha	mu < 700 (lower-tailed)
Significance level	alpha = 0.05
Reject H0 when	the sample mean is far enough below 700 that chance is an unlikely explanation

A parametric t-test is appropriate here. The sample has 50 observations, which is comfortably past the point where the central limit theorem lets us treat the sample mean as normal, and Amount is a continuous measurement. A non-parametric test such as the sign test would be the fallback if the sample were tiny or the mean were a poor summary, but neither problem applies.

Step 4:

5. Step 4: Type I and Type II errors

In this setting a Type I error means concluding that average order value is below 700 rupees when it truly is 700 or higher. Finance would then revise the planning figure down without cause and understate the budget. A Type II error means failing to flag a genuine shortfall: the real average is below 700, but the test misses it, so finance keeps planning on an inflated number and overstates expected revenue. For a revenue plan the second mistake is the more expensive one, since it quietly builds optimism into the budget.

The Type II error rate depends on how large a shortfall we want to catch. Taking the real population mean of 661 rupees as the value worth detecting, a gap of about 39 rupees below the 700 benchmark, and using sigma = 269, the type2-error-analyzer skill returns the power figures below.

50	638	0.735	0.265
150	664	0.453	0.547
300	674	0.199	0.801




Figure 2. Power to detect a 39-rupee shortfall rises with sample size and reaches 0.80 only near n = 300.

Step 5:

6. Step 5: critical-value and p-value decisions agree

We now run the Step 3 test on our 50-order sample two ways and check that they land on the same decision. The test statistic is t = (x-bar minus 700) / SE = (610.15 minus 700) / 34.11 = -2.634, with 49 degrees of freedom.

Critical value	reject if t < -1.677	t = -2.634	Reject H0
P-value	reject if p < 0.05	p = 0.0056	Reject H0

Both approaches reject the null at the 5 percent level. The observed t of -2.63 is well past the critical value of -1.68, and the p-value of 0.0056 is below 0.05. At alpha = 0.05 the sample gives sufficient evidence that the average order value is below the 700-rupee planning figure. The two methods always agree by construction, and they do here.

One honest caveat ties this back to Step 4. This particular sample rejected partly because its mean, 610 rupees, landed on the low side of the sampling distribution. The power calculation warned that a test aimed at the true 39-rupee gap would often fail to reject at n = 50. Both statements are correct at once: power describes what happens on average across many samples, while the p-value describes the one sample we drew. It is a reason to confirm the finding on a larger pull before acting, not to distrust the arithmetic.

Step 6:

7. Step 6: three t-tests

7.1 One-sample t-test

This is the same test as Step 5. Against the 700-rupee benchmark the sample mean of 610 rupees gives t = -2.63 on 49 df, p = 0.0056, so we reject H0 and conclude the average order value is significantly below 700.

7.2 Independent two-sample t-test: Amazon vs Merchant fulfilment

Here we test the operations assumption that Amazon-fulfilled orders are worth more than merchant-fulfilled ones. We drew 50 orders from each group and ran Welch's t-test, which does not assume the two groups share a variance. The hypotheses are H0: the two means are equal, against Ha: they differ.

Amazon	50	704.64	226.28
Merchant	50	600.13	210.63

The difference in sample means is about 105 rupees, the standard error of the difference is 43.7, and t = 2.39 on roughly 98 df, giving p = 0.019. At alpha = 0.05 this rejects the null: in this pair of samples, Amazon-fulfilled orders look worth more, with a 95 percent interval for the gap of 18 to 191 rupees and a Cohen's d of 0.48.

Appendix C: First 20 Rows of the Dataset

Sample of orders from Cleaned_Amazon_Sales.csv:

Order ID	Date	Status	Fulfilment	Sales Channel	ship-service-level	Category	Size	Courier Status	Qty	currency	Amount	ship-city	ship-state	ship-postal-code	ship-country	B2B	fulfilled-by	Month	Year	Total_Sales
405-8078784-5731545	########	Cancelled	Merchant	Amazon.in	Standard	T-shirt	S	On the Way	0	INR	647.62	MUMBAI	MAHARASHTRA	400081	IN	FALSE	Easy Ship	April	2022	0
171-9198151-1101146	########	Shipped - Delivered to Buyer	Merchant	Amazon.in	Standard	Shirt	3XL	Shipped	1	INR	406	BENGALURU	KARNATAKA	560085	IN	FALSE	Easy Ship	April	2022	406
404-0687676-7273146	########	Shipped	Amazon	Amazon.in	Expedited	Shirt	XL	Shipped	1	INR	329	NAVI MUMBAI	MAHARASHTRA	410210	IN	TRUE		April	2022	329
403-9615377-8133951	########	Cancelled	Merchant	Amazon.in	Standard	Blazzer	L	On the Way	0	INR	753.33	PUDUCHERRY	PUDUCHERRY	605008	IN	FALSE	Easy Ship	April	2022	0
407-1069790-7240320	########	Shipped	Amazon	Amazon.in	Expedited	Trousers	3XL	Shipped	1	INR	574	CHENNAI	TAMILNADU	600073	IN	FALSE		April	2022	574
404-1490984-4578765	########	Shipped	Amazon	Amazon.in	Expedited	T-shirt	XL	Shipped	1	INR	824	GHAZIABAD	UTTARPRADESH	201102	IN	FALSE		April	2022	824
408-5748499-6859555	########	Shipped	Amazon	Amazon.in	Expedited	T-shirt	L	Shipped	1	INR	653	CHANDIGARH	CHANDIGARH	160036	IN	FALSE		April	2022	653
406-7807733-3785945	########	Shipped - Delivered to Buyer	Merchant	Amazon.in	Standard	Shirt	S	Shipped	1	INR	399	HYDERABAD	TELANGANA	500032	IN	FALSE	Easy Ship	April	2022	399
402-4393761-0311520	########	Shipped	Amazon	Amazon.in	Expedited	Shirt	XXL	Shipped	1	INR	363	Chennai	TAMILNADU	600041	IN	FALSE		April	2022	363
407-5633625-6970741	########	Shipped	Amazon	Amazon.in	Expedited	Shirt	S	Shipped	1	INR	685	CHENNAI	TAMILNADU	600073	IN	FALSE		April	2022	685
171-4638481-6326716	########	Shipped	Amazon	Amazon.in	Expedited	Shirt	XS	Shipped	1	INR	364	NOIDA	UTTARPRADESH	201303	IN	FALSE		April	2022	364
405-5513694-8146768	########	Shipped - Delivered to Buyer	Merchant	Amazon.in	Standard	Shirt	XS	Shipped	1	INR	399	Amravati.	MAHARASHTRA	444606	IN	FALSE	Easy Ship	April	2022	399
408-7955685-3083534	########	Shipped	Amazon	Amazon.in	Expedited	T-shirt	XS	Shipped	1	INR	657	MUMBAI	MAHARASHTRA	400053	IN	FALSE		April	2022	657
408-1298370-1920302	########	Shipped - Delivered to Buyer	Merchant	Amazon.in	Standard	T-shirt	L	Shipped	1	INR	771	MUMBAI	MAHARASHTRA	400053	IN	FALSE	Easy Ship	April	2022	771
403-4965581-9520319	########	Shipped - Delivered to Buyer	Merchant	Amazon.in	Standard	Shirt	6XL	Shipped	1	INR	544	GUNTAKAL	ANDHRA PRADESH	515801	IN	FALSE	Easy Ship	April	2022	544
406-9379318-6555504	########	Shipped	Amazon	Amazon.in	Expedited	Shirt	XXL	Shipped	1	INR	329	JAIPUR	RAJASTHAN	302020	IN	FALSE		April	2022	329
405-9013803-8009918	########	Shipped	Amazon	Amazon.in	Expedited	Shirt	XL	Shipped	1	INR	399	NEW DELHI	DELHI	110074	IN	FALSE		April	2022	399
402-4030358-5835511	########	Shipped - Delivered to Buyer	Merchant	Amazon.in	Standard	Shirt	XXL	Shipped	1	INR	458	Gurgaon	HARYANA	122004	IN	FALSE	Easy Ship	April	2022	458

405-5957858-1051546	##########	Shipped	Amazon	Amazon.in	Expedited	T-shirt	XS	Shipped	1	INR	886	BENGALURU	KARNATAKA	560017	IN	FALSE		April	2022	886
405-0607769-0716360	##########	Shipped	Amazon	Amazon.in	Expedited	Shirt	3XL	Shipped	1	INR	517	TIRUCHIRAPPALLI	TAMILNADU	620018	IN	FALSE		April	2022	517