WELCOME

DevOps: Continuous Integration (CI) & Continuous Deployment (CD) using AWS CodePipeline & AWS Elastic Beanstalk



AWS CodePipeline

AWS Elastic Beanstalk

INTRODUCTION

- Fast-paced, extremely competitive landscape
- Emergence of cloud-based infrastructure
- **Time to launch** new features has become critical
- Roles such as **DevOps**
- **Automation and CI/CD** are crucial for a successful DevOps team

Learn to build **fully automated** CI/CD pipelines for web applications on **Amazon's Cloud.**

Why?

- DevOps skills (such as CI/CD) are highlysought after
- AWS is the leading cloud service provider
- Get an in-depth hands-on experience through this course

WHY THIS COURSE?

LET'S START!

Before we start...

- Pre-requisites (Terminal, Software Development, etc.)
- Amazon Web Services (AWS)

COURSE OUTLINE

- How is the course structured?
- What will you learn?
- What will we build together in our workshops?

VERY QUICK CI/CD OVERVIEW

- **Continuous Integration:** Code changes are built, prepared and tested automatically.
- **Continuous Deployment:** Expands upon CI by deploying those changes out to testing or production servers.

HOW IS THE COURSE STRUCTURED?





WHAT WILL YOU LEARN?

WHAT WILL WE BUILD?



WHAT WILL WE BUILD?



SECTION OVERVIEW

Introduction to Continuous Integration & Continuous Deployment



WHAT IS CI?

Continuous Integration means **regularly** and frequently **merging and building changes** to your software.



- **Continuous Delivery** means **regularly** releasing your software to a **destination**.
- **Continuous Deployment:** Release goes to customers/end-users (e.g. to production).



WHAT IS CD?

- **Pipeline:** Sequence of steps a code change goes through.
- Depending on the steps a pipeline can either be CI or CD.



WHAT IS CI/CD PIPELINE?

inuous Integration Server

Automated Build

Automated Tests

Release

Destination

CI/CD PIPELINE?

Pipeline Building Blocks



Source Code Repository

Build / Action

Test

Deployment

Approval

- **Pipeline:** Sequence of steps a code change goes through.
- Depending on the steps a pipeline can either be CI or CD.



WHAT IS CI/CD PIPELINE?



WHY USE CI/CD?

- **Moving Fast:** Release changes and updates frequently
- **Reliability:** Consistent process for each and every change.
- **Rapid Troubleshooting:** A test failure will block the pipeline and merits immediate investigation.
- **Avoid Stress:** Takes the stress away from scrambling to deploy emergency fixes or updates.

FULLY AUTOMATED PIPELINE

- **Fully Automated:** CD Pipeline with no manual approval step.
- **Problem:** Issues and bugs shipped to customers.
- **Solution:** Automated Detection (Monitoring and Logging).
- **Even Better:** Automated Recovery (Rollbacks).

SECTION OVERVIEW

Continuous Integration & Deployment for Web Applications



BASIC WEB APPLICATION



1. What are the most common changes?
2. As a result, which components will you manually update?
3. Which CD Pipeline Building Block will you use?

4 Model your process → Run tests Send an email to the team lead Manual approval Deploy to Production



CD PIPELINE FOR WEB APPLICATIONS

Issues:

- Database changes are **not** done in code or stored as code.
- Changes to data (e.g. data stored in production database) are not replicated in code repository.

Observation:

Changes are either schema changes or initialization data.

Solution:

Treat database changes as code.

MANAGING DATABASE CHANGES

Types of Actions

Standalone action

Runs Independently.
Doesn't require executing the application.
Doesn't rely on the application code.
Runs as part of the CI/CD pipeline.

Deployment action

Requires an active deployment to run.
May require libraries in the application or rely on the application code itself.
Triggered by CI/CD pipeline but runs during the deployment process.



Action


Deployment

DEPLOYMENT & ACTIONS

MONITORING

Automated Pipelines need automated failure detection.

- **HTTP Ping:** Get a successful HTTP response (200).
- **Deep HTTP Ping:** Keywords are present in the HTTP response.
- **Functional Checks:** Simulate interactions and validate results.
- **Metrics:** Host and application metrics.

COMMON CHALLENGES

- **Deploying changes while serving traffic:**
  - Batch changes for production.
  - Apply changes to a standby environments and then flip.
  - Apply time-based approval window.
- **Application caches / cached files:**
  - Use Cache buster tags.
  - Use versioned files.