

Organisational Database Schema

Full entity-relationship specification across all bases

Version 1.0 . May 2026 . Confidential

Base	Tables	Role
Core	8	Source of truth — Employees, Labs, Committees, Clients
HR	5	Payroll, appointments, legal tracker
Finance	8	Transactions, invoices, accounts, fund requests, P&L;
Legal	9	Agreements, compliance, IP, parties, SOPs
Tech	9	Projects, epics, stories, tasks, deployments, issues
Acquisition	8	Leads, campaigns, funnels, content, tasks

Key	Meaning
PK	Primary key — unique row identifier (UUID)
FK	Foreign key — references another table's PK
UK	Unique key — enforced unique constraint (not PK)
[SYNC]	Read-only table mirrored from Core base via Airtable sync

Core Base

Single source of truth — shared entities across all departments

employees

Master employee directory. Identity anchor for Slack agent resolution.

Field name	Type	Key	Description
employee_id	UUID	PK	Primary key
name	VARCHAR(120)		Full name
slack_id	VARCHAR(64)	UK	Slack user ID — agent identity lookup key
airtable_user_id	VARCHAR(64)	UK	Airtable collaborator ID — used to filter task assignees
department	VARCHAR(80)		Home department
role	VARCHAR(120)		Job title / role
employment_status	VARCHAR(30)		active inactive on_leave
hire_date	DATE		Date of joining
base_salary	DECIMAL(12,2)		Monthly base salary
efficiency_score	DECIMAL(5,2)		Performance metric (0-100)
profile_photo	TEXT		URL to profile image
sector_id	UUID	FK	-> sectors.sector_id (HR base)
created_at	TIMESTAMPTZ		Record creation timestamp
updated_at	TIMESTAMPTZ		Last modified timestamp

labs

Research and operational labs. Top-level organisational unit below company.

Field name	Type	Key	Description
lab_id	UUID	PK	Primary key
lab_name	VARCHAR(120)		Display name
category	VARCHAR(60)		research development operations support other
description	TEXT		Purpose of the lab
status	VARCHAR(30)		active paused blocked closed
ops_lead_id	UUID	FK	-> employees.employee_id
lab_photo	TEXT		URL to lab image
created_at	TIMESTAMPTZ		Record creation timestamp
updated_at	TIMESTAMPTZ		Last modified timestamp

employee_lab

Junction: many employees belong to many labs.

Field name	Type	Key	Description
employee_id	UUID	FK	-> employees.employee_id
lab_id	UUID	FK	-> labs.lab_id
joined_at	DATE		Date employee joined the lab

committees

Projects / working groups nested inside labs. Central entity for cross-dept clearance.

Field name	Type	Key	Description
committee_id	UUID	PK	Primary key
committee_name	VARCHAR(150)		Display name
type	VARCHAR(30)		client internal maintenance r_and_d
ops_status	VARCHAR(30)		active maintenance inactive
purpose	TEXT		What this committee is working on
date_formed	DATE		Formation date
active_status	BOOLEAN		Whether currently active
lab_id	UUID	FK	-> labs.lab_id
client_id	UUID	FK	-> clients.client_id (nullable for internal)
created_at	TIMESTAMPTZ		Record creation timestamp
updated_at	TIMESTAMPTZ		Last modified timestamp

committee_members

Junction: many employees sit on many committees, each with a role.

Field name	Type	Key	Description
committee_id	UUID	FK	-> committees.committee_id
employee_id	UUID	FK	-> employees.employee_id
role_in_committee	VARCHAR(80)		e.g. lead, finance rep, hr rep
joined_at	DATE		Date member joined committee

clients

Master client CRM. Shared across Finance, Legal, Acquisition.

Field name	Type	Key	Description
client_id	UUID	PK	Primary key
client_name	VARCHAR(150)		Company or individual name
primary_contact	VARCHAR(120)		Main point of contact
contact_email	VARCHAR(200)		Contact email address
phone	VARCHAR(30)		Contact phone number
industry	VARCHAR(80)		Industry/sector
address	TEXT		Physical address
onboarding_date	DATE		When client was onboarded
contract_status	VARCHAR(30)		active pending expired terminated
sla_status	VARCHAR(30)		on_track at_risk breached
client_photo	TEXT		URL to logo/photo
created_at	TIMESTAMPTZ		Record creation timestamp
updated_at	TIMESTAMPTZ		Last modified timestamp

monthly_reports

Cross-department clearance reports per committee per month. Ops gives final sign-off.

Field name	Type	Key	Description
report_id	UUID	PK	Primary key
report_name	VARCHAR(150)		Auto-generated: CommitteeName + Month/Year
report_month	DATE		First day of the report month
committee_id	UUID	FK	-> committees.committee_id
finance_clearance	BOOLEAN		Finance dept sign-off
hr_clearance	BOOLEAN		HR dept sign-off
legal_clearance	BOOLEAN		Legal dept sign-off
ops_clearance	BOOLEAN		Ops dept review complete
ops_final_approval	BOOLEAN		Final master approval by Ops
finance_notes	TEXT		Finance clearance notes
hr_notes	TEXT		HR clearance notes
legal_notes	TEXT		Legal clearance notes
ops_notes	TEXT		Ops review notes
report_doc	TEXT		URL to attached report document
created_at	TIMESTAMPTZ		Record creation timestamp

core_docs

Shared document repository for org-wide policies, SOPs, and committee docs.

Field name	Type	Key	Description
doc_id	UUID	PK	Primary key
doc_title	VARCHAR(200)		Document title
doc_type	VARCHAR(60)		policy sop guide template report other
description	TEXT		Summary of document contents
upload_date	DATE		Date uploaded
attachment	TEXT		URL to file
confidential	BOOLEAN		Whether restricted access
tags	TEXT[]		Array of tags e.g. {audit, legal, hr}
committee_id	UUID	FK	-> committees.committee_id (nullable)
client_id	UUID	FK	-> clients.client_id (nullable)
created_at	TIMESTAMPTZ		Record creation timestamp

Relationships

From	To	Card.	Notes
employees	employee_lab	1:N	one employee -> many lab assignments
labs	employee_lab	1:N	one lab -> many employee assignments
employees	committee_members	1:N	one employee -> many committee seats
committees	committee_members	1:N	one committee -> many members
labs	committees	1:N	one lab hosts many committees
clients	committees	1:N	one client -> many committees
committees	monthly_reports	1:N	one committee -> monthly report per month
core_docs	committees	N:M	docs linked to committees via doc_id/committee_id
core_docs	clients	N:M	docs linked to clients via doc_id/client_id

HR Base

Syncs Employees from Core. Owns payroll, appointments, legal tracking.

employees [SYNC from Core]

Read-only mirror of Core employees table. Used as FK anchor within HR base.

Field name	Type	Key	Description
employee_id	UUID	PK	Synced from Core
name	VARCHAR(120)		Synced from Core
slack_id	VARCHAR(64)	UK	Synced from Core
department	VARCHAR(80)		Synced from Core
role	VARCHAR(120)		Synced from Core
employment_status	VARCHAR(30)		Synced from Core

sectors

Organisational departments/sectors, each with a budget and a head.

Field name	Type	Key	Description
sector_id	UUID	PK	Primary key
sector_name	VARCHAR(100)		e.g. Engineering, Design, Finance
sector_type	VARCHAR(60)		technical operations support creative
budget_amount	DECIMAL(14,2)		Annual budget allocation
head_employee_id	UUID	FK	-> employees.employee_id
sector_photo	TEXT		URL to sector image
created_at	TIMESTAMPTZ		Record creation timestamp

appointments

Tracks which employees are appointed to which committees, with term dates.

Field name	Type	Key	Description
appointment_id	UUID	PK	Primary key
role_or_title	VARCHAR(120)		Role name in the committee
appointment_date	DATE		Start of appointment
term_type	VARCHAR(30)		fixed rolling permanent
appointment_end_date	DATE		End of term (nullable for permanent)
is_active	BOOLEAN		Computed: end_date > today
employee_id	UUID	FK	-> employees.employee_id
committee_id	UUID	FK	-> committees.committee_id (synced ref)
created_at	TIMESTAMPTZ		Record creation timestamp

payroll_records

Monthly payroll entries per employee. Linked to Finance via finance_reference.

Field name	Type	Key	Description
payroll_id	UUID	PK	Primary key
payroll_month	DATE		First day of payroll month
gross_salary	DECIMAL(12,2)		Gross salary this month
withholding_tax	DECIMAL(10,2)		Tax deducted
other_deductions	DECIMAL(10,2)		Other deductions
bonuses	DECIMAL(10,2)		Bonus payment
net_pay	DECIMAL(12,2)		Computed: gross - tax - deductions + bonuses
raise_amount	DECIMAL(10,2)		Raise applied this month
disbursement_status	VARCHAR(30)		pending processed paid
payment_date	DATE		Actual payment date
finance_reference	VARCHAR(100)		Reference ID to Finance transactions table
employee_id	UUID	FK	-> employees.employee_id
created_at	TIMESTAMPTZ		Record creation timestamp

legal_tracker

Employee contract and legal document tracking within HR scope.

Field name	Type	Key	Description
tracker_id	UUID	PK	Primary key
contract_type	VARCHAR(80)		employment nda consultant amendment
legal_status	VARCHAR(30)		active expired pending_renewal terminated
contract_date	DATE		Contract start date
expiry_date	DATE		Contract expiry date
contract_age_days	INTEGER		Computed: today - contract_date
is_overdue	BOOLEAN		Computed: expiry_date < today AND status != terminated
contract_photo	TEXT		URL to scanned contract
employee_id	UUID	FK	-> employees.employee_id
created_at	TIMESTAMPTZ		Record creation timestamp

Relationships

From	To	Card.	Notes
employees	sectors	N:1	many employees belong to one sector
sectors	employees (head)	1:1	one sector has one head employee
employees	appointments	1:N	one employee has many appointments
employees	payroll_records	1:N	one employee has many payroll records
employees	legal_tracker	1:N	one employee has many contracts tracked

Finance Base

Syncs Committees + Clients from Core. Owns all financial transactions and reporting.

committees [SYNC from Core]

Read-only mirror. Used to link transactions to the correct committee.

Field name	Type	Key	Description
committee_id	UUID	PK	Synced from Core
committee_name	VARCHAR(150)		Synced from Core
type	VARCHAR(30)		Synced from Core
client_id	UUID	FK	Synced from Core

clients [SYNC from Core]

Read-only mirror. Used to link invoices and transactions to clients.

Field name	Type	Key	Description
client_id	UUID	PK	Synced from Core
client_name	VARCHAR(150)		Synced from Core
industry	VARCHAR(80)		Synced from Core

accounts

Financial accounts: bank, cash, credit cards, debit cards, investments.

Field name	Type	Key	Description
account_id	UUID	PK	Primary key
account_name	VARCHAR(120)		Display name
account_type	VARCHAR(30)		bank cash credit_card debit_card investment petty_cash
bank_name	VARCHAR(100)		Bank or institution name
account_number	VARCHAR(50)		Masked account number
opening_balance	DECIMAL(14,2)		Balance at account creation
current_balance	DECIMAL(14,2)		Running balance
currency	VARCHAR(10)		USD EUR GBP INR AUD other
status	VARCHAR(20)		active inactive closed
created_at	TIMESTAMPTZ		Record creation timestamp

channels

Payment channels and methods used for transactions.

Field name	Type	Key	Description
channel_id	UUID	PK	Primary key
channel_name	VARCHAR(100)		Display name e.g. HBL Current Account
channel_type	VARCHAR(40)		bank_transfer cash cheque online mobile_wallet other
active_status	BOOLEAN		Whether channel is currently in use
last_used_date	DATE		Last transaction date via this channel
created_at	TIMESTAMPTZ		Record creation timestamp

fund_requests

Requests for funds from committees — tracked through approval and disbursement.

Field name	Type	Key	Description
fund_request_id	UUID	PK	Primary key
request_name	VARCHAR(200)		Descriptive request name
request_date	DATE		Date request was submitted
amount_requested	DECIMAL(12,2)		Amount requested
purpose	TEXT		What the funds are for
approval_status	VARCHAR(20)		pending approved rejected
approved_by	VARCHAR(120)		Name of approver
approval_date	DATE		Date approval was granted
disbursement_status	VARCHAR(30)		not_disbursed partially_disbursed disbursed
disbursement_date	DATE		Date funds were released
committee_id	UUID	FK	-> committees.committee_id
created_at	TIMESTAMPTZ		Record creation timestamp

invoices

Invoices issued to clients or received from vendors. Full billing lifecycle.

Field name	Type	Key	Description
invoice_id	UUID	PK	Primary key
invoice_number	VARCHAR(50)	UK	Unique invoice reference e.g. INV-2026-001
issue_date	DATE		Date invoice was issued
due_date	DATE		Payment due date
amount	DECIMAL(12,2)		Total invoice amount
status	VARCHAR(30)		draft sent paid partially_paid overdue cancelled
type	VARCHAR(30)		issued_to_client received_from_vendor
vendor_name	VARCHAR(150)		Vendor name (for received invoices)
description	TEXT		Invoice description
client_id	UUID	FK	-> clients.client_id (nullable for vendor invoices)
committee_id	UUID	FK	-> committees.committee_id
fund_request_id	UUID	FK	-> fund_requests.fund_request_id (nullable)
created_at	TIMESTAMPTZ		Record creation timestamp

transactions

Central financial ledger. Every money movement recorded here.

Field name	Type	Key	Description
transaction_id	UUID	PK	Primary key
name	VARCHAR(200)		Transaction description/name
transaction_date	DATE		Date of transaction
amount	DECIMAL(12,2)		Amount (always positive)
transaction_type	VARCHAR(30)		income expense salary capital_input drawing
description	TEXT		Detailed notes
approved	BOOLEAN		Finance approval flag
created_by	VARCHAR(120)		Name/ID of person who created entry
committee_id	UUID	FK	-> committees.committee_id
client_id	UUID	FK	-> clients.client_id (nullable)
account_id	UUID	FK	-> accounts.account_id
channel_id	UUID	FK	-> channels.channel_id
invoice_id	UUID	FK	-> invoices.invoice_id (nullable)
fund_request_id	UUID	FK	-> fund_requests.fund_request_id (nullable)
created_at	TIMESTAMPTZ		Record creation timestamp

pl_reports

Periodic profit and loss statements. Manual or auto-generated.

Field name	Type	Key	Description
report_id	UUID	PK	Primary key
report_no	VARCHAR(30)	UK	e.g. PL-2026-Q1
period	VARCHAR(30)		monthly quarterly annual
period_start	DATE		Period start date
period_end	DATE		Period end date
total_income	DECIMAL(14,2)		Sum of all income transactions
total_expenses	DECIMAL(14,2)		Sum of all expense transactions
total_salary	DECIMAL(14,2)		Sum of salary transactions
other_capital_inputs	DECIMAL(14,2)		Capital injections
drawings	DECIMAL(14,2)		Owner drawings
tax	DECIMAL(12,2)		Tax liability
gross_profit	DECIMAL(14,2)		Computed: income - expenses
net_profit	DECIMAL(14,2)		Computed: gross - salary - tax - drawings
pl_notes	TEXT		Analyst notes
pdf_attachment	TEXT		URL to PDF report
created_at	TIMESTAMPTZ		Record creation timestamp

Relationships

From	To	Card.	Notes
transactions	accounts	N:1	every transaction posted to one account
transactions	channels	N:1	every transaction via one channel
transactions	invoices	N:1	transaction settles an invoice (nullable)
transactions	fund_requests	N:1	transaction disburses a fund request (nullable)
transactions	committees	N:1	transaction attributed to one committee
invoices	clients	N:1	invoice issued to / for a client
invoices	committees	N:1	invoice linked to committee
fund_requests	committees	N:1	fund request from a committee

Legal Base

Syncs Employees + Committees + Clients from Core. Owns agreements, compliance, IP.

committees [SYNC from Core]

Read-only mirror. Used to link agreements and legal requests to committees.

Field name	Type	Key	Description
committee_id	UUID	PK	Synced from Core
committee_name	VARCHAR(150)		Synced from Core

legal_templates

Standard document templates for agreements and contracts.

Field name	Type	Key	Description
template_id	UUID	PK	Primary key
document_name	VARCHAR(200)		Template name
version_number	VARCHAR(20)		e.g. v2.1
jurisdiction	VARCHAR(100)		Applicable law / jurisdiction
last_updated	DATE		Last revision date
approved_by	VARCHAR(120)		Legal officer who approved
template_file	TEXT		URL to template document
is_latest	BOOLEAN		Whether this is the current version
created_at	TIMESTAMPTZ		Record creation timestamp

parties_stakeholders

Directory of all external and internal parties in legal matters.

Field name	Type	Key	Description
party_id	UUID	PK	Primary key
entity_name	VARCHAR(200)		Company or individual name
type	VARCHAR(30)		client vendor partner employee investor
contact_information	TEXT		Email, phone, address
risk_status	VARCHAR(30)		low medium high flagged
jurisdiction	VARCHAR(100)		Operating jurisdiction
party_photo	TEXT		URL to logo/photo
created_at	TIMESTAMPTZ		Record creation timestamp

active_agreements

All active legal contracts and agreements with parties.

Field name	Type	Key	Description
agreement_id	UUID	PK	Primary key
agreement_name	VARCHAR(200)		Contract title
contract_type	VARCHAR(60)		service nda mou retainer maintenance other
effective_date	DATE		Contract start date
expiry_date	DATE		Contract end / renewal date
auto_renewal	BOOLEAN		Whether contract auto-renews
payment_terms	VARCHAR(100)		e.g. Net 30, monthly retainer
status	VARCHAR(30)		active expired terminated under_review
signed_doc	TEXT		URL to signed agreement
committee_id	UUID	FK	-> committees.committee_id
template_id	UUID	FK	-> legal_templates.template_id (nullable)
created_at	TIMESTAMPTZ		Record creation timestamp

agreement_parties

Junction: one agreement can involve multiple parties.

Field name	Type	Key	Description
agreement_id	UUID	FK	-> active_agreements.agreement_id
party_id	UUID	FK	-> parties_stakeholders.party_id
party_role	VARCHAR(60)		signatory counterparty witness beneficiary

compliance_obligations

Regulatory and contractual compliance tasks generated from agreements.

Field name	Type	Key	Description
obligation_id	UUID	PK	Primary key
obligation_name	VARCHAR(200)		Description of obligation
applies_to	VARCHAR(100)		Which entity/dept this applies to
due_date	DATE		Compliance deadline
status	VARCHAR(30)		pending compliant overdue waived
assigned_officer	VARCHAR(120)		Legal officer responsible
jurisdiction	VARCHAR(100)		Relevant jurisdiction
supporting_doc	TEXT		URL to evidence document
agreement_id	UUID	FK	-> active_agreements.agreement_id
created_at	TIMESTAMPTZ		Record creation timestamp

legal_requests

Intake and tracking of legal service requests from across the organisation.

Field name	Type	Key	Description
request_id	UUID	PK	Primary key
request_title	VARCHAR(200)		Brief title of request
category	VARCHAR(60)		contract_review compliance dispute advisory ip
priority	VARCHAR(20)		critical high medium low
status	VARCHAR(30)		open in_progress resolved closed
assigned_member	VARCHAR(120)		Legal team member handling request
date_submitted	DATE		Request submission date
resolution_notes	TEXT		How the request was resolved
committee_id	UUID	FK	-> committees.committee_id (nullable)
party_id	UUID	FK	-> parties_stakeholders.party_id (nullable)
agreement_id	UUID	FK	-> active_agreements.agreement_id (nullable)
created_at	TIMESTAMPTZ		Record creation timestamp

intellectual_property

Registry of all IP assets: trademarks, patents, copyrights, trade secrets.

Field name	Type	Key	Description
ip_id	UUID	PK	Primary key
asset_name	VARCHAR(200)		Name of IP asset
ip_type	VARCHAR(40)		trademark patent copyright trade_secret
registered_owner	VARCHAR(200)		Legal owner entity
registration_number	VARCHAR(80)		Official registration number
jurisdiction	VARCHAR(100)		Where registered
filing_date	DATE		Date of filing
expiry_date	DATE		Registration expiry date
status	VARCHAR(30)		active expired pending disputed
supporting_docs	TEXT		URL to registration documents
party_id	UUID	FK	-> parties_stakeholders.party_id (owner)
created_at	TIMESTAMPTZ		Record creation timestamp

legal_sops

Legal standard operating procedures and internal policies.

Field name	Type	Key	Description
sop_id	UUID	PK	Primary key
sop_title	VARCHAR(200)		Policy or SOP title
applicable_dept	VARCHAR(80)		Which department this applies to
policy_type	VARCHAR(60)		policy procedure guideline checklist
effective_date	DATE		Date policy came into effect
last_reviewed	DATE		Last review date
owner	VARCHAR(120)		Policy owner
approval_status	VARCHAR(30)		draft approved under_review archived
doc_attachment	TEXT		URL to document
created_at	TIMESTAMPTZ		Record creation timestamp

Relationships

From	To	Card.	Notes
active_agreements	agreement_parties	1:N	one agreement has many parties
parties_stakeholders	agreement_parties	1:N	one party in many agreements
active_agreements	compliance_obligations	1:N	one agreement generates many obligations
active_agreements	legal_requests	1:N	requests reference agreements
active_agreements	legal_templates	N:1	agreement based on a template
parties_stakeholders	legal_requests	1:N	requests involve parties
parties_stakeholders	intellectual_property	1:N	party owns IP assets

Tech Base

Syncs Employees + Committees from Core. Owns full software delivery lifecycle.

employees [SYNC from Core]

Read-only mirror. Used to resolve airtable_user_id for task assignment queries.

Field name	Type	Key	Description
employee_id	UUID	PK	Synced from Core
name	VARCHAR(120)		Synced from Core
airtable_user_id	VARCHAR(64)	UK	Synced from Core — agent uses this to filter Tasks.assignee
department	VARCHAR(80)		Synced from Core

projects

Top-level delivery units. May map to a client engagement or internal product.

Field name	Type	Key	Description
project_id	UUID	PK	Primary key
project_name	VARCHAR(150)		Project name
description	TEXT		What this project delivers
start_date	DATE		Project start
end_date	DATE		Target end date
status	VARCHAR(30)		planning in_progress on_hold completed cancelled
priority	VARCHAR(20)		high medium low
budget	DECIMAL(14,2)		Project budget
client_name	VARCHAR(150)		Client name (denormalised ref to Core clients)
committee_id	UUID	FK	-> committees.committee_id (synced ref)
owner	VARCHAR(120)		Project owner name
created_at	TIMESTAMPTZ		Record creation timestamp

epics

Large feature groupings within a project, composed of stories.

Field name	Type	Key	Description
epic_id	UUID	PK	Primary key
epic_name	VARCHAR(150)		Epic name
description	TEXT		Epic scope
status	VARCHAR(30)		not_started planned in_progress completed on_hold cancelled
priority	VARCHAR(20)		critical high medium low
start_date	DATE		Epic start date
target_end_date	DATE		Planned completion
owner	VARCHAR(120)		Epic owner
project_id	UUID	FK	-> projects.project_id
created_at	TIMESTAMPTZ		Record creation timestamp

stories

User stories within epics. Unit of deliverable functionality.

Field name	Type	Key	Description
story_id	UUID	PK	Primary key
story_title	VARCHAR(200)		Story title
description	TEXT		Story description
status	VARCHAR(30)		not_started backlog ready in_progress blocked in_review done
story_points	INTEGER		Effort estimate (1-100)
priority	VARCHAR(20)		critical high medium low
acceptance_criteria	TEXT		Definition of done
tags	TEXT[]		e.g. {frontend, backend, api, devops}
due_date	DATE		Target completion
epic_id	UUID	FK	-> epics.epic_id
created_at	TIMESTAMPTZ		Record creation timestamp

tasks

Atomic work items within stories. Primary table queried by Slack agent for Tech users.

Field name	Type	Key	Description
task_id	UUID	PK	Primary key
task_name	VARCHAR(200)		Task name
description	TEXT		What needs to be done
status	VARCHAR(30)		to_do in_progress in_review blocked done
priority	VARCHAR(20)		critical high medium low
assignee	VARCHAR(120)		Display name of assignee
airtable_user_id	VARCHAR(64)		Airtable user ID — agent filters on this field
due_date	DATE		Task due date — agent filters for today
task_type	VARCHAR(40)		development qa code_review documentation bug_fix
estimated_hours	DECIMAL(6,2)		Estimated effort in hours
actual_hours	DECIMAL(6,2)		Actual time spent
completed	BOOLEAN		Completion flag
story_id	UUID	FK	-> stories.story_id
release_id	UUID	FK	-> releases.release_id (nullable)
created_at	TIMESTAMPTZ		Record creation timestamp

releases

Versioned software releases grouping epics and tasks.

Field name	Type	Key	Description
release_id	UUID	PK	Primary key
release_name	VARCHAR(100)		Release name e.g. v2.4.0
version	VARCHAR(30)		Semantic version string
release_date	DATE		Planned or actual release date
status	VARCHAR(30)		planned in_progress released rolled_back failed
ci_cd_result	VARCHAR(20)		passed failed pending skipped
release_notes	TEXT		What changed in this release
release_owner	VARCHAR(120)		Engineer responsible for release
project_id	UUID	FK	-> projects.project_id
created_at	TIMESTAMPTZ		Record creation timestamp

environments

Deployment environments with health and cost metrics.

Field name	Type	Key	Description
env_id	UUID	PK	Primary key
env_name	VARCHAR(80)		e.g. production, staging, qa
env_type	VARCHAR(30)		development staging production testing qa
status	VARCHAR(30)		healthy degraded down maintenance
uptime_pct	DECIMAL(5,2)		Uptime percentage last 30 days
error_rate_pct	DECIMAL(6,4)		Error rate percentage
avg_latency_ms	DECIMAL(8,2)		Average response latency in ms
monthly_cost	DECIMAL(10,2)		Monthly infrastructure cost USD
created_at	TIMESTAMPTZ		Record creation timestamp

deployments

Records of each deployment event per environment.

Field name	Type	Key	Description
deployment_id	UUID	PK	Primary key
deployment_name	VARCHAR(150)		Deployment identifier
deployment_status	VARCHAR(30)		pending in_progress successful failed rolled_back
initiated_by	VARCHAR(120)		Name of person/system that triggered deployment
start_time	TIMESTAMPTZ		Deployment start
end_time	TIMESTAMPTZ		Deployment end
ci_cd_result	VARCHAR(20)		passed failed skipped not_run
rollback_available	BOOLEAN		Whether rollback is available
logs	TEXT		Deployment log output
project_id	UUID	FK	-> projects.project_id
env_id	UUID	FK	-> environments.env_id
release_id	UUID	FK	-> releases.release_id
created_at	TIMESTAMPTZ		Record creation timestamp

issues

Bugs and issues tracked through resolution with SLA management.

Field name	Type	Key	Description
issue_id	UUID	PK	Primary key
issue_title	VARCHAR(200)		Issue summary
description	TEXT		Full issue description
severity	VARCHAR(20)		critical high medium low
status	VARCHAR(30)		open in_progress in_review resolved closed
sla_target_date	DATE		SLA resolution deadline
reported_date	DATE		When issue was first reported
resolved_date	DATE		When issue was resolved
assigned_to	VARCHAR(120)		Assigned engineer
project_id	UUID	FK	-> projects.project_id
story_id	UUID	FK	-> stories.story_id (nullable)
env_id	UUID	FK	-> environments.env_id (nullable)
created_at	TIMESTAMPTZ		Record creation timestamp

Relationships

From	To	Card.	Notes
projects	epics	1:N	one project contains many epics
epics	stories	1:N	one epic contains many stories
stories	tasks	1:N	one story has many tasks
projects	releases	1:N	one project ships many releases
releases	deployments	1:N	one release deployed many times
environments	deployments	1:N	one environment hosts many deployments
projects	issues	1:N	one project tracks many issues
stories	issues	1:N	issues linked to stories

Acquisition Base

Syncs Employees + Clients from Core. Owns leads, campaigns, and marketing tasks.

employees [SYNC from Core]

Read-only mirror. Used to resolve task assignees for Slack agent queries.

Field name	Type	Key	Description
employee_id	UUID	PK	Synced from Core
name	VARCHAR(120)		Synced from Core
airtable_user_id	VARCHAR(64)	UK	Synced — agent filters Tasks.airtable_user_id on this

contacts_leads

CRM for leads and contacts moving through the sales pipeline.

Field name	Type	Key	Description
contact_id	UUID	PK	Primary key
full_name	VARCHAR(150)		Contact full name
company_name	VARCHAR(150)		Company or organisation
email	VARCHAR(200)		Contact email
phone	VARCHAR(30)		Contact phone
lead_source	VARCHAR(60)		website referral event linkedin cold_outreach other
pipeline_stage	VARCHAR(60)		new in_progress nurturing sql mql converted lost
contact_owner	VARCHAR(120)		Sales/BD owner
lead_score	INTEGER		Computed lead quality score 0-100
created_at	TIMESTAMPTZ		Record creation timestamp

leads_activity

Timeline of all interactions and touchpoints with a lead.

Field name	Type	Key	Description
activity_id	UUID	PK	Primary key
activity_type	VARCHAR(60)		email_open ad_click call meeting form_submit other
timestamp	TIMESTAMPTZ		When activity occurred
notes	TEXT		Activity notes
automation_trigger	BOOLEAN		Whether triggered by automation rule
contact_id	UUID	FK	-> contacts_leads.contact_id
created_at	TIMESTAMPTZ		Record creation timestamp

campaigns

Marketing campaigns — the central hub linking all acquisition activities.

Field name	Type	Key	Description
campaign_id	UUID	PK	Primary key
campaign_name	VARCHAR(150)		Campaign name
type	VARCHAR(60)		email webinar ads product_launch event content other
objective	TEXT		Campaign goal
budget	DECIMAL(12,2)		Campaign budget
start_date	DATE		Campaign start
end_date	DATE		Campaign end
leads_generated	INTEGER		Total leads generated
roi	DECIMAL(8,2)		Return on investment percentage
status	VARCHAR(30)		planned active completed paused cancelled
created_at	TIMESTAMPTZ		Record creation timestamp

funnels_pipelines

Sales and marketing funnels with stage definitions and conversion tracking.

Field name	Type	Key	Description
funnel_id	UUID	PK	Primary key
funnel_name	VARCHAR(150)		Funnel name
conversion_rate_pct	DECIMAL(5,2)		Overall conversion rate
stages	JSONB		Ordered stage definitions with entry/exit criteria
lead_entry_count	INTEGER		Leads that entered the funnel
conversions	INTEGER		Leads that converted
campaign_id	UUID	FK	-> campaigns.campaign_id
created_at	TIMESTAMPTZ		Record creation timestamp

content_calendar

Content publishing schedule across channels, linked to campaigns.

Field name	Type	Key	Description
content_id	UUID	PK	Primary key
content_title	VARCHAR(200)		Content piece title
channel	VARCHAR(60)		blog instagram linkedin youtube email other
owner	VARCHAR(120)		Content creator/owner
publish_date	DATE		Scheduled publish date
status	VARCHAR(30)		draft scheduled published archived
engagement	INTEGER		Total engagement count
views	INTEGER		Total view count
click_through_rate	DECIMAL(5,2)		CTR percentage
campaign_id	UUID	FK	-> campaigns.campaign_id (nullable)
created_at	TIMESTAMPTZ		Record creation timestamp

sprints

Marketing team sprint planning cycles.

Field name	Type	Key	Description
sprint_id	UUID	PK	Primary key
sprint_name	VARCHAR(100)		Sprint name e.g. Sprint 14
start_date	DATE		Sprint start
end_date	DATE		Sprint end
sprint_goals	TEXT		What this sprint aims to deliver
status	VARCHAR(30)		planned active completed archived
created_at	TIMESTAMPTZ		Record creation timestamp

acq_tasks

Acquisition team tasks. Primary table queried by Slack agent for marketing users.

Field name	Type	Key	Description
task_id	UUID	PK	Primary key
task_name	VARCHAR(200)		Task name
description	TEXT		Task details
priority	VARCHAR(20)		critical high medium low
due_date	DATE		Task due date — agent filters for today
assignee	VARCHAR(120)		Assignee display name
airtable_user_id	VARCHAR(64)		Airtable user ID — agent filters on this field
status	VARCHAR(30)		backlog to_do in_progress blocked done meeting
estimated_effort	DECIMAL(6,2)		Estimated hours
actual_effort	DECIMAL(6,2)		Actual hours logged
sprint_id	UUID	FK	-> sprints.sprint_id (nullable)
campaign_id	UUID	FK	-> campaigns.campaign_id (nullable)
created_at	TIMESTAMPTZ		Record creation timestamp

Relationships

From	To	Card.	Notes
contacts_leads	leads_activity	1:N	one contact has many activity events
campaigns	content_calendar	1:N	one campaign schedules many content pieces
campaigns	funnels_pipelines	1:N	one campaign feeds many funnels
sprints	acq_tasks	1:N	one sprint contains many tasks
campaigns	acq_tasks	1:N	tasks linked to campaigns

Slack Agent — Identity Resolution Contract

How the agent resolves a Slack user to tasks across all bases

Step	Action	Table / Field	Notes
1	Receive Slack message	Slack API — user_id field	Agent extracts user_id from event payload
2	Identity lookup	Core: employees.slack_id	Filter employees WHERE slack_id = incoming user_id. Returns one record.
3	Extract routing keys	Core: employees.airtable_user_id, department, lab_id, committee_ids	These keys determine which bases to query and what to filter on.
4a	Query Tech tasks	Tech: tasks WHERE airtable_user_id = ? AND due_date = today	Returns task_name, status, due_date, story context
4b	Query Acquisition tasks	Acquisition: acq_tasks WHERE airtable_user_id = ? AND due_date = today	Returns task_name, status, due_date, campaign context
4c	Query committee duties	Core: committee_members WHERE employee_id = ? + monthly_reports pending	Returns committee roles and any pending clearance actions
4d	Query appointments	HR: appointments WHERE employee_id = ? AND is_active = true	Returns active committee appointments
5	Aggregate + sort	Agent memory	Merge results, deduplicate, sort by due_date ASC, group by base
6	Format + respond	Slack API	Send formatted message back to user in DM or channel
7 (write)	Update task	Owning base: tasks or acq_tasks	Agent patches due_date or status on the specific record in the owning base. Never writes to synced tables.

Key design rules

- employees.slack_id and employees.airtable_user_id are UNIQUE constraints — the agent can rely on a single-row result from the identity lookup.
- The agent NEVER writes to synced ([SYNC]) tables. All writes go to the table's owning base.
- tasks.airtable_user_id and acq_tasks.airtable_user_id are denormalised copies of the user ID — no join needed at query time, enabling fast filtering.
- When an employee is marked employment_status = 'inactive', the agent returns no results for them — no special agent-side logic needed.
- All task tables share the same due_date field name intentionally, so the agent can apply the same date filter across all task sources.