

Find In:(Entire project)
Find What:Used Device (Contact & Coil)
Print Range:Whole Range

*:in use, (counts): the number of coil uses

Device	Contact	Coil (counts)	Parameter	Comment
M50	*	*(2)		
M90	*	*(2)		EMERGENCY BIT\
M91	*	*(2)		AIR PRESSURE LOW BIT
M100	*	*(1)		MANUAL MODE SELECT B
M120	*	*(1)		MANUAL_VFD_1 FWD BIT
M121	*	*(1)		MANUAL_VFD_1 REV BIT
M122	*	*(1)		MANUAL_VFD_2 FWD BIT
M123	*	*(1)		MANUAL_VFD_2 REV BIT
M124	*	*(1)		MANUAL_VFD_3 FWD BIT
M125	*	*(1)		MANUAL_VFD_3 REV BIT
M126	*	*(1)		MAN_SERVO_1 FWD BIT
M127	*	*(1)		MAN_SERVO_1 REV BIT
M128	*	*(1)		MAN_SERVO_2 FWD BIT
M129	*	*(1)		MAN_SERVO_2 REV BIT
M130	*	*(1)		MAN_SERVO_3 FWD BIT
M131	*	*(1)		MAN_SERVO_3 REV BIT
M132	*	*(1)		MAN_CENTRING FWD BIT
M133	*	*(1)		MAN_CENTRING REV BIT
M250	*	*(1)		HOME CALL BIT
M251	*	*(1)		HOME CMPLT BIT
M252	*	*(1)		CENTRING REV BIT
M253	*	*(1)		SERVO_1_HOME CALL B
M254	*	*(1)		SERVO_1 HOME DONE BI
M255	*	*(1)		SERVO_2_HOME CALL BI
M256	*	*(1)		SERVO_2 HOME DONE BI
M257	*	*(1)		SERVO_3_HOME CALL BI
M258	*	*(1)		SERVO_3_HOME DONE BI
M500	*	*(1)		AUTO MODE SELECT BIT
M590	*	*(2)		
M591	*	*(2)		
M1501	*	*(1)		AXIS_1 ORIGIN BIT
M1502	*	*(1)		AXIS_2 ORIGIN BIT
M1503	*	*(1)		AXIS_3 ORIGIN BIT
M1601	*	*(1)		HOME_AXIS_1 BIT
M1602	*	*(1)		HOME_AXIS_2 BIT
M1603	*	*(1)		HOME_AXIS_3 BIT
M1700	*	*(1)		

Device List
Data Name : Device List

7/8/2026

Find In:(Entire project)
Find What:Used Device (Contact & Coil)
Print Range:Whole Range

*:in use, (counts): the number of coil uses

Device	Contact	Coil (counts)	Parameter	Comment
M2500	*	*(1)		ALARM_EMERGENCY STOP
M2501	*	*(1)		ALARM_AIR PRESSURE L
M2502	*	*(1)		ALARM_AUTO MODE NOT
M2503	*	*(1)		ALARM_MODEL NOT SELC
M2504	*	*(1)		ALARM_ ROLLER CONV F
M2505	*	*(1)		ALARM_BELT_1 CONV F
M2506	*	*(1)		ALARM_BELT_2 CONV FA
M2507	*	*(1)		ALARM_INFEED CONV FA
M2508	*	*(2)		ALARM_WRONG MODEL SE
M2509	*	*(2)		ALARM_BEE LABEL NG
M2510	*	*(2)		ALARM_TAPING MISSING
M2511	*	*(1)		ALARM_AXIS_1 ERROR\
M2512	*	*(1)		ALARM_AXIS_2 ERROR\
M2513	*	*(1)		ALARM_AXIS_3 ERROR
M2514	*	*(1)		ALARM_CENTRING REV P
M2515	*	*(2)		
M2530	*	*(1)		
M2531	*	*(1)		
M2650	*	*(1)		
L501	*	*(1)		AUTO_CYCLE START BIT
L502	*	*(2)		AUTO_SERVO_1 RUN BIT
L504	*	*(2)		AUTO_SERVO_2 RUN BIT
L506	*	*(2)		AUTO_SERVO_3 RUN BIT
L508	*	*(2)		AUTO_CENTRING FWD BI
L509	*	*(3)		AUTO_CENTRING FWD CN
L510	*	*(2)		AUTO_CENTRING REV BI
L511	*	*(3)		AUTO_CENTRING REV CN
L512	*	*(2)		AUTO_M/C BEFORE C/V
L513	*	*(3)		AUTO_M/C BEFORE C.V
L514	*	*(2)		ALL VFD RUN BIT
L515	*	*(3)		ALL VFD STOP BIT
L516	*	*(2)		AUTO_SERVO_2 RUN BI
L518	*	*(2)		AUTO_SERVO_3 RUN BIT
L530	*	*(2)		PART OK BIT
L531	*	*(3)		BEE LABEL OK BIT
L532	*	*(3)		AUTO TAPING MISSING
L535	*	*(3)		AUTO_SERVO_3 MODEL

Device List
Data Name : Device List

7/8/2026

Find In:(Entire project)
Find What:Used Device (Contact & Coil)
Print Range:Whole Range

*:in use, (counts): the number of coil uses

Device	Contact	Coil (counts)	Parameter	Comment
L540	*	*(2)		
L541	*	*(2)		
L543	*	*(2)		
L544	*	*(3)		
L545	*	*(3)		
L550	*	*(2)		MOTOR & CENTRING STA
L551	*	*(2)		VFD_1 RUN FB
L560	*	*(2)		
L562	*	*(1)		
L563	*	*(1)		
L580	*	*(2)		
L590	*	*(2)		
L600	*	*(1)		SERVO_1 POSTION CMPL
L602	*	*(1)		SERVO_2 POS_1 CMPLT
L604	*	*(1)		SERVO_2 POS_2 CMPLT
L606	*	*(1)		SERVO_3 POS_1 CMPLT
L608	*	*(1)		SERVO_3 POS_2 CMPLT
L610	*	*(1)		
L611	*	*(1)		
L612	*	*(1)		
L700	*	*(1)		AXIS_1 SELECTED
L701	*	*(1)		AXIS_2 SELECTED
L702	*	*(1)		AXIS_3 SELECTED
L800	*	*(1)		UL2 MODEL SELECT
L802	*	*(1)		WN MODEL SELECT
L804	*	*(1)		WC MODEL SELECT
L806	*	*(1)		U24A MODEL SELECTED
L808	*	*(1)		MODEL 5 SELECTED
L810	*	*(1)		MODEL_6 SELECTED\
L812	*	*(1)		MODEL_7 SELECTED
L814	*	*(1)		MODEL_8 SELECTED
L816	*	*(1)		MODEL_9 SELECTED
L818	*	*(1)		MODEL 10 SELECTED
L820	*	*(1)		MODEL 11 SELECTED
L822	*	*(1)		MODEL 12 SELECTED
L1020	*	*(2)		
L1031	*	*(1)		

Find In:(Entire project)
Find What:Used Device (Contact & Coil)
Print Range:Whole Range

*:in use, (counts): the number of coil uses

Device	Contact	Coil (counts)	Parameter	Comment
L1032	*	*(2)		
L1035	*	*(1)		
L1036	*	*(1)		
L1037	*	*(1)		
Y10	*	*(2)		Axis #1 Positioning
Y11	*	*(2)		Axis #2 Positioning
Y12	*	*(2)		Axis #3 Positioning
Y4D	*	*(1)		BREAK FOR SERVO_1
Y52	*	*(1)		TL RED & BUZZER LAMP
B1401	*	*(2)		
B1410	*	*(2)		
B1510	*	*(1)		
D50	*	*(1)		AXIS SELECTION DATA
D80	*	*(12)		DATA FOR CENTRING FW
D960	*	*(1)		
D961	*	*(1)		
D970	*	*(1)		
D971	*	*(1)		
D980	*	*(1)		
D981	*	*(1)		
D995	*	*(1)		
D996	*	*(1)		
D1000	*	*(14)		SERVO_1 POSTION DATA
D1001	*	*(14)		
D1010	*	*(13)		SERVO_1 POSITION DAT
D1011	*	*(13)		
D1020	*	*(14)		SERVO_2 POSITION DAT
D1021	*	*(14)		
D1030	*	*(13)		SERVO_2 POSITION DAT
D1031	*	*(13)		
D1040	*	*(14)		SERVO_3 POSITION DAT
D1041	*	*(14)		
D1050	*	*(13)		SERVO_3 POSITION DAT
D1051	*	*(13)		
D1064	*	*(2)		
D1070	*	*(2)		
D1071	*	*(2)		

Device List
Data Name : Device List

7/8/2026

Find In:(Entire project)
Find What:Used Device (Contact & Coil)
Print Range:Whole Range

*:in use, (counts): the number of coil uses

Device	Contact	Coil (counts)	Parameter	Comment
D1072	*	*(2)		
D1073	*	*(2)		
D1074	*	*(2)		
D1075	*	*(2)		
D1076	*	*(2)		
D1077	*	*(2)		
D1078	*	*(2)		
D1079	*	*(2)		
D1100	*	*(1)		CURRENT VALUE OF AXI
D1101	*	*(1)		
D1110	*	*(1)		CURRENT VALUE OF AXI
D1111	*	*(1)		
D1120	*	*(1)		CURRENT VALUE OF AXI
D1121	*	*(1)		
D1700	*	*(5)		
D1770	*	*(2)		
D1771	*	*(2)		
D1782	*	*(1)		
D1800	*	*(5)		CALL CMPLT
D2000	*	*(2)		
D2001	*	*(2)		
D2002	*	*(2)		
D2003	*	*(2)		
D2004	*	*(2)		
D2005	*	*(2)		
D2006	*	*(2)		
D2007	*	*(2)		
D2008	*	*(2)		
D2009	*	*(2)		
D2010	*	*(2)		
D2011	*	*(2)		
D2012	*	*(2)		
D2013	*	*(2)		
D2014	*	*(2)		
D2015	*	*(2)		
D2016	*	*(2)		
D2017	*	*(2)		

Device List
Data Name : Device List

7/8/2026

Find In:(Entire project)
Find What:Used Device (Contact & Coil)
Print Range:Whole Range

*:in use, (counts): the number of coil uses

Device	Contact	Coil (counts)	Parameter	Comment
D2018	*	*(2)		
D2019	*	*(2)		
D2020	*	*(2)		
D2021	*	*(2)		
D2022	*	*(2)		
D2023	*	*(2)		
D2024	*	*(2)		
D2025	*	*(2)		
D2026	*	*(2)		
D2027	*	*(2)		
D2028	*	*(2)		
D2029	*	*(2)		
D2030	*	*(2)		
D2031	*	*(2)		
D2032	*	*(2)		
D2033	*	*(2)		
D2034	*	*(2)		
D2035	*	*(2)		
D2036	*	*(2)		
D2037	*	*(2)		
D2038	*	*(2)		
D2039	*	*(2)		
D2040	*	*(2)		
D2041	*	*(2)		
D2042	*	*(2)		
D2043	*	*(2)		
D2044	*	*(2)		
D2045	*	*(2)		
D2046	*	*(2)		
D2047	*	*(2)		
D2050	*	*(1)		
D2051	*	*(1)		
D2060	*	*(1)		
D2065	*	*(1)		
D2070	*	*(1)		
D2075	*	*(1)		
D2080	*	*(1)		

Device List
Data Name : Device List

7/8/2026

Find In:(Entire project)
Find What:Used Device (Contact & Coil)
Print Range:Whole Range

*:in use, (counts): the number of coil uses

Device	Contact	Coil (counts)	Parameter	Comment
D8000	*	*(3)		
D8010	*	*(1)		
D9000	*	*(2)		
D9010	*	*(1)		
D9020	*	*(1)		
D9030	*	*(1)		
D9100	*	*(2)		
D9110	*	*(1)		
D9120	*	*(1)		
D9130	*	*(1)		
D9200	*	*(2)		
D9210	*	*(1)		
D9220	*	*(1)		
D9230	*	*(1)		
W122	*	*(2)		
W130	*	*(2)		
W131	*	*(2)		
W132	*	*(2)		
W170	*	*(1)		
W171	*	*(1)		
W172	*	*(1)		
W173	*	*(1)		
W174	*	*(1)		
W175	*	*(1)		
W176	*	*(1)		
W550	*	*(2)		
W551	*	*(2)		
W552	*	*(2)		
T0	*	*(1)		
T10	*	*(1)		
T12	*	*(1)		
T15	*	*(1)		
T100	*	*(1)		TMR FOR CENTRING
T101	*	*(1)		
T110	*	*(1)		
T150	*	*(1)		
T151	*	*(1)		

Device List
Data Name : Device List

7/8/2026

Find In:(Entire project)
Find What:Used Device (Contact & Coil)
Print Range:Whole Range

*:in use, (counts): the number of coil uses

Device	Contact	Coil (counts)	Parameter	Comment
T152	*	*(1)		
T155	*	*(1)		
T160	*	*(1)		
T175	*	*(1)		
T176	*	*(1)		
T185	*	*(1)		
T552	*	*(1)		TMR FOR SERVO ORIGIN
T553	*	*(1)		TMR FOR MODEL CALL
T690	*	*(1)		
T691	*	*(1)		
T692	*	*(1)		
T693	*	*(1)		
T694	*	*(1)		
T695	*	*(1)		
T696	*	*(1)		
T800	*	*(1)		
T801	*	*(1)		
T802	*	*(1)		
C0	*	*(3)		
U0	*	*(41)		