


## 1.練習一

三個按鈕 對應三張圖片



## 2.練習二

`obj = { p1:xxxx.jpg .....}`

all jquery method

<https://oscarotero.com/jquery/>

jQuery Quick API Reference				3.5	Search...	
SELECTORS		ATTRIBUTES / CSS		MANIPULATION	TRaversING	EVENTS
<b>Basics</b> * .class element #id selector1, selectorN, ...  <b>Hierarchy</b> parent &gt; child ancestor descendant prev + next prev ~ siblings  <b>Basic Filters</b> :animated :eq() :even :first :gt() :header :lang() :last :lt() :not() :odd :root :target  <b>Content Filters</b> :contains() :empty :has() :parent	<b>Visibility Filters</b> :hidden :visible  <b>Attribute</b> [name]="value" [name]*="value" [name\$="value" [name\$="value" [name="value" [name="value" [name="value" [name="value"[name2="value2"  <b>Child Filters</b> :first-child :first-of-type :last-child :last-of-type :nth-child() :nth-last-child() :nth-last-of-type() :nth-of-type() :only-child :only-of-type()	<b>Forms</b> :button :checkbox :checked :disabled :enabled :focus :file :image :input :password :radio :reset :selected :submit :text  <b>CSS</b> .addClass() .css() jQuery.cssHooks jQuery.cssNumber jQuery.escapeSelector() .hasClass() .removeClass() .toggleClass()  <b>Dimensions</b> .height() .innerHeight() .innerWidth() .outerHeight() .outerWidth() .width()  <b>Offset</b> .offset() .offsetParent() .position() .scrollLeft() .scrollTop()  <b>Data</b> jQuery.data() .data() jQuery.hasData() jQuery.removeData() .removeData()	<b>Copying</b> .clone()  <b>DOM Insertion, Around</b> .wrap() .wrapAll() .wrapInner()  <b>DOM Insertion, Inside</b> .append() .appendTo() .html() .prepend() .prependTo() .text()  <b>DOM Insertion, Outside</b> .after() .before() .insertAfter() .insertBefore()  <b>DOM Removal</b> .detach() .empty() .remove() .unwrap()  <b>DOM Replacement</b> .replaceAll() .replaceWith()	<b>Filtering</b> .eq() .even() .filter() .first() .has() .is() .last() .map() .not() .odd() .slice()  <b>Miscellaneous Traversing</b> .add() .addBack() .andSelf() .contents() .each() .end()  <b>Tree Traversal</b> .children() .closest() .find() .focus() .next() .nextAll() .nextUntil() .parent() .parents() .parentsUntil() .prev() .prevAll() .prevUntil() .siblings()	<b>Browser Events</b> :click() .click() .contextMenu() .dblclick() .hover() .mousedown() .mouseenter() .mouseleave() .mousemove() .mouseout() .mouseover() .mouseup() .toggle()  <b>Document Loading</b> .ready() .ready().ready()  <b>Event Handler Attachment</b> .bind() .delegate() .delegate().delegate() .off() .on() .one() .trigger() .triggerHandler() .unbind() .undelegate()  <b>Form Events</b> .blur() .change() .focus() .focusin() .focusout() .select() .submit()  <b>Keyboard Events</b> .keydown() .keypress() .keyup()	<b>Mouse Events</b> .click() .contextMenu() .dblclick() .hover() .mousedown() .mouseenter() .mouseleave() .mousemove() .mouseout() .mouseover() .mouseup() .toggle()  <b>Event Object</b> event.currentTarget event.delegateTarget event.data event.isDefaultPrevented() event.isImmediatePropagationStopped() event.isPropagationStopped() event.metaKey event.namespace event.pageX event.pageY event.preventDefault() event.relatedTarget event.result event.stopImmediatePropagation() event.stopPropagation() event.target event.timeStamp event.type event.which

EFFECTS	AJAX	CORE		
<b>Basics</b> .hide() .show() .toggle() <b>Custom</b> .animate() .clearQueue() .delay() .dequeue() jQuery.dequeue() .finish() jQuery.fx.interval jQuery.fx.off jQuery.speed .queue() jQuery.queue() .stop() <b>Fading</b> .fadeIn() .fadeOut() .fadeTo() .fadeToggle() <b>Sliding</b> .slideDown() .slideToggle() .slideUp()	<b>Global Ajax Event Handlers</b> .ajaxComplete() .ajaxError() .ajaxSend() .ajaxStart() .ajaxStop() .ajaxSuccess() <b>Helper Functions</b> jQuery.param() .serialize() .serializeArray() <b>Low-Level Interface</b> jQuery.ajax() jQuery.prefilter() jQuery.ajaxSetup() jQuery.ajaxTransport() <b>Shorthand Methods</b> jQuery.get() jQuery.getJSON() jQuery.getScript() jQuery.post() .load()	<b>jQuery Object</b> jQuery() jQuery.noConflict() jQuery.readyException() jQuery.sub()           jQuery.holdReady() jQuery.when() <b>Deferred Object</b> jQuery.Deferred() deferred.always() deferred.done() deferred.fail() deferred.isRejected() deferred.isResolved() deferred.notify() deferred.notifyWith() deferred.pipe() deferred.progress() deferred.promise() deferred.reject() deferred.rejectWith() deferred.resolve() deferred.resolveWith() deferred.state() deferred.then() .promise()	<b>Utilities</b> jQuery.boxModel jQuery.browser jQuery.contains() jQuery.each() jQuery.extend() jQuery.globalEval() jQuery.grep() jQuery.inArray() jQuery.isArray() jQuery.isEmptyObject() jQuery.isFunction() jQuery.isNumeric() jQuery.isPlainObject() jQuery.isWindow() jQuery.isXMLDoc() jQuery.makeArray() jQuery.map() jQuery.merge() jQuery.noop() jQuery.now() jQuery.parseHTML() jQuery.parseJSON() jQuery.parseXML() jQuery.proxy() jQuery.support jQuery.trim() jQuery.type() jQuery.unique() jQuery.uniqueSort()	<b>DOM Element Methods</b> .get() .index() .size() .toArray() <b>Internals</b> .jquery .context jQuery.error() .length .pushStack() .selector <b>Callbacks Object</b> jQuery.Callbacks() callbacks.add() callbacks.disable() callbacks.disabled() callbacks.empty() callbacks.fire() callbacks.fired() callbacks.fireWith() callbacks.has() callbacks.lock() callbacks.locked() callbacks.remove()

```
$('.box').click(function () {  
    $(this).css('background-color', 'lightpink');  
    // set  
    $('#myInput').val('123456');  
});
```

jquery method

```
// get  
let value = $('#myInput').val();  
console.log('value', value,);
```

is property

```
// 原生js property  
// document.getElementById("myText").value = "Johnny Bravo";
```