

# cummeRbund: Visualization and Exploration of Cufflinks High-throughput Sequencing Data

Loyal A. Goff, Cole Trapnell

1 April, 2011

## Contents

### 1 Introduction

cummeRbund is a visualization package for Cufflinks high-throughput sequencing data. The base class, *cuffSet* is a ‘pointer’ to cufflinks data that are stored out-of-memory in a sqlite database.

### 2 CummeRbund Classes

#### 2.1 CuffSet Class

#### 2.2 CuffData Class

#### 2.3 CuffFeatureSet Class

#### 2.4 CuffFeature Class

### 3 Reading cuffdiff output

```
> cuff <- readCufflinks(dir = fileDir)
> cuff
```

CuffSet instance with:

```
 3 samples
 35695 genes
 102603 isoforms
 54339 TSS
 20584 CDS
```

### 3.1 Reading additional annotation files

## 4 Global statistics

Several plotting methods are available that allow for quality-control or global analysis of cufflinks data. For example, to assess the distributions of FPKM scores across samples, you can use the *csDensity* plot (Figure 1).

```
> dens <- csDensity(cuff@genes)
```




Figure 1: Density plot per sample of cufflinks output FPKM values.

Boxplots can be visualized using the *csBoxplot* method (Figure 2).

```
> b <- csBoxplot(cuff@genes)
```

Pairwise comparisons can be made by using *csScatter* (Figure 3). You must specify the sample names to use for the *x* and *y* axes:

```
> s <- csScatter(cuff@genes, "H1_hESC", "Fibroblasts",
+     smooth = T)
```




Figure 2: Box plot of FPKM values from cufflinks output.

Volcano plots are also available for the *CuffData* objects. Again, you must specify the comparisons by *sample\_name*.

```
> v <- csVolcano(cuff@genes, "H1_hESC", "Fibroblasts")
\end{Sinput}
\end{Schunk}

\begin{figure}[ht]
\begin{center}
\includegraphics{cummeRbund-manual-global_plots_volcano}
\end{center}
\caption{Volcano plot of ln fold change vs significance.}
\end{figure}

\clearpage

\section{Creating Gene Sets}
\subsection{Geneset-level plots}
```




Figure 3: Scatter plot comparing the FPKM values of two samples from cufflinks output.

```
\section{Individual Genes}

\subsection{Gene-level plots}

\section{Session info}
\begin{Schunk}
\begin{Sinput}
> sessionInfo()
\end{Sinput}
\begin{Soutput}
R version 2.12.1 (2010-12-16)
Platform: x86_64-apple-darwin9.8.0/x86_64 (64-bit)

locale:
[1] C/en_US.UTF-8/C/C/en_US.UTF-8/en_US.UTF-8

```

```
attached base packages:  
[1] grid      stats     graphics grDevices utils      datasets  
[7] methods    base  
  
other attached packages:  
[1] cummeRbund_0.1.2  ggplot2_0.8.9    proto_0.3-8  
[4] reshape_0.8.3     plyr_1.4        RSQLite_0.9-4  
[7] DBI_0.2-5  
  
loaded via a namespace (and not attached):  
[1] digest_0.4.2 tools_2.12.1  
\end{Soutput}  
\end{Schunk}
```