

QPEXpress API Documentation 1.0v

1. Introduction

The QPEXpress API is a web service which allows you to use our System platform from your website, software or mobile application. The API gives you access to all of the supported functions of our service.

2. Building Applications with our API

Our API allows you to manage your orders.

3. Supported API functions

Currently the QPEXpress API is on 1.0 version and supports 5 functions.

3.1 System Authentication

HTTP Method: POST

URL: https://<server-url>/integration/token

Description: Api Returns **Access token** to use **Bearer Authentication** to use it in all Apis

Request Parameters:

Parameter	Description
username	Your Company Username on System Portal
password	Your Company Password on System Portal

JSON Request:

```
{  
  "username": "username",  
  "password": "password"  
}
```

JSON Response:-

1. Status Code 200

```
{  
  "token": "<jwt Access Token>",  
  "company_name": "Your Company Name"  
}
```

2. Status Code 401

```
{"detail": "No active account found with the given credentials"}
```

3.2 get Order List

HTTP Method: GET

URL: <https://<server-url>/integration/order>

Description: Api Returns Customer Order List that match some of criteria

Request Parameters:

Parameter	Description
page_size	Limit Per Page
page	Page No
from_date	Order Date From filter
to_date	Order Date To filter
serial	Search By Order Serial
name	Search By Order Full Name
phone	Search By Order Phone
status	Order Status => [Pending , Out For Deliver , Delivered , Hold , Undelivered]
city	Search By City Name
referenceID	Search By Internal referenceID

JSON Response:-

1. Status Code 200

```
{
  "count": 'Total Orders that match criteria ' ,
  "next": "<next page url>",
  "previous": "<previous page Link “,
  "results": [ // Order List
    {
      "serial": Order Serial ,
      "order_date": "Order Date",
      "shipment_contents": "Shipment Content",
```

```

        "weight": "0.00",
        "full_name": " Order Name",
        "phone": "0123456789",
        "city": "City Name",
        "notes": " Order Notes",
        "total_amount": "Order Amount",
        "total_fees": "Shipment Fees",
        "Order_Delivery_Status": "Order Status",
        "address": "Order Address",
        "created_date": "2022-11-01T01:00:04.827951+02:00",
        "update_date": "2022-11-01T01:00:04.828003+02:00",
        "StatusNote": "Status Note",
        "has_return": " true if order is Delivered With Return " ,
        "return_count": "Count of Return Pieces",
        "referenceID": "Your Internal ID
    }
}
}

```

3.3 Retrieve Order Data

HTTP Method: GET

URL: <https://<server-url>/integration/order/<order serial>>

Description: Api Returns Customer Order with specific serial

JSON Response:-

2. Status Code 200

```

{
    "serial": Order Serial ,
    "order_date": "Order Date",
    "shipment_contents": "shipment Content",
    "weight": "0.00",
    "full_name": " Order Name",
    "phone": "0123456789",
    "city": "City Name",

```

```

"notes": " Order Notes",
"total_amount": "Order Amount",
"total_fees": "Shipment Fees",
"Order_Delivery_Status": "Order Status",
"address": "Address",
"created_date": "2022-11-01T01:00:04.827951+02:00",
"update_date": "2022-11-01T01:00:04.828003+02:00",
"StatusNote": "Order Status Note",
"has_return": " true if order is Delivered With Return ",
"return_count": "Count of Return Pieces",
"referenceID": "Your Internal ID
}

```

3.4 Create Order

HTTP Method: POST

URL: <https://<server-url>/integration/order>

Description: Api that Creates New Customer Order.

JSON Request:-

```

{
  "order_date": "2022-11-09T02:00:00+02:00",
  "shipment_contents": "Shipment Content",
  "weight": "0.00",
  "full_name": " Order Name",
  "phone": "0123456789",
  "city": "جيزة",
  "notes": " Order Notes",
  "total_amount": "Order Amount",
  "address": "Order Address",
  "referenceID": "Your Internal ID
}

```

JSON Response:-

1. Status Code 200

```
{  
  "serial": Order Serial ,  
  "order_date": "Order Date",  
  "shipment_contents": "Shipment Content",  
  "weight": "0.00",  
  "full_name": " Order Name",  
  "phone": "0123456789",  
  "city": "City Name",  
  "notes": " Order Notes",  
  "total_amount": "Order Amount",  
  "total_fees": "Shipment Fees",  
  "Order_Delivery_Status": "Order Status",  
  "address": "Order Address",  
  "created_date": "2022-11-01T01:00:04.827951+02:00",  
  "update_date": "2022-11-01T01:00:04.828003+02:00",  
  "StatusNote": " Status Note",  
  "has_return": " true if order is Delivered With Return " ,  
  "return_count": "Count of Return Pieces",  
  "referenceID": "Your Internal ID"  
}
```

3.5 Update Order

HTTP Method: PATCH

URL: <https://<server-url>/integration/order/<order Serial>>

Description: Api that Update Customer Order With Status Pending Only.

JSON Request:-

```
{  
  "serial": "Order Serial",  
  "order_date": "2022-11-09T02:00:00+02:00",  
  "shipment_contents": "Shipment Content",  
  "weight": "0.00",  
}
```

```
"full_name": " Order Name",
"phone": "0123456789",
"city": "City Name",
"notes": " Order Notes",
"total_amount": "Order Amount",
"address": "Order Address",
"referenceID": "Your Internal ID
}
```

JSON Response:-

1. Status Code 200

```
{
  "serial": Order Serial ,
  "order_date": "Order Date",
  "shipment_contents": "Shipment Content",
  "weight": "0.00",
  "full_name": " Order Name",
  "phone": "0123456789",
  "city": "City Name",
  "notes": " Order Notes",
  "total_amount": "Order Amount",
  "total_fees": "Shipment Fees",
  "Order_Delivery_Status": "Order Status",
  "address": "Order Address",
  "created_date": "2022-11-01T01:00:04.827951+02:00",
  "update_date": "2022-11-01T01:00:04.828003+02:00",
  "StatusNote": " Status Note",
  "has_return": " true if order is Delivered With Return " ,
  "return_count": "Count of Return Pieces",
  "referenceID": "Your Internal ID
}
```

2. Status Code 400

```
{"message": "Message Error"}
```

Error	Description
Cannot Edit in Order Order is Not Pending	if Order Status Is not in "Pending" Status
Invalid Order	Invalid Customer Order Serial

3.6 get OrderUpdate History List

HTTP Method: GET

URL: https://<server-url>/integration/order

Description: Api Returns Customer Order List that match some of criteria
Request Parameters:

Parameter	Description
page_size	Limit Per Page
page	Page No
from_date	Order Update Date From filter
to_date	Order Update Date To filter

JSON Response:-

1. Status Code 200

```
[
  {
    "serial": 35234,
    "referenceID": "",
    "full_name": "Order Full name",
    "phone": "0123456789",
    "field": " fieldname that has update
      ( Order_Delivery_Status / full_name / address / phone /
      StatusNote / total_amount / total_fees)",
    "old_value": "value before update",
    "new_value": "value after update",
    "notes": ""
```

```
      "transaction_date": "2022-01-27T14:48:03.298341"  
    }  
  ]  
}
```

4. Call Api Headers

Key	Value
Authorization	Bearer <jwt Access Token>
Content-Type	application/json