

VISVESVARAYA TECHNOLOGICAL UNIVERSITY

“JnanaSangama”, Belgaum -590014, Karnataka.



LAB REPORT

on

UNIX SHELL AND PROGRAMMING

Submitted by

GOHIT TYAGI (1BM20CS052)

in partial fulfillment for the award of the degree of
BACHELOR OF ENGINEERING
in
COMPUTER SCIENCE AND ENGINEERING



B.M.S. COLLEGE OF ENGINEERING

(Autonomous Institution under VTU)

BENGALURU-560019

October-2022 to Feb-2023

B. M. S. College of Engineering,
Bull Temple Road, Bangalore 560019
(Affiliated To Visvesvaraya Technological University, Belgaum)
Department of Computer Science and Engineering



CERTIFICATE

This is to certify that the Lab work entitled “LAB COURSE **UNIX SHELL AND PROGRAMMING**” carried out by **GOHIT TYAGI (1BM20CS052)**, who is bonafide student of **B. M. S. College of Engineering**. It is in partial fulfillment for the award of **Bachelor of Engineering in Computer Science and Engineering** of the Visvesvaraya Technological University, Belgaum during the year 2022. The Lab report has been approved as it satisfies the academic requirements in respect of a **Unix Shell and Programming - (20CS5PCUSP)** work prescribed for the said degree.

Prameetha Pai
Assistant Professor
Department of CSE
BMSCE, Bengaluru

Dr. Jyothi S Nayak
Professor and Head
Department of CSE
BMSCE, Bengaluru

Index


| Sl. No. | Date | Experiment Title | Page No. |
|---------|------|--|----------|
| 1. | | Shell script to find if the given year is leap or not | |
| 2 | | Shell script to find the area of a circle | |
| 3 | | Shell script to check whether the number is zero/ positive/ negative | |
| 4 | | Shell script to find the biggest of three numbers | |
| 5 | | Shell script to find the factorial of a number | |
| 6 | | Shell script to compute the gross salary of an employee | |
| 7 | | Shell script to convert the temperature Fahrenheit to Celsius | |
| 8 | | Shell script to perform arithmetic operations on given two numbers | |
| 9 | | Shell script to find the sum of even numbers up to n | |
| 10 | | Shell script to print the combinations of numbers 123 | |
| 11 | | Shell script to find the power of a number | |
| 12 | | Shell script to find the sum of n natural numbers | |
| 13 | | Shell script to display the pass class of a student | |
| 14 | | Shell script to find the Fibonacci series up to n | |
| 15 | | Shell script to count the number of vowels of a string | |
| 16 | | Shell script to check number of lines, words, characters in a file | |
| 17 | | Write a C/C++ program to that outputs the contents of its environment list | |
| 18 | | Write a C/C++ program to emulate the Unix ln command | |
| 19 | | Write a C/C++ POSIX compliant program that prints the POSIX defined Configuration options supported on any given system using feature test macros. | |
| 20 | | Write a C/C++ program which demonstrates Interprocess Communication between a reader process and a writer process. Use mkfifo, open, read, write and close apis in your program. | |

Experiment No 1

Shell script to find if the given year is leap or not

```
#!/bin/bash
echo "Enter an Year: "
read year
if [ $((year % 4)) -eq 0 ]
then
    if [ $((year % 100)) -eq 0 ]
    then
        if [ $((year % 400)) -eq 0 ]
        then
            echo "$year is a leap year"
        else
            echo "$year is not a leap year"
        fi
    else
        echo "$year is a leap year"
    fi
else
    echo "$year is not a leap year"
fi
```

Output



```
enter the year: 2024
its a leap year
```

Experiment No 2

Shell script to find the area of a circle

```
#!/bin/bash
echo "\nEnter the radius of a circle : "
read r
d=$(echo "scale=2;2 * $r"| bc) #Diameter
area=$(echo "scale=2; 22/7 * ($r * $r)" | bc)
circumference=$(echo "scale=2; 22/7 * $d"| bc)
echo "\nArea of circle is : $area"
echo "\nCircumference of circle is : $circumference \n"
```

Output


```
enter the radius of the circle: 2
The area of the circle is: 12.56
|
```

Experiment No 3

Shell script to check whether the number is zero/ positive/ negative

```
#!/bin/bash
echo "Enter the number : "
read num
if [ $num -gt 0 ]
then
    echo "$num is positive"
elif [ $num -lt 0 ]
then
    echo "$num is negative"
else
    echo "$num is zero"
fi
```

Output




```
enter the number: 4
The number is positive
|
```

Experiment No 4

Shell script to find the biggest of three numbers

```
#!/bin/bash
echo "Enter first number : "
read num1
echo "Enter second number : "
read num2
echo "Enter third number : "
read num3
if [ $num1 -gt $num2 ] && [ $num1 -gt $num3 ]
then
    echo "\n$num1 is the greatest"
elif [ $num2 -gt $num1 ] && [ $num2 -gt $num3 ]
then
    echo "\n$num2 is the greatest"
else
    echo "\n$num3 is the greatest"
fi
```

Output




```
enter the 3 numbers: 10 20 30
30 is the biggest number
```

Experiment No 5

Shell script to find the factorial of a number

```
#!/bin/bash
echo "ENTER THE NUMBER: "
read n
fact=1
while [ $n -gt 1 ]
do
    fact=$(( fact * n ))
    n=$((n-1 ))
done
echo "FACTORIAL IS: "
echo $fact
```

Output




```
enter the  numbers:3
The factorial of 3 is: 6
```


Experiment No 6

Shell script to compute the gross salary of an employee

```
#!/bin/bash
echo "\nEnter name of Employee :."
read name
echo "\nEnter DA :."
read da
echo "\nEnter HRA:."
read hra
echo "\nEnter basic"
read basic
sal=$(( $da + $hra + $basic ))
echo "\nGross Salary of $name is $sal"
```

Output




```
Enter the basic salary:
1200
gross salary: 2400
```

Experiment No 7

Shell script to convert the temperature Fahrenheit to Celsius

```
#!/bin/bash  
echo "Enter temperature in F : "  
read f  
c=$(echo "scale=2;(5/9)*($f-32)"|bc)  
echo "$f °F = $c °C"
```

Output:



```
"Enter the Fahrenheit temp"  
150  
65
```

Experiment No 8

Shell script to perform arithmetic operations on given two numbers

```
#!/bin/bash
echo "Enter 2 Numbers : "
read a
read b
echo "Enter Operation : \n"
echo "1) Addition"
echo "2) Subtraction"
echo "3) Multiplication"
echo "4) Division(Quotient)"
echo "5) Modulus(Remainder)\n"
read op
case $op in
    1)echo "scale=3; $a + $b" | bc -l ;;
    2)echo "scale=3; $a - $b" | bc -l ;;
    3)echo "scale=3; $a \* $b" | bc -l ;;
    4)echo "scale=3; $a / $b" | bc -l ;;
    5)echo "scale=3; $a % $b" | bc -l ;;
    *)echo "Choose a valid option"
esac
```

Output

```
menu
1. addition
2.subtraction
3.multiplication
4. division
3
enter 2 numbers: 2 3
product is: 6
```

Experiment No 9

Shell script to find the sum of even numbers upto n

Program:

```
#!/bin/bash
sum=0
read -p "Enter maximum limit of Even Numbers : " m
for ((i = 0; i < m; i++)); do
    if [[ $i%2 -eq 0 ]]; then
        sum=$((expr $sum + $i))
    fi
done
echo $sum
```

Output

```
Enter the number : 10
Sum of even numbers till 10 is : 30
```

Experiment No 10

Shell script to print the combinations of numbers 123

Program:

```
#!/bin/bash
echo "Combinations for 123 :"
```

```
for ((i = 1; i <= 3; i++)); do
    for ((j = 1; j <= 3; j++)); do
        for ((k = 1; k <= 3; k++)); do
            echo $i $j $k
        done
    done
done
```

Output

```
1 1 1
1 1 2
1 1 3
1 2 1
1 2 2
1 2 3
1 3 1
1 3 2
1 3 3
2 1 1
2 1 2
2 1 3
2 2 1
2 2 2
2 2 3
2 3 1
2 3 2
2 3 3
3 1 1
3 1 2
3 1 3
3 2 1
3 2 2
3 2 3
3 3 1
3 3 2
3 3 3
```

Experiment No 11

Shell script to find the power of a number

Program:

```
#!/bin/bash
echo "Enter base"
read a
echo "Enter power"
read b
res=1
for ((i = 1; i <= b; i++)); do
    res=`expr $res \* $a`
done
echo $res
```

Output

Enter the base : 5

Enter power : 3

Result : 125

Experiment No 12


Shell script to find the sum of n natural numbers

Program:

```
#!/bin/bash
echo "Enter a number"
read n
i=1
sum=0
while [ $i -le $n ]
do
    echo "$i"
    sum=$(( $sum + $i ))
    i=$(( $i + 1 ))
done
```

```
echo "Sum=$sum"
```

Output



```
Enter the number: 10
Sum of 10 natural numbers is 55
```

Experiment No 13

Shell script to display the pass class of a student


```
#!/bin/bash
echo "Enter m1:\c and Enter m2:\c "
read m1
echo "Enter m3:\c"
read m3
echo "Enter m4:\c"
read m4
echo "Enter m5:\c"
read m5
```



```

tot=`expr $m1 + $m2 + $m3 + $m4 + $m5`;
avg=`expr $tot / 5`;
echo "total : $tot \n avg : $avg"
if [ $avg -gt 85 ];then
echo " Grade: Distinction "
elif [ $avg -gt 65 ];then
echo " Grade: First Class "
elif [ $avg -gt 50 ];then
echo " Grade: Second Class "
elif [ $avg -gt 35 ];then
echo " Grade: Pass "
else echo " Grade: Fail"
fi

```



```

Enter your marks : 45
Pass

```

Experiment No 14

Shell script to find the Fibonacci series up to n

Program:

```

#!/bin/bash
read N
a=0
b=1
echo "The Fibonacci series is : "
for (( i=0; i<N; i++ ))
do
    echo "$a"
    fib=$((a + b))


```

```
a=$b
```

```
b=$fib
```

```
done
```

Output

A terminal window with a black background and light blue text. It displays the prompt 'Enter the end limit : 10', followed by the title 'Fibonacci Series', and then the sequence of numbers '0 1 1 2 3 5 8 13 21 34'. A vertical cursor is visible on the line following the numbers.

```
Enter the end limit : 10
Fibonacci Series
0 1 1 2 3 5 8 13 21 34
|
```

Experiment No 15

Shell script to count the number of vowels of a string

Program:

```
#!/bin/bash
```

```
echo "enter filename"
```

```
read filename
```

```
vowels=`cat $filename | tr -cd 'aeiouAEIOU' | wc -c`
```

```
echo "Number of vowels in $filename: $vowels"
```

Output

```
Enter the string : BMS COLLEGE OF ENGINEERING  
Vowel count : 9
```

Experiment No 16

Shell script to check number of lines, words, characters in a file

```
#!/bin/bash  
echo "Enter the filename or path to proceed"  
read filename  
words=`wc -w $filename`  
lines=`wc -l $filename`  
chars=`wc -c $filename`  
echo "Words is $words"  
echo "Lines is $lines"  
echo "Characters is $chars"
```

Output

```
Enter the file name : Lab6
Number of lines : 2 Lab6
Number of words : 2 Lab6
Number of characters : 9 Lab6
|
```

Experiment No 17

Write a C/C++ program to that outputs the contents of its environment list

```
#include<stdio.h>
#include<unistd.h>
int main(int argc,char *argv[])
{
char **ptr;
extern char **environ;
for(ptr=environ; *ptr; ptr++)
```

```
printf("&quot;%s\n&quot;,*ptr);

return 0;

}
```

```
HOSTNAME=Check
LANGUAGE=en_US:en
PWD=/home
HOME=/
LANG=en_US.UTF-8
GOROOT=/usr/local/go
TERM=xterm
DISPLAY=:1
SHLVL=1
PS1=#ogdbshell#
LC_ALL=en_US.UTF-8
PATH=/opt/swift/swift-5.7.3-RELEASE-ubuntu22.04/usr/bin:/usr/local/sbin:/usr/local/bin:/usr/sbin:/usr/bin:/sbin:/bin
DEBIAN_FRONTEND=noninteractive
_=/scritp/tinit
```

Experiment No 18

Write a C/C++ program to emulate the Unix ln command

```
#include<unistd.h>
#include<stdio.h>
#include<string.h>
int main(int argc , char * argv[])
{
    if(argc<3 || argc>4)
    {
        printf("Error in usage\n");
        return -1;
    }
    if(argc==4 && strcmp(argv[1],"-s")!=0)
```

```

    {
        printf("for symbolic link use -s option");
        return -1;
    }
    if(argc==4 && access(argv[2] , F_OK)==-1)
    {
        printf("Source file does not exist");
        return -1;
    }
    if(argc==3 && access(argv[1] , F_OK)==-1)
    {
        printf("Source file does not exist");
        return -1;
    }
    if(argc==4)
    {
        symlink(argv[2] , argv[3]);
        printf("Symbolic link is created");
        return 0;
    }
    if(argc==3)
    {
        link(argv[1] , argv[2]);
        printf("Hard link is created");
        return 0;
    }
}

```

Hard link is created

Experiment No 19

Write a C/C++ POSIX compliant program that prints the POSIX defined Configuration options supported on any given system using feature test macros.

```

#define _POSIX_SOURCE
#define _POSIX_C_SOURCE 199309L
#include<iostream>
#include<unistd.h>
int main()

```

```

{
using namespace std;
#ifdef _POSIX_JOB_CONTROL
cout<<&lt;"System Supports Job Control feature"&lt;&lt;endl;
#else
cout<<&lt;"System doesnot support job control\n"&lt;&lt;;
#endif
#ifdef _POSIX_SAVED_IDS
cout<<&lt;"System Supports saved set-UID and saved set-GID"&lt;&lt;endl;
#else
cout<<&lt;"System doesnot support saved set-UID\n"&lt;&lt;;
#endif
#ifdef _POSIX_CHOWN_RESTRICTED
cout<<&lt;"System Supports Change Ownership feature:"&lt;&lt;endl;
#else
cout<<&lt;"System doesnot support change Ownership feature\n"&lt;&lt;;
#endif
#ifdef _POSIX_NO_TRUNC
cout<<&lt;"System Supports Path truncation option:"&lt;&lt;endl;
#else
cout<<&lt;"System doesnot support Path truncation \n"&lt;&lt;;
#endif
#ifdef _POSIX_VDISABLE
cout<<&lt;"System Supports Disable Character for files:"&lt;&lt;endl;
#else
cout<<&lt;"System doesnot support Disable Characters \n"&lt;&lt;;
#endif
return 0;

```

Experiment No 20

Write a C/C++ program which demonstrates Interprocess Communication between a reader process and a writer process. Use mkfifo, open, read, write and close apis in your program.

```
#include <sys/stat.h>
```

```
    #include <string.h>
```

```
    #include <fcntl.h>
```

```
    #include <stdio.h>
```

```
    #include <unistd.h>
```



```

int main(int argc, char *argv[])
{
    char buf[100];
    int fd,n;
    mkfifo (argv[1], S_IFIFO |0777);
    if (argc == 3){
        fd = open (argv[1], O_WRONLY);
        write (fd, argv[2], strlen(argv[2]));
        close(fd);}
    if (argc ==2){
        fd = open (argv[1], O_RDONLY);
        n= read (fd, buf, sizeof(buf));
        buf[n]='\0';
        printf ("%s", buf);
        close(fd);
    }
}

```

```

$ cc interprocess.c
$ ./a.out interprocess 5th semester
[1] 3801
$ ./a.out interprocess
5th semester[1]+ Done

```