

ENKO WEBSITE CONTENT & SPECIFICATION

Brand Palette Reference: Forge Black, Charge Amber, and Warm White

Tone: Confident, precise, and industrially grounded

PAGE 1: HOMEPAGE

1.1 Hero Section

- **Main Headline:** Built for the distance.
- **SUB HEADING:** India's EV charging infrastructure, built in India. Full range. Field-ready. Priced right.
- **Primary CTA Button:** [[WHATSAPP US](#)]
- **Secondary CTA Button:** [[REQUEST A QUOTE](#)]

1.2 Performance Metrics

- **Metric 01: 31% – 36%** | Below PM E-DRIVE government benchmark pricing at full margin.
- **Metric 02: 67+ Units** | Industrial hardware units shipped and field-tested across active regions.
- **Metric 03: 50+ Years** | Combined director manufacturing experience and industrial operations.
- **Metric 04: OCPP 2.0.1** | Open Charge Point Protocol certified across the entire portfolio.

1.3 The ENKO Range (Architecture Overview)

- **Section Header:** [[ARCHITECTURE OVERVIEW](#)] / **THE ENKO RANGE**
- **Section Subline:** Engineered for diverse industrial environments. Unified by robust build quality and intelligent software integration.

Product Class 1: FLOW AC

- **System Tag:** [[SYSTEM_NODE_01 // AC_SERIES](#)]
- **Description:** Reliable destination charging for commercial properties and fleet installations.
- **Technical Core:**
 - *Output:* 7.4kW, 11kW, 22kW
 - *Connectivity:* OCPP 2.0.1 Open Architecture

- *Price Bracket:* ₹35K – ₹65K
- **Action Element:** [[VIEW TECH SPECS](#)]

Product Class 2: STORM DC

- **System Tag:** [[SYSTEM_NODE_02 // DC_FAST_SERIES](#)]
- **Description:** High-throughput charging for highway corridors and busy transport depots.
- **Technical Core:**
 - *Output:* 30kW, 60kW, 120kW
 - *Connector:* Dual CCS2 Charging Guns
 - *Enclosure:* IP54 / IK10 Ruggedized Industrial Steel
- **Action Element:** [[VIEW TECH SPECS](#)]

Product Class 3: BLAZE ULTRA

- **System Tag:** [[SYSTEM_NODE_03 // DC_ULTRA_SERIES](#)]
- **Description:** Ultra-fast modular charging setups for heavy commercial vehicles and large transit hubs.
- **Technical Core:**
 - *Output:* 240kW+ Extreme Throughput
 - *Protocol:* Liquid-Cooled / Dynamic Power Sharing
 - *Architecture:* Future-Proof Modular Configuration
- **Action Element:** [[VIEW TECH SPECS](#)]

1.4 Regional Infrastructure Footprint

- **Section Header:** [[NETWORK SUBSYSTEM](#)] / **REGIONAL INFRASTRUCTURE.**
- **Body Copy:** We don't just build chargers; we support the physical infrastructure layer. Our systems are strategically operational across Tamil Nadu, Kerala, and Andhra Pradesh, providing a reliable backbone that charging networks depend on daily.

1.5 Bottom Hero Call To Action

- **Headline:** READY TO SCALE YOUR INFRASTRUCTURE?
- **Subheadline:** Secure a custom deployment configuration tailored to your specific fleet or network requirements.
- **Action Row:**
 - Button 1 (Forge Black): [[REQUEST PRICING SPEC](#)]
 - Button 2 (Outline): [[CONTACT SALES TEAM](#)]

PAGE 2: ABOUT ENKO

2.1 Vision & Market Position

- **Section Header:** [[THE INFRASTRUCTURE LAYER](#)]
- **Headline:** The Backbone Behind the Network.

- **Core Statement:** ENKO was founded to solve a specific gap in the Indian EV charging market—quality CCS2 chargers built to handle local conditions, at prices Indian business models can scale with.
- **Strategic Stance:** We are not a charge point network operator. We don't compete for prime real estate. Instead, we act strictly as the engineering infrastructure layer that India's leading charging networks run on.

2.2 Industrial Track Record

- **Section Header:** [FIELD-TESTED RELIABILITY]
- **Headline:** Real-World Field Data.
- **Body Copy:** Reliability isn't calculated in a lab; it's proven in the field. Over the past two years, ENKO has quietly deployed hardware across demanding commercial sectors in Tamil Nadu, Kerala, and Andhra Pradesh. With **9x120kW DC Fast Chargers** running at high-throughput live sites, our hardware performance is continuously validated by real-world grid variations and constant operational use.
- **Capital Efficiency:** We are a **100% bootstrapped, profitable enterprise** that has generated ₹1Cr+ in revenue through pure product performance. This ensures our long-term stability and guarantees that we will always be here to support your network infrastructure.

2.3 Leadership Heritage

- **Section Header:** [MANUFACTURING LINEAGE]
- **Headline:** 50+ Years of Combined Production Expertise.
- **Biographical Framework:**
 - **Samir Kamra & Ellappane (Founding Directors):** Bringing a combined **50+ years of deep domain experience** in the industrial manufacturing segment. Their backgrounds span large-scale production management, quality control protocols, and advanced industrial operations.
- **The Blueprint:** This manufacturing heritage means ENKO does not rely on fragile import supply chains. Every component selection, thermal cooling path, and structural enclosure design is overseen by industrial veterans to ensure continuous high-uptime operation.

PAGE 3: PRODUCTS & TECHNICAL SPECS

3.1 Portfolio Catalog Introduction

- **Section Header:** [HARDWARE SYSTEMS COMPONENT ARCHITECTURE]
- **Headline:** Full-Spectrum CCS2 Charging Assets.
- **Subheadline:** From entry-level commercial AC plug-ins to high-power highway DC ultra-chargers, select the exact hardware footprint your network requires.

3.2 The Complete 7-SKU Specification Matrix

ENKO Flow Series (AC Commercial Charging)

- *Common Specifications:* OCPP 2.0.1 compliant, single/three-phase electrical compatibility, Wall-box or Pedestal mount ready.

1. **ENKO Flow 7**

- *Power Output:* 7.4kW AC Commercial
- *Primary Application:* Workplace parking layouts, commercial retail hubs, residential real estate apartments.

2. **ENKO Flow 11**

- *Power Output:* 11kW AC Commercial
- *Primary Application:* Corporate office campuses, long-stay commercial public parking spaces.

3. **ENKO Flow 22**

- *Power Output:* 22kW AC Commercial
- *Primary Application:* Fleet operator depots, public parking decks, commercial logistics spaces.

ENKO Storm Series (DC Fast Charging)

- *Common Specifications:* Dual CCS2 guns, IP54 industrial protection, smart power sharing modules, high-visibility user UI screens.

4. **ENKO Storm 30**

- *Power Output:* 30kW DC Fast Charging
- *Primary Application:* Local fleet hubs, commercial retail parking slots, automobile workshops.

5. **ENKO Storm 60**

- *Power Output:* 60kW DC Fast Charging
- *Primary Application:* Highway fast-charging stops, urban public charging hubs, fleet operations.
- *Financial Advantage:* Priced **31% below** the PM E-DRIVE government benchmark.

6. **ENKO Storm 120**

- *Power Output:* 120kW DC Fast Charging
- *Primary Application:* Express highway corridors, major e-bus fleets, interstate logistics hubs.
- *Financial Advantage:* Priced **36% below** the PM E-DRIVE government benchmark.

ENKO Blaze Series (DC Ultra-Fast Charging)

7. **ENKO Blaze 240**

- *Power Output:* 240kW+ DC Ultra Charging
- *Primary Application:* Heavy-duty commercial EV bus networks, industrial truck corridors, extreme-throughput highway hubs.

PAGE 4: B2B PARTNERS & USE CASES

4.1 Value Strategy By Segment

1. Charge Point Operators (CPOs)

Maximize your infrastructure rollouts. Purchase robust CCS2 chargers at **31% to 36% below the PM E-DRIVE benchmark** while keeping your profit margins intact. Secure reliable hardware assets built for high-throughput environments across urban centers and highway routes.

2. Original Equipment Manufacturers (OEMs)

Focus on your vehicle rollouts and let us handle the power architecture. Leverage our established domestic assembly lines to secure a steady supply of market-ready CCS2 charging hardware built to match high automotive standards.

3. Fleet & Depot Operators

Reduce vehicle turnaround times. Deploy multi-unit DC fast-charging configurations (30kW to 240kW+) tailored for high-utilization logistics fleets, delivery vans, and heavy transport vehicles.

PAGE 5: FAQ & CONTACT

5.1 FAQ Section

- **Q: What communications protocol do ENKO chargers run on?**
A: Every charger across our entire line runs standard **OCPP 2.0.1** software. This ensures smooth, plug-and-play integration with any standard OCPP-compliant Central Management System (CMS) or network software platform.
- **Q: Do you supply hardware outside of South India?**
A: Right now, our core operational priority is South India-first, covering Tamil Nadu, Kerala, and Andhra Pradesh. However, our pan-India expansion is actively moving forward. If your project is located outside these states, please get in touch with our team to discuss your timeline and deployment options.

5.2 B2B Procurement Intake Form Fields

- **Form Title:** [ENKO CORE SYSTEM HARDWARE CONFIGURATOR]
 - ***Form Subtitle:** Submit your network specifications to receive an engineered pricing spec sheet.
1. **Contact Metrics:**
 - *Full Name:* [Input Field]
 - *Corporate Email Address:* [Input Field]
 - *Contact Phone Number:* [Input Field]
 - *Company Entity Name:* [Input Field]
 2. **Operational Parameters:**

- *Primary Business Role:* (Dropdown: Charge Point Operator (CPO) | Vehicle OEM | Fleet Logistics Provider | Institutional Real Estate Buyer)
 - *Target Region of Deployment:* (Dropdown: Tamil Nadu | Kerala | Andhra Pradesh | Karnataka | Telangana | Other Expansion State)
3. **Hardware Profile Requirement:**
- *Selected Product Series:* (Multi-Select: FLOW AC Series | STORM DC Series | BLAZE ULTRA Series)
 - *Estimated Unit Quantity:* [Input Field]
4. **Submission Triggers:**
- Primary CTA Button: [SUBMIT PROCUREMENT SPECIFICATION]
 - Secondary Channel: [CONNECT DIRECT VIA WHATSAPP]

SYSTEM FOOTER SCHEMA (ALL PAGES)

- **Corporate Identity:** ENKO Energy Pvt Ltd
- **Copyright Text:** © 2026 ENKO Energy. Action, Protocol, All Systems Operational.
- **Regional Hub Links:** Tamil Nadu Sector | Kerala Sector | Andhra Pradesh Sector
- **Technical Node Links:** Hardware Specifications | OCPP Integration Status
- **Secure Connect Line:** WhatsApp Secure Channel Integration