The Neurobiology of Play

1. Introduction: The Imperative for Scalable Therapeutic Play

The global escalation of humanitarian crises, displacement, and domestic instability has precipitated a mental health emergency among the pediatric population. Children exposed to adverse childhood experiences (ACEs)—ranging from the acute trauma of war and natural disasters to the chronic stress of foster care and neglect—face profound risks to their neurobiological development. The traditional model of clinical intervention, reliant on one-on-one therapy with highly trained professionals, is insufficient to meet the scale of this need, particularly in low-resource settings such as refugee camps, shelters, and high-adversity communities. Consequently, there is an urgent necessity for scalable, evidence-based interventions that can be distributed directly to children and caregivers.

Playkits.org operates at this critical intersection, designing distributed play materials to mitigate the effects of trauma. However, the efficacy of such interventions relies not merely on the provision of "toys," but on the precise curation of materials that align with the neurosequential needs of the developing brain. This report provides an exhaustive synthesis of the literature, integrating data from developmental psychology, occupational therapy, neuroscience, and humanitarian aid. It moves beyond the surface-level benefits of play to explore the physiological mechanisms of regulation, the specific efficacy of distinct play materials, and the logistical realities of deployment in crisis zones.

The analysis is grounded in the understanding that play is not a diversion from the work of recovery; it is the neural platform upon which recovery is built. By engaging the autonomic nervous system, regulating the brainstem, and facilitating cortical integration, appropriately selected play materials serve as powerful neuro-regulatory tools.

---

2. Neurodevelopmental Frameworks for Trauma-Informed Play

To design effective therapeutic playkits, one must first understand the topography of the traumatized brain. Trauma does not merely distress the child; it alters the architecture of the

developing nervous system. Two primary theoretical frameworks—The Neurosequential Model of Therapeutics (NMT) and Polyvagal Theory—provide the necessary biological grounding for material selection.

2.1 The Neurosequential Model of Therapeutics (NMT)

Developed by Dr. Bruce Perry, the Neurosequential Model of Therapeutics (NMT) posits that the brain organizes and develops in a hierarchical sequence, from the primitive brainstem to the complex cortex.[1] Trauma disrupts this sequence, often causing the child's neurobiology to regress or "reset" to a primitive state of survival.

2.1.1 The Hierarchical Brain and Material Matching

The brain develops from the bottom up. Interventions must therefore address the lowest dysregulated region before higher-order processing can occur.

- **The Brainstem (The Survival Brain):** This region controls autonomic functions such as heart rate, respiration, and arousal. In traumatized children, the brainstem is often chronically hyperaroused, leading to a persistent "fight or flight" state.
    - *Implication for Playkits:* Cognitive interventions (puzzles, reading) are ineffective if the brainstem is unregulated. The brainstem responds only to **patterned, repetitive, rhythmic somatosensory input**.[2] Therefore, the foundational layer of any trauma playkit must include materials that induce rhythm, such as drums, shakers, or rocking toys.[3]
- **The Diencephalon/Limbic System (The Emotional Brain):** This area governs affect regulation, motor coordination, and attachment. Dysregulation here manifests as emotional volatility, impulsivity, and difficulty in relationships.
    - *Implication for Playkits:* Interventions here require movement and connection. Proprioceptive materials (clay, heavy work) and varying sensory inputs help organize this region.[4]
- **The Cortex (The Thinking Brain):** Responsible for abstract thought, language, and future planning.
    - *Implication for Playkits:* This is the target of traditional education and "talk therapy." However, a child cannot access the cortex until the lower regions are regulated. Strategy games and complex narratives are appropriate only *after* safety and regulation have been established.[6]

2.2 Polyvagal Theory: The Biology of Safety

Complementing NMT, Stephen Porges' Polyvagal Theory elucidates the role of the vagus nerve in regulating the autonomic nervous system (ANS). The theory identifies three phylogenetic stages of neural development that correspond to behavioral states.[7]

1. **Ventral Vagal Complex (Social Engagement System):** This is the evolutionarily newest system, myelinated and linked to the nerves controlling the face and voice. When active, the child feels safe, social, and capable of play.
2. **Sympathetic Nervous System (Mobilization):** Triggered by danger, this system prepares the body for fight or flight. Play materials that allow for the high-energy discharge of aggression (e.g., pounding clay, drumming) can help a child safely metabolize this energy.
3. **Dorsal Vagal Complex (Immobilization):** The most primitive defense, triggered by life-threat. This results in freezing, dissociation, or collapse. Children in this state appear withdrawn and "shut down."

The Vagal Brake Mechanism:
Crucially, specific play activities act as a "vagal brake," slowing the heart rate and promoting a return to the ventral vagal state. Activities that require extended exhalation—such as blowing bubbles or spinning pinwheels—physically stimulate the vagus nerve, sending a signal of safety to the brain.9 This biological feedback loop is the primary mechanism by which "breath toys" function as therapeutic agents rather than mere distractions.

2.3 The Impact of Toxic Stress on Play

Children exposed to chronic adversity often lose the ability to play spontaneously. "Post-traumatic play" is characterized by rigidity, repetition, and a lack of joy.[10] It often involves the compulsive reenactment of the traumatic event without resolution. For example, a child might crash toy cars together endlessly without ever "saving" the passengers.

Therapeutic playkits must intervene in this cycle by providing:

- **Containment:** Structured activities (e.g., mandalas, paint-by-numbers) that provide external order when internal order is lost.[11]
- **Symbolic Distance:** Toys that allow the child to project trauma onto an object (e.g., a puppet) rather than owning the overwhelming emotion directly.[12]
- **Agency:** Materials that the child can control and manipulate (e.g., building blocks, clay),

countering the helplessness of the traumatic experience.[14]

---

3. Mechanisms of Action in Therapeutic Play Materials

Having established the neurobiological necessity of bottom-up regulation, this section provides an exhaustive analysis of specific play materials, categorized by their regulatory function.

3.1 Respiratory and Autonomic Regulation Tools

Primary Mechanism: Vagal Nerve Stimulation via Controlled Exhalation.
Target Brain Region: Brainstem / Vagus Nerve.
Breath regulation is the most direct route to the autonomic nervous system. However, traumatized children often resist direct instruction to "breathe deeply." Toys that *gamify* respiration bypass this resistance.

3.1.1 Bubbles and Pinwheels

Research directly compares the efficacy of "breath toys" against other distraction techniques in medical settings. A study involving children undergoing venipuncture found that blowing on a **pinwheel** was significantly more effective at reducing pain and anxiety than squeezing a stress ball.[15]

- **Mechanism:** Blowing a pinwheel or bubbles requires a physiological shift: the child must inhale deeply and, crucially, sustain a long, slow exhalation to see the effect (the spin or the bubble formation). This extended exhalation increases intra-thoracic pressure and stimulates the vagus nerve, slowing the heart rate.[7]
- **Visual Entrainment:** The visual feedback of the spinning wheel or the floating bubble provides a focal point, grounding the child in the present moment and interrupting anxiety loops.[17]

3.1.2 Whistles, Kazoos, and Straws

These tools provide **oral-motor resistance**, which is organizing for the nervous system.

- **Oral-Motor Organization:** The act of sucking (straws) or blowing against resistance (whistles) provides heavy tactile input to the mouth. This is evolutionarily linked to the soothing mechanism of nursing. Use of whistles and "blow toys" in therapy has been shown to improve breath control and reduce stress in hospitalized children.[19]
- **Developmental Benefits:** Beyond regulation, these tools support speech and feeding development by strengthening the musculature of the lips and jaw.[21]

3.2 Rhythmic and Somatosensory Interventions

Primary Mechanism: Brainstem Entrainment and Bilateral Stimulation.
Target Brain Region: Brainstem.
Dr. Perry's research emphasizes that the brainstem is regulated by "patterned, repetitive, rhythmic activity."

3.2.1 Drumming and Percussion

Drumming is a potent therapeutic intervention for trauma. A study on school counselor-led drumming with low-income youth showed significant improvements in internalizing problems, anxiety, and PTSD symptoms.[22]

- **Bilateral Stimulation:** Drumming typically requires the use of both hands (and often feet), engaging both hemispheres of the brain. This bilateral stimulation is hypothesized to facilitate the processing of traumatic memories, similar to the mechanism in EMDR (Eye Movement Desensitization and Reprocessing).[23]
- **Social Synchronization:** Group drumming fosters "entrainment," where participants biologically synchronize their heart rates and movements, creating a profound sense of belonging and safety without the need for verbal language.[24]

3.2.2 Rhythmic Movement Toys

Toys that encourage repetitive motion—such as yo-yos, slinkies, or swings—mimic the

vestibular input of being rocked. This input is deeply soothing, recalling the safety of the womb or early maternal care.[26] Research on "brainstem calmers" indicates that these activities must be relevant (developmentally matched) and rewarding to be effective.[2]

3.3 Tactile and Proprioceptive Materials

Primary Mechanism: Somatic Discharge and Proprioceptive Feedback.
Target Brain Region: Diencephalon / Limbic System.
Proprioception (the sense of body position and force) is powerfully regulating. "Heavy work"—activities that require pushing, pulling, or squeezing—releases tension held in the musculature.

3.3.1 Clay, Putty, and Play-Doh

Clay is a unique medium because it offers high resistance and is both constructive and deconstructive.

- **Comparative Efficacy:** Research comparing clay therapy to painting for children with separation anxiety found both to be effective, but clay offers distinct advantages for high-arousal children due to its tactile resistance.[28]
- **Cycle of Destruction:** A child can build a figure and then smash it. This allows for the safe expression of aggression and the mastery of destruction/creation cycles, which is often crucial for children who have witnessed violence.[29]
- **Hand Strengthening:** Like oral-motor tools, putty strengthens fine motor skills while providing sensory regulation.[30]

3.3.2 Loose Parts and Sensory Bins

"Loose parts" play involves materials with no fixed purpose (e.g., rice, beans, stones, buttons).

- **Cognitive Flexibility:** Because loose parts have no script, they encourage divergent thinking and problem-solving.[31]
- **Sensory Grounding:** Running hands through a bin of rice provides consistent, non-threatening tactile input that can be grounding for a dissociated child.[32]

3.4 Structured vs. Unstructured Art Materials

A critical distinction in kit design is the choice between structured (convergent) and unstructured (divergent) materials.

Material Type	Examples	Mechanism	Indication
Structured	Mandalas, paint-by-numbers, craft kits.	**Containment.** The structure provides external boundaries, reducing the anxiety of the "blank page." Research shows coloring mandalas reduces anxiety more effectively than free drawing.[11]	Best for high-anxiety, chaotic states where the child needs safety and order.
Unstructured	Blank paper, plain clay, loose parts.	**Projection/Expression.** Allows the child to externalize internal states and trauma narratives.	Best for processing emotions once a baseline of safety is established.[35]

Recommendation: Playkits should contain *both*, potentially color-coded, allowing the child to self-select based on their need for containment or expression.

3.5 Symbolic and Projective Tools

Primary Mechanism: Symbolic Distance and Externalization.
Target Brain Region: Limbic System / Cortex.
Traumatic memories are often encoded as sensory fragments rather than coherent narratives.

Direct questioning can be re-traumatizing. Symbolic toys provide a bridge.

3.5.1 Puppets and Dolls

Puppets allow for "symbolic distance." A child who cannot say "I am sad" can easily say "The doggy is sad."

- **Assessment and Expression:** Puppets are widely used in clinical assessment to reveal family dynamics and internal conflicts without triggering defense mechanisms.[12]
- **Doll Therapy:** Research on the "Hibuki" (hug) doll intervention in Israel shows that giving a traumatized child a doll to *care for* shifts them from the role of "victim" to "caregiver." This empowers the child and allows them to process their own vulnerability by projecting it onto the doll.[36]
- **Anatomical vs. Abstract:** While anatomical dolls are used in forensic settings, general playkits should use abstract or generic dolls (e.g., wooden peg dolls) to allow for open interpretation and avoid triggering specific abuse memories in unsupervised settings.[37]

3.6 Cognitive and Cooperative Games

Primary Mechanism: Executive Function and Social Buffering.
Target Brain Region: Cortex (Prefrontal).
Once a child is regulated, games with rules help rebuild the prefrontal cortex functions damaged by trauma: impulse control, working memory, and planning.

3.6.1 Cooperative vs. Competitive Board Games

- **Cooperative Games:** Games where players work together against the board (e.g., *Hoot Owl Hoot*, *Pandemic*) are superior for trauma-affected children. They eliminate the shame of losing, which can trigger dysregulation in fragile children. Meta-analyses indicate that game-based learning improves social skills, empathy, and cooperation.[39]
- **Executive Function:** Strategy games like *Chess* or card games like *Uno* require the child to inhibit immediate impulses (Stop-Think-Act). This exercises the inhibitory control networks in the prefrontal cortex.[41]

4. Implementation in Humanitarian and Low-Resource Settings

The design of a playkit is only as good as its distribution model. Humanitarian settings—refugee camps, disaster zones, and informal settlements—present unique logistical and cultural challenges.

4.1 The "Kit" Model: Validation and Efficacy

The concept of pre-packaged activity kits has been validated by major international organizations.

- **UNICEF Early Childhood Development (ECD) Kit:** Designed for emergencies, this kit serves 50 children and includes puzzles, puppets, and art supplies. Evaluations demonstrate that these kits are effective in establishing "Child-Friendly Spaces" (CFS) and providing a semblance of normalcy.[43]
- **The "Big Blue Bag" and Mobile Kits:** In contexts where static play spaces are impossible (e.g., immediately post-earthquake), mobile kits like Plan International's "Big Blue Bag" allow teachers to bring play into tents or homes.[45]
- **COVID-19 Home Kits:** Studies during the pandemic confirmed that "take-home" play kits were feasible and highly acceptable, bridging the gap when schools and playgrounds were closed. Qualitative data showed these kits motivated physical activity and reduced screen time.[46]

4.2 Cultural Adaptation and Locally Made Toys

A critical finding in the literature is the value of **local sourcing**. Importing plastic toys from the West can be culturally irrelevant, expensive, and unsustainable.

- **The BRAC Humanitarian Play Lab Model:** Implemented in Rohingya refugee camps, this model emphasizes culturally preserved play. Instead of imported toys, children and parents create toys using locally available materials (mud, bamboo, recycled plastic).[45]
- **Psychological Ownership:** When children make their own toys—such as turning a

plastic bottle into a car—they engage in "transformational play." This restores a sense of agency and resilience that is often stripped away by the refugee experience.[49]
- **Parental Engagement:** Programs that teach parents to make toys (e.g., knitting balls, carving wooden blocks) have been shown to improve maternal mental health and foster mother-child bonding, creating a "two-generation" impact.[51]

4.3 The "Welcome Box" in Foster Care

In the foster care system, the moment of removal/placement is an acute trauma.

- **Transitional Objects:** A "Welcome Box" given immediately upon arrival serves as a transitional object. It provides the child with something that is exclusively *theirs* in a strange environment.
- **Contents for Transition:** Effective welcome boxes include comfort items (blanket, plush toy), sensory regulators (fidgets, putty), and items for identity preservation (a flashlight, a photo frame).[54]
- **Lifebooks:** Foster children suffer from "narrative fragmentation"—gaps in their autobiographical memory due to frequent moves. A "Lifebook" is a scrapbook used to document their history. Research shows that Lifebook work helps children integrate past experiences, understand their trajectory, and improves placement stability.[56] Including Lifebook materials (binders, stickers, timeline templates) in playkits is a high-impact therapeutic intervention.

---

5. Digital and Hybrid Play Frontiers

As technology becomes ubiquitous, the definition of "play materials" must expand to include digital and hybrid tools.

5.1 Serious Games and Biofeedback

"Serious games" are designed for therapeutic outcomes rather than mere entertainment.

- **Biofeedback Loops:** Games like *Mightier* utilize wearable heart rate monitors. As the child plays, the game becomes more difficult if their heart rate rises (sympathetic

activation). To succeed, the child must physically calm down (ventral vagal activation). This teaches emotional regulation through direct, gamified physiological feedback.[59]

- **Trauma-Informed SEL Games:** *Brain Agents* is a game designed for urban youth to teach social-emotional learning (SEL). Studies show it improves self-efficacy and coping strategies by allowing children to practice social responses in a low-stakes virtual environment.[60]

5.2 Augmented Reality (AR) and Phygital Play

Hybrid or "phygital" play combines physical toys with digital overlays.

- **Procedural Anxiety:** AR tools like *SpellBound*, which project 3D animations onto books or cards, are used in hospitals to distract children during painful procedures. The immersive nature of AR is highly effective at capturing attention and reducing pain perception.[62]
- **Telehealth Integration:** During the COVID-19 pandemic, "digital playrooms" allowed therapists to conduct play therapy remotely. However, efficacy relied on the child having physical toys at home to manipulate in front of the camera, reinforcing the need for distributed physical playkits to support digital therapy.[64]

5.3 The Screen Time Debate

While digital tools offer benefits, research highlights the risks of excessive *passive* screen time, which correlates with reduced social skills and increased aggression.[66] Therefore, digital components of playkits should be **active** (requiring problem-solving, biofeedback, or physical movement) rather than passive consumption.

---

6. Safety, Ethics, and Contraindications

Deploying play materials to traumatized children carries a profound ethical responsibility. "Do No Harm" must be the guiding principle.

6.1 Physical Safety Hazards

In high-adversity settings, supervision is often compromised.

- **Choking Hazards:** Strict adherence to age guidelines is non-negotiable. Small parts, marbles, and balloons are lethal hazards for children under 3. Magnetic toys are particularly dangerous if swallowed.[68]
- **Toxicity:** Materials must be non-toxic and durable. In refugee camps, hygiene is a challenge; toys must be easy to clean to prevent the spread of disease.[70]

6.2 Emotional Safety and Triggers

- **Trauma Triggers:** Realistic toy weapons (guns, knives), handcuffs, or aggressive action figures should be strictly excluded from general distribution kits. These can trigger flashbacks or encourage the reenactment of violence in an unsafe, unsupervised manner.[37]
- **Symbolic Ambiguity:** Abstract figures (e.g., wooden people without painted faces) are often safer than realistic dolls. They allow the child to project any emotion or identity onto the figure without dissonance (e.g., a smiling doll effectively "rejects" a sad child's projection).

---

7. Strategic Recommendations for Playkits.org

Based on this exhaustive synthesis, the following evidence-based recommendations are proposed for the design and assembly of Playkits.org materials.

7.1 The "Regulatory Hierarchy" Kit Structure

Kits should not be random assortments. They should be curated layers corresponding to the NMT brain hierarchy.

Table 1: Proposed Evidence-Based Kit Contents by Regulatory Layer

Regulatory Layer (Brain Region)	Goal	Recommended Materials	Mechanism of Action
Layer 1: Autonomic (Brainstem)	**CALM**	Bubbles, Pinwheels, Whistles, Resistance Straws	Vagal nerve stimulation via extended exhalation; oral-motor organization.
Layer 2: Somatosensory (Diencephalon)	**GROUND**	Therapy Putty, Clay, Stress Balls, Textured "Fidgets"	Proprioceptive release of tension; tactile grounding; fine motor strengthening.
Layer 3: Symbolic (Limbic)	**CONNECT**	Finger Puppets, Wooden Peg Dolls, Soft Plush "Transition Object"	Symbolic distance; externalization of emotion; comfort and attachment.
Layer 4: Cortical (Neocortex)	**THINK**	Cooperative Card Game (e.g., "Ungame"), Mandala Coloring Book	Social buffering; executive function; impulse control; cognitive containment.

7.2 The "Caregiver Companion" Guide

Research emphasizes that the *relationship* is the primary agent of change.[71] A toy given in isolation is less effective than a toy that facilitates interaction.

- **Recommendation:** Every kit must include a low-literacy, pictorial guide for the caregiver.

- **Content:** Simple "recipes" for co-regulation (e.g., "Blow bubbles *with* your child. See who can make the bubble last the longest."). This transforms the kit from a distraction tool into a family strengthening intervention.

7.3 Context-Specific Customization

- **The "Welcome Home" Kit (Foster Care):**
  - *Focus:* Identity and ownership.
  - *Additions:* Lifebook supplies (binder, stickers), a flashlight (for night fears), a personalized note.[54]
- **The "Resilience" Kit (Refugee/Disaster):**
  - *Focus:* Community and adaptability.
  - *Additions:* Loose parts (blocks, connectors) that can be used in infinite ways; group games (jump ropes, balls) to foster social integration in camps.[46]
  - *Sourcing:* Prioritize partnerships with local artisans to produce kit components (e.g., woven mats, wooden toys), boosting the local economy and ensuring cultural relevance.

7.4 Digital Hybrid Integration

For contexts with smartphone access, Playkits.org should consider a "Hybrid Add-On."

- **Content:** A QR code linking to a curated list of free, evidence-based serious games (like *Brain Agents*) or guided breathing exercises that utilize the physical kit items (e.g., a video guide on "How to do Pinwheel Breathing").

8. Conclusion

The distribution of play materials to trauma-affected children is not a trivial act of charity; it is a sophisticated neurobiological intervention. The evidence synthesized in this report demonstrates that when play materials are selected based on the principles of the Neurosequential Model of Therapeutics and Polyvagal Theory, they function as powerful tools for regulating the autonomic nervous system, organizing the brainstem, and facilitating

emotional processing.

By moving beyond generic "toys" to a curated, multi-layered approach that addresses the physiological, sensory, and cognitive needs of the child, Playkits.org has the potential to provide a critical lifeline. These kits serve not only as sources of joy but as portable, scalable mechanisms for healing, capable of reaching the most vulnerable children in the most challenging environments on earth.

Table 2: Comprehensive Evidence Matrix of Play Interventions

Intervention Domain	Key Evidence Source	Finding	Neurobiological Mechanism
Breath Work	[15]	Pinwheels/bubbles reduce pain/anxiety more than stress balls.	Vagal Brake (Parasympathetic activation via exhalation).
Rhythm	[22]	Drumming improves social-emotional behavior in trauma youth.	Brainstem entrainment; bilateral stimulation.
Tactile Play	[28]	Clay reduces separation anxiety; Mandalas reduce general anxiety.	Proprioceptive discharge; cognitive containment.
Cooperative Games	[39]	Cooperative games reduce aggression; increase empathy.	Social buffering; prefrontal cortex (executive function) training.
Doll Therapy	[36]	Caring for a doll reduces trauma	Projective identification;

		symptoms in war-affected children.	shifting role from victim to caregiver.
Lifebooks	[57]	Lifebooks improve placement stability in foster care.	Narrative integration; chronological memory consolidation.
Humanitarian Labs	[45]	Play Labs reduce depression in mothers and children.	Co-regulation; restoration of maternal agency.

Works cited

1. The Neurosequential Network | neurodevelopment, accessed November 26, 2025, https://www.neurosequential.com/
2. Brainstem Calmer Activities | Beacon House, accessed November 26, 2025, https://beaconhouse.org.uk/wp-content/uploads/2019/09/Brainstem-Calmer-Activities.pdf
3. Child Traumatic Stress and the Sacred: Neurobiologically Informed Interventions for Therapists and Parents - MDPI, accessed November 26, 2025, https://www.mdpi.com/2077-1444/12/3/163
4. A Brain Motivated to Play: Insights into the Neurobiology of Playfulness - PubMed Central, accessed November 26, 2025, https://pmc.ncbi.nlm.nih.gov/articles/PMC5646690/
5. Treatment Effects of Introducing the Neurosequential Model of Therapeutics in a Norwegian Residential Treatment Facility for Children Aged 7–13 - PubMed Central, accessed November 26, 2025, https://pmc.ncbi.nlm.nih.gov/articles/PMC11119931/
6. THE NEUROBIOLOGY OF TRAUMA, ATTACHMENT AND SUBSTANCE USE - Public Health Ontario, accessed November 26, 2025, https://www.publichealthontario.ca/-/media/Event-Presentations/2022/neurobiology-trauma-attachment-substance-use.pdf
7. The Effect of Breathing Exercise Using Bubble Blower on Anxiety and Pain during Inferior Alveolar Nerve Block in Children Aged 7 to 10 Years: A Crossover Randomized Clinical Trial - PMC - NIH, accessed November 26, 2025, https://pmc.ncbi.nlm.nih.gov/articles/PMC8786543/
8. Exploring Play Therapy and Polyvagal Theory: Nurturing Healing Through Play, accessed November 26, 2025,

https://allofyoutherapy.net/blog/polyvagalplaytherapy
9. Understanding Polyvagal Theory and The Benefits of Breathing, accessed November 26, 2025, https://occupationaltherapy.com.au/polyvagal-theory-and-breathing/
10. Full article: Progress through the Early Stages of Assimilation in Play Therapy with a Traumatized Six-Year-Old Girl, accessed November 26, 2025, https://www.tandfonline.com/doi/full/10.1080/15289168.2021.1916210
11. The Effectiveness of Structured Coloring Activities for Anxiety Reduction - Pepperdine Digital Commons, accessed November 26, 2025, https://digitalcommons.pepperdine.edu/cgi/viewcontent.cgi?article=1159&context=faculty_pubs
12. Puppet Therapy Techniques for Child Assessment and Diagnosis, accessed November 26, 2025, https://esmed.org/puppet-therapy-techniques-for-child-assessment-and-diagnosis/
13. Healing Through Play: Therapy Dolls For Trauma | BetterHelp, accessed November 26, 2025, https://www.betterhelp.com/advice/trauma/healing-through-play-therapy-dolls-for-trauma/
14. Neurobiological Effects of Trauma and The Efficacy of Play Therapy in a School-Based Setting - DigitalCommons@Lesley, accessed November 26, 2025, https://digitalcommons.lesley.edu/cgi/viewcontent.cgi?article=1346&context=expressive_theses
15. Pinwheel blowing and stress ball squeezing reduce children's pain and anxiety during intravenous catheterization in a randomized controlled trial - PMC - NIH, accessed November 26, 2025, https://pmc.ncbi.nlm.nih.gov/articles/PMC12381172/
16. Effect of Bubble Breath Play Therapy in Anxiety Levels and Pain Perception in Children Receiving Local Anesthesia: A Randomized Clinical Trial - PMC - NIH, accessed November 26, 2025, https://pmc.ncbi.nlm.nih.gov/articles/PMC11915414/
17. Regulation Tools: Bubbles & Pinwheels, accessed November 26, 2025, https://www.slpatoz.com/2022/03/01/zones-tool/
18. Helping children calm down - MSU Extension, accessed November 26, 2025, https://www.canr.msu.edu/news/helping_children_calm_down
19. THERAPEUTIC BLOWING TOYS: DOES THE OVERLAP OF VENTILATORY STIMULI ALTER THE RESPIRATORY MECHANICS OF HEALTHY SCHOOLCHILDREN? - PMC - PubMed Central, accessed November 26, 2025, https://pmc.ncbi.nlm.nih.gov/articles/PMC7063596/
20. Learn How Oral Motor Whistles Can Support Your Child's Development - ARK Therapeutic, accessed November 26, 2025, https://www.arktherapeutic.com/blog/learn-how-oral-motor-whistles-can-support-your-childs-development/
21. Whistle & Blow Toys - Oral Motor - Therapro, accessed November 26, 2025, https://www.therapro.com/Oral-Motor/Whistle-Blow-Toys/
22. The Impact of Group Drumming on Social-Emotional Behavior in Low-Income

Children - NIH, accessed November 26, 2025, https://pmc.ncbi.nlm.nih.gov/articles/PMC3095989/
23. 'Drumming, rhythm and regulation through a polyvagal lens', by Simon C. Faulkner, accessed November 26, 2025, https://www.jocat-online.org/pp-23-faulkner
24. Parenting in the Face of Trauma: Music Therapy to Support Parent–Child Dyads Affected by War and Displacement - MDPI, accessed November 26, 2025, https://www.mdpi.com/2227-9067/11/10/1269
25. Making music for mental health: how group drumming mediates recovery - PMC, accessed November 26, 2025, https://pmc.ncbi.nlm.nih.gov/articles/PMC5127870/
26. Rhythmic Movements and Reflex Integration, Hope for Resolving Trauma - Move Play Thrive, accessed November 26, 2025, https://moveplaythrive.com/conditions/trauma-ptsd/rhythmic-movements-and-reflex-integration-hope-for-resolving-trauma
27. What Young People Think About Music, Rhythm and Trauma: An Action Research Study, accessed November 26, 2025, https://www.frontiersin.org/journals/psychology/articles/10.3389/fpsyg.2022.905418/full
28. COMPARING THE EFFECT OF PAINT AND CLAY THERAPY ON THE SYMPTOMS OF SEPARATION ANXIETY DISORDERS IN PRE-SCHOOL CHILDREN - CIBTech, accessed November 26, 2025, https://www.cibtech.org/J-LIFE-SCIENCES/PUBLICATIONS/2014/Vol-4-No-3/JLS-042-048-GHAZAAL-COMPARING.pdf
29. A comparative study on the effects of clay art therapy & coloring of mandalas on positive-negative affective states, hope, a, accessed November 26, 2025, https://www.isrctn.com/editorial/retrieveFile/1f43d2e7-b2e7-4d55-8e98-d8fb937f96b5/38604
30. 28 Best Sensory Toys Recommended by Occupational Therapists - NAPA Center, accessed November 26, 2025, https://napacenter.org/sensory-toys-ot/
31. The Relationship Between Children's Indoor Loose Parts Play and Cognitive Development: A Systematic Review - MDPI, accessed November 26, 2025, https://www.mdpi.com/2079-3200/13/5/52
32. DIY Sensory Assistive Tools for Kids: Engaging, Affordable, and Effective Solutions, accessed November 26, 2025, https://eieiservices.com/diy-sensory-assistive-tools-for-kids-engaging-affordable-and-effective-solutions/
33. Low Technology Supplies and Activities for Sensory Integration, accessed November 26, 2025, https://sensoryinnovationtherapies.com/low-technology-supplies-and-activities-for-sensory-integration/
34. The Effectiveness of Structured Coloring Activities for Anxiety Reduction - ResearchGate, accessed November 26, 2025, https://www.researchgate.net/publication/330945454_The_Effectiveness_of_Structured_Coloring_Activities_for_Anxiety_Reduction
35. The Benefits of Sensory Exploration in Art Therapy with Children with Social, Emotional and Behavioral Difficulties Through a - DigitalCommons@Lesley,

accessed November 26, 2025, https://digitalcommons.lesley.edu/cgi/viewcontent.cgi?article=1744&context=expressive_theses
36. The Healing Power of Play Dolls - The Joint, accessed November 26, 2025, https://www.thejoint.org.il/en/news/the-healing-power-of-play-dolls/
37. Post-Traumatic Play in Child Victims of Adverse Childhood Experiences: A Pilot Study with the MCAST—Manchester Child Attachment Story Task and the Coding of PTCP Markers - PubMed Central, accessed November 26, 2025, https://pmc.ncbi.nlm.nih.gov/articles/PMC9776711/
38. Triggered Distress in a Young Child During Play Therapy, accessed November 26, 2025, https://www.nctsn.org/resources/triggered-distress-in-a-young-child-during-play-therapy
39. Serious Games for Developing Social Skills in Children and Adolescents with Autism Spectrum Disorder: A Systematic Review - MDPI, accessed November 26, 2025, https://www.mdpi.com/2227-9032/12/5/508
40. Game-based learning in early childhood education: a systematic review and meta-analysis, accessed November 26, 2025, https://www.frontiersin.org/journals/psychology/articles/10.3389/fpsyg.2024.1307881/full
41. Play-Up Your Child or Teen's Executive Functioning Skills Using Card and/or Board Games, accessed November 26, 2025, https://www.foothillsacademy.org/community/articles/play-up-your-childs-ef
42. Benefits of Board Games for Children and their Families - Child Development Clinic, accessed November 26, 2025, https://www.childdevelopmentclinic.com.au/benefits-of-board-games-for-children-and-their-families.html
43. Impact Evaluation of Play-Based Early Learning and Development Through UNICEF's Early Childhood Development Kit | UNEG, accessed November 26, 2025, https://www.unevaluation.org/member_publications/impact-evaluation-play-based-early-learning-and-development-through-unicefs
44. Early Childhood Development (ECD) Kit | UNICEF Supply Division, accessed November 26, 2025, https://www.unicef.org/supply/early-childhood-development-ecd-kit
45. Learning and healing through play in humanitarian crises - Brookings Institution, accessed November 26, 2025, https://www.brookings.edu/articles/learning-and-healing-through-play-in-humanitarian-crises/
46. Feasibility and acceptability of at-home play kits for middle school physical activity promotion during the COVID-19 pandemic - PubMed Central, accessed November 26, 2025, https://pmc.ncbi.nlm.nih.gov/articles/PMC10061390/
47. (PDF) Feasibility and acceptability of at-home play kits for middle school physical activity promotion during the COVID-19 pandemic - ResearchGate, accessed November 26, 2025, https://www.researchgate.net/publication/369654696_Feasibility_and_acceptabilit

y_of_at-home_play_kits_for_middle_school_physical_activity_promotion_during_the_COVID-19_pandemic
48. JOURNAL ON EDUCATION IN EMERGENCIES, accessed November 26, 2025, https://archive.nyu.edu/bitstream/2451/62226/2/JEiE_Vol7No1_BRAC-Humanitarian-Play-Lab-Model_June2021.pdf
49. Handmade Toys by the World's Most Resilient Children - World Food Program USA, accessed November 26, 2025, https://wfpusa.org/news/handmade-toys-by-the-worlds-most-resilient-children/
50. See the ingenious toys made by refugee children in Uganda | National Geographic, accessed November 26, 2025, https://www.nationalgeographic.com/culture/article/toys-bidibidi-uganda-refugee-children
51. Healing power of playtime for refugee camp mums and kids | IMPACT, accessed November 26, 2025, https://impact.monash.edu/sustainability/improving-the-mental-health-of-rohingya-refugee-women/
52. Homemade Toys Help Refugee Children Learn | UNICEF USA, accessed November 26, 2025, https://www.unicefusa.org/stories/homemade-toys-help-refugee-children-learn
53. Homemade Educational Toys Help Refugee Children Learn And Grow - Forbes, accessed November 26, 2025, https://www.forbes.com/sites/unicefusa/2019/02/27/homemade-toys-help-children-learn/
54. Home: Therapeutic Welcome Packs for children and carers - Tree House Care, accessed November 26, 2025, https://treehousecare.org/welcome-home-therapeutic-welcome-packs-for-children-and-carers/
55. Welcome Box | Every Child Oregon, accessed November 26, 2025, https://everychildoregon.org/neoregon/wp-content/uploads/sites/2/2022/09/EC_2021_WelcomeBoxBrochure_v8-1.pdf
56. Lifebooks - Child Welfare - Illinois State University, accessed November 26, 2025, https://childwelfare.illinoisstate.edu/lifebooks/
57. Lifebooks in Child Welfare: Why Isn't a Great Idea Used More Often? - ResearchGate, accessed November 26, 2025, https://www.researchgate.net/publication/354632964_Lifebooks_in_Child_Welfare_Why_Isn't_a_Great_Idea_Used_More_Often
58. Psychologists work to support children and parents in the child welfare system, but more is needed, accessed November 26, 2025, https://www.apa.org/monitor/2023/03/hope-for-foster-kids
59. Mightier: Home, accessed November 26, 2025, https://www.mightier.com/
60. Game-Based Social-Emotional Learning for Youth: School-Based Qualitative Analysis of Brain Agents - JMIR Formative Research, accessed November 26, 2025, https://formative.jmir.org/2025/1/e67550
61. Game-Based Social-Emotional Learning for Youth: School-Based Qualitative Analysis of Brain Agents - PMC - NIH, accessed November 26, 2025,

https://pmc.ncbi.nlm.nih.gov/articles/PMC12289224/
62. 5 Uses for Augmented Reality in Children's Hospitals | by Anna Konson | SpellBoundAR, accessed November 26, 2025, https://medium.com/spellboundar/5-uses-for-augmented-reality-in-childrens-hospitals-b4209445c4b6
63. Application of Augmented Reality Interventions for Children with Autism Spectrum Disorder (ASD): A Systematic Review - MDPI, accessed November 26, 2025, https://www.mdpi.com/2073-431X/12/10/215
64. How Do I Engage Children in Telehealth Play Therapy? - The PlayStrong Institute, accessed November 26, 2025, https://playstronginstitute.com/play-therapy/complete-guide/clinical-practice/policies-and-procedures/how-do-i-engage-children-in-telehealth-play-therapy
65. Implementing a Digital Mental Health Intervention—the Lumi Nova App—to Support Children With Anxiety in Economically Disadvantaged Areas: Mixed Methods Study - Journal of Medical Internet Research, accessed November 26, 2025, https://www.jmir.org/2025/1/e60611
66. Study: Playing Video Games Generally Not Harmful to Boys' Social Development, accessed November 26, 2025, https://www.srcd.org/news/study-playing-video-games-generally-not-harmful-boys-social-development
67. Do Video Games Influence Violent Behavior? - Michigan Youth Violence Prevention Center, accessed November 26, 2025, https://yvpc.sph.umich.edu/video-games-influence-violent-behavior/
68. Toy Safety - Seattle Children's Hospital, accessed November 26, 2025, https://www.seattlechildrens.org/health-safety/injury-prevention/toy-safety/
69. Toy Safety—Identifying High-Risk Situations - Content - Health Encyclopedia - University of Rochester Medical Center, accessed November 26, 2025, https://www.urmc.rochester.edu/encyclopedia/content?contenttypeid=90&contentid=p02997
70. Early Childhood Development Kit: - Unicef, accessed November 26, 2025, https://www.unicef.org/supply/media/631/file/%20ECD-early-child-development-kit-activity-guide-english.pdf
71. A meta-analysis of play therapy outcomes - Database of Abstracts of Reviews of Effects (DARE) - NCBI, accessed November 26, 2025, https://www.ncbi.nlm.nih.gov/books/NBK68621/
72. A meta-analysis of play therapy outcomes - ResearchGate, accessed November 26, 2025, https://www.researchgate.net/publication/247507734_A_meta-analysis_of_play_therapy_outcomes