

ce103\_hw4\_library\_lib.Customer  
Feature.ByteArrayBlockToCustomer  
Counter

ce103\_hw4\_library\_lib.Medicine  
Feature.ByteArrayBlockToMedicine  
Counter

ce103\_hw4\_library\_lib.Supplier  
Feature.ByteArrayBlockToSupplier  
Counter

ce103\_hw4\_library\_lib.File  
Operations.appendBlockCounter

```
graph LR; A[ce103_hw4_library_lib.Customer Feature.ByteArrayBlockToCustomer Counter] --> D[ce103_hw4_library_lib.File Operations.appendBlockCounter]; B[ce103_hw4_library_lib.Medicine Feature.ByteArrayBlockToMedicine Counter] --> D; C[ce103_hw4_library_lib.Supplier Feature.ByteArrayBlockToSupplier Counter] --> D;
```

The diagram illustrates a data flow or dependency. On the left, there are three white rectangular boxes with black borders, each containing a fully qualified class name and a method name. These boxes are arranged vertically. On the right, there is a single gray rectangular box with a black border, also containing a fully qualified class name and a method name. Three blue arrows originate from the right side of each of the three white boxes and point towards the left side of the gray box, indicating that the three methods on the left are likely calling or interacting with the method on the right.