Cucumber Report

| Start : Mar 28, 8:45:43.239 PM	End : Mar 28, 8:47:05.106 PM	Duration : 1 m 21.867 s
Features	Scenarios	Steps
PASSED - 3 FAILED - 2 SKIPPED - 0	PASSED - 4 FAILED - 2 SKIPPED - 0	PASSED - 31 FAILED - 2 SKIPPED - 0

Features: 5 — 60 % Pass

Scenarios: 6 — 66 % Pass

Steps: 33 — 93 % Pass

Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
Login functionality	13.887 s	1	1	0	0	3	3	0	0
Country Functionality	11.781 s	1	1	0	0	6	6	0	0
Citizeship Functionality	11.670 s	1	1	0	0	6	6	0	0
Country Multi Scenario	28.088 s	2	1	1	0	12	11	1	0
Citizenship Functionality	16.407 s	1	0	1	0	6	5	1	0

Tag	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@SmokeTest	3	3	0	0	3	3	0	0
@Regression	5	3	2	0	4	2	2	0

#	Feature Name	T	P	F	S	Duration
1	Login functionality	1	1	0	0	13.887 s
2	Country Functionality	1	1	0	0	11.781 s
3	Citizeship Functionality	1	1	0	0	11.670 s
4	Country Multi Scenario	2	1	1	0	28.088 s
5	Citizenship Functionality	1	0	1	0	16.407 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Login functionality	Login with valid username and password	3	3	0	0	13.884 s
2	Country Functionality	Create a country	6	6	0	0	11.781 s
3	Citizeship Functionality	Create a CitizenShip	6	6	0	0	11.670 s
4	Country Multi Scenario	Create a Country	6	6	0	0	11.655 s
5	Country Multi Scenario	Create a Country 2	6	5	1	0	16.426 s
6	Citizenship Functionality	Create a Citizenship with parameter	6	5	1	0	16.407 s

Login functionality

PASSED	DURATION - 13.887 s	Scenarios Total - 1 Pass - 1 Fail - 0 Skip - 0		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 8:45:43.239 PM // 8:45:57.126 PM /			1		3

Login with valid username and password

PASSED	DURATION - 13.884 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 8:45:43.242 PM // 8:45:57.126 PM /				3
Login functionality				
@SmokeTest @Regression				

#	Step / Hook Details	Status	Duration
1	Given Navigate to Campus	PASSED	6.422 s
2	When Enter username and password and click login button	PASSED	0.772 s
3	Then User should login successfully	PASSED	1.570 s

Country Functionality

PASSED	DURATION - 11.781 s	Scenarios Total - 1 Pass - 1 Fail - 0 Skip - 0		Steps Total - 6 Pass - 6 Fail - 0 Skip - 0	
/ 8:45:57.139 PM // 8:46:08.920 PM /			1		6

Create a country

PASSED	DURATION - 11.781 s
/ 8:45:57.139 PM // 8:46:08.920 PM /	
Country Functionality	
@SmokeTest	

Steps
Total - 6
Pass - 6
Fail - 0
Skip - 0

6

#	Step / Hook Details	Status	Duration
1	Given Navigate to Campus	PASSED	2.312 s
2	When Enter username and password and click login button	PASSED	0.755 s
3	Then User should login successfully	PASSED	1.045 s
4	And Navigate to country	PASSED	1.211 s
5	When Create a country	PASSED	0.799 s
6	Then Success message should be displayed	PASSED	0.528 s

Citizeship Functionality

PASSED	DURATION - 11.670 s
/ 8:46:08.923 PM // 8:46:20.593 PM /	

Scenarios
Total - 1
Pass - 1
Fail - 0
Skip - 0

1

Steps
Total - 6
Pass - 6
Fail - 0
Skip - 0

6

Create a CitizenShip

PASSED	DURATION - 11.670 s
/ 8:46:08.923 PM // 8:46:20.593 PM /	
Citizeship Functionality	
@SmokeTest @Regression	

Steps
Total - 6
Pass - 6
Fail - 0
Skip - 0

6

#	Step / Hook Details	Status	Duration
1	Given Navigate to Campus	PASSED	2.214 s
2	When Enter username and password and click login button	PASSED	0.761 s
3	Then User should login successfully	PASSED	1.048 s
4	And Navigate to CitizenShip	PASSED	1.243 s
5	When Create a CitizenShip	PASSED	0.756 s
6	Then Success message should be displayed	PASSED	0.529 s

Country Multi Scenario

FAILED	DURATION - 28.088 s	Scenarios		Steps	
/ 8:46:20.599 PM // 8:46:48.687 PM /		Total - 2 Pass - 1 Fail - 1 Skip - 0	2	Total - 12 Pass - 11 Fail - 1 Skip - 0	12

Create a Country

PASSED	DURATION - 11.655 s		Steps	
/ 8:46:20.599 PM // 8:46:32.254 PM /			Total - 6 Pass - 6 Fail - 0 Skip - 0	6
Country Multi Scenario				
@Regression				

#	Step / Hook Details	Status	Duration
1	Given Navigate to Campus	PASSED	2.203 s
2	When Enter username and password and click login button	PASSED	0.742 s
3	Then User should login successfully	PASSED	1.052 s
4	And Navigate to country	PASSED	1.216 s
5	When Create a country	PASSED	0.793 s
6	Then Success message should be displayed	PASSED	0.532 s

Create a Country 2

FAILED	DURATION - 16.426 s

/ 8:46:32.261 PM // 8:46:48.687 PM /

Country Multi Scenario

@Regression

Steps
Total - 6
Pass - 5
Fail - 1
Skip - 0

6

#	Step / Hook Details	Status	Duration
1	Given Navigate to Campus	PASSED	2.115 s
2	When Enter username and password and click login button	PASSED	0.749 s
3	Then User should login successfully	PASSED	1.046 s
4	And Navigate to country	PASSED	1.232 s
5	When Create a country name as "GokUlk13" code as "GokUlk13Kod"	PASSED	0.798 s
6	Then Success message should be displayed	FAILED	5.195 s

org.openqa.selenium.TimeoutException: Expected condition failed: waiting for text ('success') to be present in element Proxy element for:
DefaultElementLocator 'By.xpath: //div[contains(text(),'successfully')]' (tried for 5 second(s) with 500 milliseconds interval)
    at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:84)
    at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:228)
    at Pages.ParentPage.verifyContainsText(ParentPage.java:37)
    at StepDefinitions._02_CountrySteps.successMessageShouldBeDisplayed(_02_CountrySteps.java:32)
    at ?.Success message should be displayed(file:///Users/gokhankaya/IdeaProjects/Cucumber7ben/src/test/java/FeatureFiles/
_04_CountryMultipleScenarios.feature:16)
Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element:
{"method":"xpath","selector":"//div[contains(text(),'successfully')]"}   (Session info: chrome=123.0.6312.87) For documentation on this error,
please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.18.1',
revision: 'b1d3319b48' System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '14.4', java.version: '11.0.22' Driver info: org.openqa.
selenium.chrome.ChromeDriver Command: [885c19fe78b55ae9d3ceb7ab85e1d191, findElement {value=//div[contains(text(),'successfully')],
using=xpath}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 123.0.6312.87, chrome: {chromedriverVersion:
123.0.6312.86 (9b72c47a0536..., userDataDir: /var/folders/nc/7fgqqc8d1qs...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress:
localhost:61534}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp:
ws://localhost:61534/devtoo..., se:cdpVersion: 123.0.6312.87, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0,
pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true,
webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators:
true} Session ID: 885c19fe78b55ae9d3ceb7ab85e1d191
    at jdk.internal.reflect.GeneratedConstructorAccessor14.newInstance(Unknown Source)
    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
   at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:519)		
	at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:356)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:350)		
	at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)		
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)		
	at com.sun.proxy.$Proxy25.getText(Unknown Source)		
	at org.openqa.selenium.support.ui.ExpectedConditions$12.apply(ExpectedConditions.java:343)		
	at org.openqa.selenium.support.ui.ExpectedConditions$12.apply(ExpectedConditions.java:339)		
	at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:203)		
	at Pages.ParentPage.verifyContainsText(ParentPage.java:37)		
	at StepDefinitions._02_CountrySteps.successMessageShouldBeDisplayed(_02_CountrySteps.java:32)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:566)		
	at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)		
	at io.cucumber.java.Invoker.invoke(Invoker.java:24)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)		
	at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)		
	at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:56)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:84)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cucumber.testng.TestNGCucumberRunner.lambda$runScenario$1(TestNGCucumberRunner.java:132)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda$runTestCase$5(CucumberExecutionContext.java:137)		
	at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137)		
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)		
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		

#	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:566)		
	at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139)		
	at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664)		
	at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:228)		
	at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:63)		
	at org.testng.internal.invokers.TestInvoker$MethodInvocationAgent.invoke(TestInvoker.java:961)		
	at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:201)		
	at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148)		
	at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128)		
	at java.base/java.util.ArrayList.forEach(ArrayList.java:1541)		
	at org.testng.TestRunner.privateRun(TestRunner.java:819)		
	at org.testng.TestRunner.run(TestRunner.java:619)		
	at org.testng.SuiteRunner.runTest(SuiteRunner.java:443)		
	at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:437)		
	at org.testng.SuiteRunner.privateRun(SuiteRunner.java:397)		
	at org.testng.SuiteRunner.run(SuiteRunner.java:336)		
	at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)		
	at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95)		
	at org.testng.TestNG.runSuitesSequentially(TestNG.java:1301)		
	at org.testng.TestNG.runSuitesLocally(TestNG.java:1228)		
	at org.testng.TestNG.runSuites(TestNG.java:1134)		
	at org.testng.TestNG.run(TestNG.java:1101)		
	at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:65)		
	at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105)		
	* Not displayable characters are replaced by '?'.		
	AFTER - StepDefinitions.Hooks.after(io.cucumber.java.Scenario)	PASSED	5.289 s
	screenshot name		

Citizenship Functionality

FAILED	DURATION - 16.407 s		Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0	 1	Steps Total - 6 Pass - 5 Fail - 1 Skip - 0	 6
/ 8:46:48.699 PM // 8:47:05.106 PM /						

Create a Citizenship with parameter

FAILED	DURATION - 16.407 s		Steps Total - 6 Pass - 5 Fail - 1 Skip - 0	 6
/ 8:46:48.699 PM // 8:47:05.106 PM /				
Citizenship Functionality				
@Regression				

#	Step / Hook Details	Status	Duration
1	Given Navigate to Campus	PASSED	2.180 s
2	When Enter username and password and click login button	PASSED	0.737 s
3	Then User should login successfully	PASSED	1.055 s
4	And Navigate to CitizenShip	PASSED	1.206 s
5	When Create a CitizenShip name as "gokhancs1313" shortkod as "gcskod1313"	PASSED	0.761 s
6	Then Success message should be displayed	FAILED	5.154 s

	org.openqa.selenium.TimeoutException: Expected condition failed: waiting for text ('success') to be present in element Proxy element for: DefaultElementLocator 'By.xpath: //div[contains(text(),'successfully')]' (tried for 5 second(s) with 500 milliseconds interval)
	    at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:84)
	    at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:228)
	    at Pages.ParentPage.verifyContainsText(ParentPage.java:37)
	    at StepDefinitions._02_CountrySteps.successMessageShouldBeDisplayed(_02_CountrySteps.java:32)
	    at ?.Success message should be displayed(file:///Users/gokhankaya/IdeaProjects/Cucumber7ben/src/test/java/FeatureFiles/_05_CitizenShipParameter.feature:17)
	Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[contains(text(),'successfully')]"} (Session info: chrome=123.0.6312.87) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.18.1', revision: 'b1d3319b48' System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '14.4', java.version: '11.0.22' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e8fadeeb37f95357e1f0cd6c775653e9, findElement {value=//div[contains(text(),'successfully')], using=xpath}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 123.0.6312.87, chrome: {chromedriverVersion:		

#	Step / Hook Details	Status	Duration

	123.0.6312.86 (9b72c47a0536..., userDataDir: /var/folders/nc/7fgqqc8d1qs...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:61623}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:61623/devtoo..., se:cdpVersion: 123.0.6312.87, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e8fadeeb37f95357e1f0cd6c775653e9
	  at jdk.internal.reflect.GeneratedConstructorAccessor14.newInstance(Unknown Source)
	  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
	  at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:519)
	  at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)
	  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:356)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:350)
	  at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)
	  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)
	  at com.sun.proxy.$Proxy25.getText(Unknown Source)
	  at org.openqa.selenium.support.ui.ExpectedConditions$12.apply(ExpectedConditions.java:343)
	  at org.openqa.selenium.support.ui.ExpectedConditions$12.apply(ExpectedConditions.java:339)
	  at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:203)
	  at Pages.ParentPage.verifyContainsText(ParentPage.java:37)
	  at StepDefinitions._02_CountrySteps.successMessageShouldBeDisplayed(_02_CountrySteps.java:32)
	  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
	  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)
	  at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
	  at java.base/java.lang.reflect.Method.invoke(Method.java:566)
	  at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)
	  at io.cucumber.java.Invoker.invoke(Invoker.java:24)
	  at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)
	  at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)
	  at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)
	  at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)
	  at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10)
	  at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84)
	  at io.cucumber.core.runner.TestStep.run(TestStep.java:56)		

#	Step / Hook Details	Status	Duration
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:84)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cucumber.testng.TestNGCucumberRunner.lambda$runScenario$1(TestNGCucumberRunner.java:132)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda$runTestCase$5(CucumberExecutionContext.java:137)		
	at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137)		
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)		
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:566)		
	at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139)		
	at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664)		
	at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:228)		
	at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:63)		
	at org.testng.internal.invokers.TestInvoker$MethodInvocationAgent.invoke(TestInvoker.java:961)		
	at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:201)		
	at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148)		
	at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128)		
	at java.base/java.util.ArrayList.forEach(ArrayList.java:1541)		
	at org.testng.TestRunner.privateRun(TestRunner.java:819)		
	at org.testng.TestRunner.run(TestRunner.java:619)		
	at org.testng.SuiteRunner.runTest(SuiteRunner.java:443)		
	at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:437)		
	at org.testng.SuiteRunner.privateRun(SuiteRunner.java:397)		
	at org.testng.SuiteRunner.run(SuiteRunner.java:336)		
	at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)		
	at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95)		
	at org.testng.TestNG.runSuitesSequentially(TestNG.java:1301)		
	at org.testng.TestNG.runSuitesLocally(TestNG.java:1228)		
	at org.testng.TestNG.runSuites(TestNG.java:1134)		
	at org.testng.TestNG.run(TestNG.java:1101)		
	at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:65)		
	at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105)		
	* Not displayable characters are replaced by '?'.		
	AFTER - StepDefinitions.Hooks.after(io.cucumber.java.Scenario)	PASSED	5.310 s
	screenshot name		

#	Step / Hook Details	Status	Duration