

Cucumber Report

Jan 13, 2024, 12:01:35 PM

Start : Jan 13, 12:01:09.081 PM

End : Jan 13, 12:01:35.231 PM

Duration : 26.150 s

Features



Scenarios

Steps

PASSED - 0
FAILED - 9
SKIPPED - 0

PASSED - 0
FAILED - 9
SKIPPED - 0


PASSED - 9
FAILED - 9
SKIPPED - 53




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>US01 Homepage Navigation</u>	8.239 s	1	0	1	0	7	1	1	5
<u>US03 Verify that users can filter and sort search results effectively.</u>	26.065 s	1	0	1	0	9	2	1	6
<u>US02 Verify that user can use search functionality by destination and by dates</u>	26.053 s	1	0	1	0	8	3	1	4
<u>US04 hotel details</u>	17.807 s	1	0	1	0	8	3	1	4
<u>US08 Confirm that user accounts can be managed successfully.</u>	0.023 s	1	0	1	0	9	0	1	8
<u>US05 Verify Hotel Detail Buttons</u>	0.025 s	1	0	1	0	8	0	1	7
<u>US07 Going to the booking page</u>	0.010 s	1	0	1	0	10	0	1	9
<u>US09 Error Handling</u>	0.008 s	1	0	1	0	4	0	1	3
<u>US06 Confirm that house details pages provide accurate information.</u>	0.009 s	1	0	1	0	8	0	1	7

#	Feature Name	Scenario Name
1	<u>US01 Homepage Navigation</u>	<u>Homepage load and search bar is functional</u>
2	<u>US03 Verify that users can filter and sort search results effectively.</u>	<u>TC01 Filtering and Sorting</u>
3	<u>US02 Verify that user can use search functionality by destination and by dates</u>	<u>TC_02_Searching</u>
4	<u>US04 hotel details</u>	<u>Verify hotel details</u>
5	<u>US08 Confirm that user accounts can be managed successfully.</u>	<u>User Account Management</u>
6	<u>US05 Verify Hotel Detail Buttons</u>	<u>Verify Hotel Detail</u>
7	<u>US07 Going to the booking page</u>	<u>Verify the going to booking page successfully</u>
8	<u>US09 Error Handling</u>	<u>Submit an invalid search query and validate the error message.</u>
9	<u>US06 Confirm that house details pages provide accurate information.</u>	<u>Verify House Details Page</u>

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@Smoke	9	0	9	0	9	0	9	0
@tb_US_01	1	0	1	0	1	0	1	0
@US03	1	0	1	0	1	0	1	0
@US02	1	0	1	0	1	0	1	0
@Us_04	1	0	1	0	1	0	1	0
@US_08	1	0	1	0	1	0	1	0
@US07_Booking	1	0	1	0	1	0	1	0
@US09_TC001	1	0	1	0	1	0	1	0
@US09	1	0	1	0	1	0	1	0
@us06	1	0	1	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	<u>US01 Homepage Navigation</u>	1	0	1	0	8.239 s
2	<u>US03 Verify that users can filter and sort search results effectively.</u>	1	0	1	0	26.065 s
3	<u>US02 Verify that user can use search functionality by destination and by dates</u>	1	0	1	0	26.053 s
4	<u>US04 hotel details</u>	1	0	1	0	17.807 s
5	<u>US08 Confirm that user accounts can be managed successfully.</u>	1	0	1	0	0.023 s
6	<u>US05 Verify Hotel Detail Buttons</u>	1	0	1	0	0.025 s
7	<u>US07 Going to the booking page</u>	1	0	1	0	0.010 s
8	<u>US09 Error Handling</u>	1	0	1	0	0.008 s
9	<u>US06 Confirm that house details pages provide accurate information.</u>	1	0	1	0	0.009 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>US01 Homepage Navigation</u>	<u>Homepage load and search bar is functional</u>	7	1	1	5	8.237 s
2	<u>US03 Verify that users can filter and sort search results effectively.</u>	<u>TC01 Filtering and Sorting</u>	9	2	1	6	26.065 s
3	<u>US02 Verify that user can use search functionality by destination and by dates</u>	<u>TC_02_Searching</u>	8	3	1	4	26.053 s
4	<u>US04 hotel details</u>	<u>Verify hotel details</u>	8	3	1	4	17.807 s
5	<u>US08 Confirm that user accounts can be managed successfully.</u>	<u>User Account Management</u>	9	0	1	8	0.023 s
6	<u>US05 Verify Hotel Detail Buttons</u>	<u>Verify Hotel Detail</u>	8	0	1	7	0.025 s
7	<u>US07 Going to the booking page</u>	<u>Verify the going to booking page successfully</u>	10	0	1	9	0.010 s
8	<u>US09 Error Handling</u>	<u>Submit an invalid search query and validate the error message.</u>	4	0	1	3	0.008 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
9	<u>US06 Confirm that house details pages provide accurate information.</u>	<u>Verify House Details Page</u>	8	0	1	7	0.009 s

US01 Homepage Navigation



FAILED	DURATION - 8.239 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 7 Pass - 1 Fail - 1 Skip - 5	
/ 12:01:09.081 PM // 12:01:17.320 PM /					

Homepage load and search bar is functional



<div>FAILED</div> <div>DURATION - 8.237 s</div>		<div></div>	<div>Steps</div> <div>Total - 7</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 5</div>	<div></div>
/ 12:01:09.083 PM // 12:01:17.320 PM /				
US01 Homepage Navigation				
@Smoke @tb_US_01				

#	Step / Hook Details	Status	Duration
1	Given User goes to "https://www.trivago.com/" page	PASSED	6.583 s
2	Then User should be on "https://www.trivago.com/" page org.junit.ComparisonFailure: The URL is not as expected! expected:<...ps://www.trivago.com[]/> but was:<...ps://www.trivago.com[.]> at org.junit.Assert.assertEquals(Assert.java:117) at project.stepDefinitions.US_01_Homepage_Navigation.userShouldBeOnPage(US_01_Homepage_Navigation.java:33) at ?.User should be on "https://www.trivago.com/" page(file:///Users/aycapolatkamali/IdeaProjects/Trivagooo/Trivagooo/.src/test/resources/features/US_01_Homepage_Navigation.feature:7) * Not displayable characters are replaced by '?'. 	FAILED	1.635 s
3	Then User select to "Washington D.C." on Where to? button	SKIPPED	0.001 s
4	And User clicks checkIn button_tb	SKIPPED	0.000 s
5	And User clicks to close button on the check in field	SKIPPED	0.001 s
6	And User clicks to Search button_tb	SKIPPED	0.001 s
7	And User verify the search button on the web page	SKIPPED	0.001 s

US03 Verify that users can filter and sort search results effectively.

FAILED	DURATION - 26.065 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 9 Pass - 2 Fail - 1 Skip - 6	
/ 12:01:09.089 PM // 12:01:35.154 PM /					



TC01 Filtering and Sorting

<div>FAILED</div> <div>DURATION - 26.065 s</div>		<div></div>	<div>Steps</div> <div>Total - 9</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 6</div>	<div></div>
<div>/ 12:01:09.089 PM // 12:01:35.154 PM /</div>				
<div>US03 Verify that users can filter and sort search results effectively.</div>				
<div>@Smoke @US03</div>				



#	Step / Hook Details	Status	Duration
1	Given User navigate to "url"	PASSED	8.210 s
2	Then User clicks on Destination home page	PASSED	5.185 s
3	And User clicks search button org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=120.0.6099.216) Build info: version: '4.16.1', revision: '9b4c83354e' System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '14.2.1', java.version: '20.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5f6b769aded5abf6c52bb5cd02d7ed7a, findElement {using=xpath, value=//*[@id='input-auto-complete']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.216, chrome: {chromedriverVersion: 120.0.6099.109 (3419140ab66..., userDataDir: /var/folders/qz/5jh1rqtn3rq...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:49694}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:49694/devtoo..., se:cdpVersion: 120.0.6099.216, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5f6b769aded5abf6c52bb5cd02d7ed7a at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)	FAILED	12.648 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:523) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:360) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:354) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy23.sendKeys(Unknown Source) at project.stepDefinitions.US_03_FilteringandSortingStepDef.userClicksSearchButton(US_03_FilteringandSortingStepDef.java:29) at ?.User clicks search button(file:///Users/aycapolatkamali/IdeaProjects/Trivagooo/Trivagooo/.src/test/resources/features/US_03_FilteringandSorting.feature:9) * Not displayable characters are replaced by '?'. </pre>		
4	And User clicks on price and choose scroll button and change the price	SKIPPED	0.000 s
5	And User clicks on Filters	SKIPPED	0.002 s
6	And User clicks fivestar and Popular filters and choose Free cancellation box	SKIPPED	0.003 s
7	And User clicks on Guest Rating and choose Excellent	SKIPPED	0.000 s
8	And User clicks on Property Type and choose Hotel box	SKIPPED	0.000 s
9	And User review the result according to the selected sorting criteria and confirm accuracy	SKIPPED	0.001 s

US02 Verify that user can use search functionality by destination and by dates

FAILED	DURATION - 26.053 s	Scenarios		Steps	
/ 12:01:09.094 PM // 12:01:35.147 PM /		Total - 1		Total - 8	
		Pass - 0		Pass - 3	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 4	



TC_02_Searching

<div>FAILED</div> <div>DURATION - 26.053 s</div>	<div></div>	<div>Steps</div> <div>Total - 8</div> <div>Pass - 3</div> <div>Fail - 1</div> <div>Skip - 4</div>	<div></div>
<div>/ 12:01:09.094 PM // 12:01:35.147 PM /</div>			
<div>US02 Verify that user can use search functionality by destination and by dates</div>			
<div>@Smoke @US02</div>			



#	Step / Hook Details	Status	Duration
1	Given user goes to "Trivago"	PASSED	7.476 s
2	Then user input "Banf" on where to field	PASSED	3.575 s
3	And user clicks CheckIn button	PASSED	3.084 s
4	And user selects check in data org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=120.0.6099.216) Build info: version: '4.16.1', revision: '9b4c83354e' System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '14.2.1', java.version: '20.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5f6b769aded5abf6c52bb5cd02d7ed7a, findElement {using=xpath, value=//label[@data-testid="tonight-index-label"]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.216, chrome: {chromedriverVersion: 120.0.6099.109 (3419140ab66..., userDataDir: /var/folders/qz/5jh1rqtn3rq...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:49694}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:49694/devtoo..., se:cdpVersion: 120.0.6099.216, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5f6b769aded5abf6c52bb5cd02d7ed7a at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:523) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:360) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:354) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)	FAILED	11.909 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy23.click(Unknown Source) at project.stepDefinitions.US_02_StepDefs.userSelectsCheckInData(US_02_StepDefs.java:43) at ?.user selects check in data(file:///Users/aycapolatkamali/IdeaProjects/Trivagooo/Trivagooo/.src/test/resources/features/US_02_Search.feature:10) * Not displayable characters are replaced by '?'. </pre>		
5	And user clicks apply button for guest	SKIPPED	0.002 s
6	And user clicks on Search button	SKIPPED	0.001 s
7	And user preses close button to be able to close the guest windows	SKIPPED	0.001 s
8	Then verify the hotels appear on the window	SKIPPED	0.000 s

US04 hotel details

FAILED	DURATION - 17.807 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 8 Pass - 3 Fail - 1 Skip - 4	
/ 12:01:17.340 PM // 12:01:35.147 PM /					



Verify hotel details

FAILED	DURATION - 17.807 s		Steps Total - 8 Pass - 3 Fail - 1 Skip - 4	
/ 12:01:17.340 PM // 12:01:35.147 PM /				
US04 hotel details				
@Smoke @Us_04				



#	Step / Hook Details	Status	Duration
1	Given user go to home page	PASSED	1.741 s
2	Then user clicks on search button	PASSED	1.404 s
3	Then user clicks property type dropdown menu	PASSED	1.856 s
4	Then user selects the Hotel checkbox	FAILED	12.796 s

#	Step / Hook Details	Status	Duration
	<p>org.openqa.selenium.NoSuchElementException: Unable to find element with locator By.xpath: //li[@data-testid='accommodation-type-filter-hotel'] For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.16.1', revision: '9b4c83354e' System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '14.2.1', java.version: '20.0.2' Driver info: driver.version: RemoteWebDriver</p> <p>at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:168) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:360) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:354) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy23.click(Unknown Source) at project.stepDefinitions.US_04_hotel_details.user_selects_the_hotel_checkbox(US_04_hotel_details.java:17) at ?.user selects the Hotel checkbox(file:///Users/aycapolatkamali/IdeaProjects/Trivagooo/Trivagooo/.src/test/resources/features/US_04_Hotel_details.feature:9) * Not displayable characters are replaced by '?'. </p>		
5	Then user clicks the apply button	SKIPPED	0.001 s
6	And user verify the hotel price is visible	SKIPPED	0.000 s
7	And user clicks city center button	SKIPPED	0.000 s
8	Then user verify top amenities list is visible	SKIPPED	0.002 s

US08 Confirm that user accounts can be managed successfully.

<div>FAILED</div> <div>DURATION - 0.023 s</div>		<div>Scenarios</div> <div>Total - 1</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>	<div>Steps</div> <div>Total - 9</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 8</div>	<div></div>
/ 12:01:35.187 PM // 12:01:35.210 PM /					



User Account Management

<div>FAILED</div> <div>DURATION - 0.023 s</div>		<div>Steps</div> <div>Total - 9</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 8</div>	
<div>/ 12:01:35.187 PM // 12:01:35.210 PM /</div>			
<div>US08 Confirm that user accounts can be managed successfully.</div>			
<div>@Smoke @US_08</div>			



#	Step / Hook Details	Status	Duration
1	<p>Given Go to home page</p> <p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=120.0.6099.216) Build info: version: '4.16.1', revision: '9b4c83354e' System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '14.2.1', java.version: '20.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5f6b769aded5abf6c52bb5cd02d7ed7a, get {url=https://www.trivago.com/en-US}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.216, chrome: {chromedriverVersion: 120.0.6099.109 (3419140ab66..., userDataDir: /var/folders/qz/5jh1rqtn3rq...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:49694}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se.cdp: ws://localhost:49694/devtoo..., se.cdpVersion: 120.0.6099.216, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5f6b769aded5abf6c52bb5cd02d7ed7a</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:523) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:305) at project.stepDefinitions.US_08_User_Account_Management.go_to_home_page(US_08_User_Account_Management.java:22) at ?.Go to home page(file:///Users/aycapolatkamali/IdeaProjects/Trivago000/Trivago000/.src/test/resources/features/US_08_User%20Account%20Management.feature:7) * Not displayable characters are replaced by '?'. </p>	FAILED	0.006 s
2	Then Log in as a user	SKIPPED	0.001 s
3	Then Click on the log in button	SKIPPED	0.000 s
4	When Click on the user account button	SKIPPED	0.001 s
5	And Click on the account settings box	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
6	Then Update user last name	SKIPPED	0.001 s
7	Then Click on the user account button to see dropdown	SKIPPED	0.002 s
8	Then Click on the recently viewed to see before booking	SKIPPED	0.001 s
9	Then Verify before booking is visible	SKIPPED	0.000 s

US05 Verify Hotel Detail Buttons

FAILED	DURATION - 0.025 s	Scenarios		Steps	
/ 12:01:35.188 PM // 12:01:35.213 PM /		Total - 1		Total - 8	
		Pass - 0		Pass - 0	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 7	



Verify Hotel Detail

FAILED	DURATION - 0.025 s		Steps	
/ 12:01:35.188 PM // 12:01:35.213 PM /				
US05 Verify Hotel Detail Buttons				
@Smoke				



#	Step / Hook Details	Status	Duration
1	<p>Given Client navigate to "url"</p> <p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=120.0.6099.216) Build info: version: '4.16.1', revision: '9b4c83354e' System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '14.2.1', java.version: '20.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5f6b769aded5abf6c52bb5cd02d7ed7a, get {url=https://www.trivago.com./}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.216, chrome: {chromedriverVersion: 120.0.6099.109 (3419140ab66..., userDataDir: /var/folders/qz/5jh1rqtn3rq...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:49694}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:49694/devtoo..., se:cdpVersion: 120.0.6099.216, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5f6b769aded5abf6c52bb5cd02d7ed7a</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)</p>	FAILED	0.009 s

#	Step / Hook Details	Status	Duration
	<pre> at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:523) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:305) at project.stepDefinitions.US_05_Verify_hotel_detail_buttons.clientNavigateTo(US_05_Verify_hotel_detail_buttons.java:21) at ?.Client navigate to "url"(file:///Users/aycapolatkamali/IdeaProjects/Trivagooo/Trivagooo/.src/test/resources/features/US_05_Verify_Hotel_Details.feature:6) * Not displayable characters are replaced by '?'. </pre>		
2	When Client clicks on Destination and adds proper country	SKIPPED	0.001 s
3	Then Client clicks on search button	SKIPPED	0.000 s
4	Then Client clicks on Fairmont Hot Springs Resort hotel	SKIPPED	0.001 s
5	Then Client clicks on Info button	SKIPPED	0.001 s
6	Then Client clicks on Photos button	SKIPPED	0.002 s
7	Then Client clicks on Reviews button	SKIPPED	0.000 s
8	And Client clicks on Prices button	SKIPPED	0.002 s

US07 Going to the booking page

FAILED	DURATION - 0.010 s	Scenarios		Steps	
/ 12:01:35.196 PM // 12:01:35.206 PM /		Total - 1		Total - 10	
		Pass - 0		Pass - 0	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 9	



Verify the going to booking page successfully

<div>FAILED</div> <div>DURATION - 0.010 s</div>			<div>Steps</div> <div>Total - 10</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 9</div>	
/ 12:01:35.196 PM // 12:01:35.206 PM /				
US07 Going to the booking page				
@Smoke @US07_Booking				



#	Step / Hook Details	Status	Duration
1	<p>Given User navigate to "url"</p> <p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=120.0.6099.216) Build info: version: '4.16.1', revision: '9b4c83354e' System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '14.2.1', java.version: '20.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5f6b769aded5abf6c52bb5cd02d7ed7a, get {url=https://www.trivago.com./}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.216, chrome: {chromedriverVersion: 120.0.6099.109 (3419140ab66..., userDataDir: /var/folders/qz/5jh1rqtn3rq...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:49694}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se.cdp: ws://localhost:49694/devtoo..., se.cdpVersion: 120.0.6099.216, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5f6b769aded5abf6c52bb5cd02d7ed7a</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:523) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:305) at project.stepDefinitions.US_03_FilteringandSortingStepDef.userNavigateTo(US_03_FilteringandSortingStepDef.java:18) at ?.User navigate to "url"(file:///Users/aycapolatkamali/IdeaProjects/Trivagooo/Trivagooo./src/test/resources/features/US_07_Booking.feature:7)</p> <p>* Not displayable characters are replaced by '?'. </p>	FAILED	0.003 s
2	Then User clicks on Destination home page	SKIPPED	0.000 s
3	When User enters a destination	SKIPPED	0.000 s
4	And User enters check in date	SKIPPED	0.001 s
5	And User enter check out date	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
6	And User clicks on search button	SKIPPED	0.000 s
7	And User clicks on first view deal button	SKIPPED	0.001 s
8	And User verifies the booking page in another tab	SKIPPED	0.000 s
9	And User clicks on booking button	SKIPPED	0.001 s
10	Then User verify booking information	SKIPPED	0.000 s

US09 Error Handling

FAILED	DURATION - 0.008 s	Scenarios		Steps	
/ 12:01:35.220 PM // 12:01:35.228 PM /		Total - 1		Total - 4	
		Pass - 0		Pass - 0	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 3	



Submit an invalid search query and validate the error message.

<div>FAILED</div> <div>DURATION - 0.008 s</div>			<div>Steps</div> <div>Total - 4</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 3</div>	
/ 12:01:35.220 PM // 12:01:35.228 PM /				
US09 Error Handling				
@Smoke @US09_TC001 @US09				



#	Step / Hook Details	Status	Duration
1	Given User navigate to "url" org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=120.0.6099.216) Build info: version: '4.16.1', revision: '9b4c83354e' System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '14.2.1', java.version: '20.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5f6b769aded5abf6c52bb5cd02d7ed7a, get {url=https://www.trivago.com./}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.216, chrome: {chromedriverVersion: 120.0.6099.109 (3419140ab66..., userDataDir: /var/folders/qz/5jh1rqtn3rq...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:49694}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:49694/devtoo..., se:cdpVersion: 120.0.6099.216, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5f6b769aded5abf6c52bb5cd02d7ed7a	FAILED	0.005 s

#	Step / Hook Details	Status	Duration
	<pre> at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:523) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:305) at project.stepDefinitions.US_03_FilteringandSortingStepDef.userNavigateTo(US_03_FilteringandSortingStepDef.java:18) at ?.User navigate to "url"(file:///Users/aycapolatkamali/IdeaProjects/Trivagooo/Trivagooo/.src/test/resources/features/US_09_Error_Handling.feature:6) * Not displayable characters are replaced by '?'. </pre>		
2	Given User clicks on search query box	SKIPPED	0.000 s
3	When User enters invalid data	SKIPPED	0.000 s
4	Then User should see the error message.	SKIPPED	0.002 s

US06 Confirm that house details pages provide accurate information.

FAILED	DURATION - 0.009 s	Scenarios		Steps	
/ 12:01:35.222 PM // 12:01:35.231 PM /		Total - 1		Total - 8	
		Pass - 0		Pass - 0	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 7	

Verify House Details Page

FAILED		DURATION - 0.009 s			Steps	
/ 12:01:35.222 PM // 12:01:35.231 PM /					Total - 8	
US06 Confirm that house details pages provide accurate information.					Pass - 0	
@Smoke @us06					Fail - 1	
					Skip - 7	

#	Step / Hook Details	Status	Duration
1	<p>Given user go to home page</p> <p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=120.0.6099.216) Build info: version: '4.16.1', revision: '9b4c83354e' System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '14.2.1', java.version: '20.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5f6b769aded5abf6c52bb5cd02d7ed7a, get {url=https://www.trivago.com./}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.216, chrome: {chromedriverVersion: 120.0.6099.109 (3419140ab66..., userDataDir: /var/folders/qz/5jh1rqtn3rq...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:49694}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:49694/devtoo..., se:cdpVersion: 120.0.6099.216, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5f6b769aded5abf6c52bb5cd02d7ed7a</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:523) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:305) at project.stepDefinitions.Us_06_House_Details.user_go_to_home_page(Us_06_House_Details.java:23) at ?.user go to home page(file:///Users/aycapolatkamali/IdeaProjects/Trivago000/Trivago000./src/test/resources/features/Us_06_House_Details.feature:8)</p> <p>* Not displayable characters are replaced by '?'. </p>	FAILED	0.004 s
2	Then user clicks on search button	SKIPPED	0.000 s
3	Then user clicks property type dropdown menu	SKIPPED	0.000 s
4	When user selects the house or apartment checkbox	SKIPPED	0.001 s
5	Then user clicks the apply button	SKIPPED	0.000 s
6	And user verify the house price is visible	SKIPPED	0.000 s
7	And user clicks city center button	SKIPPED	0.000 s
8	Then user verify top amenities list is visible	SKIPPED	0.000 s