

Fields in the vertex	Variational derivative of Lagrangian by fields
$A_\mu \quad W^+_\nu \quad W^-_\rho$	$-e(p_2^\rho g^{\mu\nu} - p_2^\mu g^{\nu\rho} - p_3^\nu g^{\mu\rho} + p_3^\mu g^{\nu\rho} + p_1^\nu g^{\mu\rho} - p_1^\rho g^{\mu\nu})$
$A_\mu \quad W^+_\nu \quad W^-_F$	$i \cdot e \cdot M_W \cdot g^{\mu\nu}$
$A_\mu \quad W^+_F \quad W^-_\nu$	$-i \cdot e \cdot M_W \cdot g^{\mu\nu}$
$A_\mu \quad W^+_F \quad W^-_F$	$e(p_3^\mu - p_2^\mu)$
$\bar{C}^A \quad C^{W+} \quad W^-_\mu$	$-e \cdot p_1^\mu$
$\bar{C}^A \quad C^{W-} \quad W^+_\mu$	$e \cdot p_1^\mu$
$\bar{b}_{ap} \quad b_{bq} \quad A_\mu$	$\frac{1}{3}e\delta_{pq}\gamma_{ac}^\mu \cdot \delta_{cb}$
$\bar{b}_{ap} \quad b_{bq} \quad G_{\mu r}$	$g_s \cdot \lambda_{pq}^r \gamma_{ab}^\mu$
$\bar{b}_{ap} \quad b_{bq} \quad H$	$-\frac{1}{2} \frac{e \cdot M_b}{M_W \cdot s_w} \delta_{pq} \cdot \delta_{ab}$
$\bar{b}_{ap} \quad b_{bq} \quad Z_\mu$	$-\frac{1}{6} \frac{e}{c_w \cdot s_w} \delta_{pq} \gamma_{ac}^\mu (2s_w^2 \cdot \frac{(1+\gamma^5)_{cb}}{2} - (3 - 2s_w^2) \cdot \frac{(1-\gamma^5)_{cb}}{2})$
$\bar{b}_{ap} \quad b_{bq} \quad Z_F$	$-\frac{1}{2} \frac{i \cdot e \cdot M_b}{M_W \cdot s_w} \delta_{pq} \cdot \gamma_{ab}^5$
$\bar{b}_{ap} \quad c_{bq} \quad W^-_\mu$	$-\frac{1}{2} \frac{e \cdot \sqrt{2} \cdot V_{cb}}{s_w} \cdot \delta_{pq} \gamma_{ac}^\mu \frac{(1-\gamma^5)_{cb}}{2}$
$\bar{b}_{ap} \quad c_{bq} \quad W^-_F$	$-\frac{1}{2} \frac{i \cdot e \cdot \sqrt{2} \cdot V_{cb}}{M_W \cdot s_w} \delta_{pq} (M_b \cdot \frac{(1-\gamma^5)_{ab}}{2} - M_c \cdot \frac{(1+\gamma^5)_{ab}}{2})$
$\bar{b}_{ap} \quad t_{bq} \quad W^-_\mu$	$-\frac{1}{2} \frac{e \cdot \sqrt{2} \cdot V_{tb}}{s_w} \cdot \delta_{pq} \gamma_{ac}^\mu \frac{(1-\gamma^5)_{cb}}{2}$
$\bar{b}_{ap} \quad t_{bq} \quad W^-_F$	$-\frac{1}{2} \frac{i \cdot e \cdot \sqrt{2} \cdot V_{tb}}{M_W \cdot s_w} \delta_{pq} (M_b \cdot \frac{(1-\gamma^5)_{ab}}{2} - M_t \cdot \frac{(1+\gamma^5)_{ab}}{2})$
$\bar{b}_{ap} \quad u_{bq} \quad W^-_\mu$	$-\frac{1}{2} \frac{e \cdot \sqrt{2} \cdot V_{ub}}{s_w} \cdot \delta_{pq} \gamma_{ac}^\mu \frac{(1-\gamma^5)_{cb}}{2}$
$\bar{b}_{ap} \quad u_{bq} \quad W^-_F$	$-\frac{1}{2} \frac{i \cdot e \cdot M_b \cdot \sqrt{2} \cdot V_{ub}}{M_W \cdot s_w} \cdot \delta_{pq} \frac{(1-\gamma^5)_{ab}}{2}$
$\bar{c}_{ap} \quad b_{bq} \quad W^+_\mu$	$-\frac{1}{2} \frac{e \cdot \sqrt{2} \cdot V_{cb}}{s_w} \cdot \delta_{pq} \gamma_{ac}^\mu \frac{(1-\gamma^5)_{cb}}{2}$
$\bar{c}_{ap} \quad b_{bq} \quad W^+_F$	$\frac{1}{2} \frac{i \cdot e \cdot \sqrt{2} \cdot V_{cb}}{M_W \cdot s_w} \delta_{pq} (M_b \cdot \frac{(1+\gamma^5)_{ab}}{2} - M_c \cdot \frac{(1-\gamma^5)_{ab}}{2})$
$\bar{c}_{ap} \quad c_{bq} \quad A_\mu$	$-\frac{2}{3}e\delta_{pq}\gamma_{ac}^\mu \cdot \delta_{cb}$
$\bar{c}_{ap} \quad c_{bq} \quad G_{\mu r}$	$g_s \cdot \lambda_{pq}^r \gamma_{ab}^\mu$
$\bar{c}_{ap} \quad c_{bq} \quad H$	$-\frac{1}{2} \frac{e \cdot M_c}{M_W \cdot s_w} \delta_{pq} \cdot \delta_{ab}$
$\bar{c}_{ap} \quad c_{bq} \quad Z_\mu$	$-\frac{1}{6} \frac{e}{c_w \cdot s_w} \delta_{pq} \gamma_{ac}^\mu ((3 - 4s_w^2) \cdot \frac{(1-\gamma^5)_{cb}}{2} - 4s_w^2 \cdot \frac{(1+\gamma^5)_{cb}}{2})$
$\bar{c}_{ap} \quad c_{bq} \quad Z_F$	$\frac{1}{2} \frac{i \cdot e \cdot M_c}{M_W \cdot s_w} \delta_{pq} \cdot \gamma_{ab}^5$
$\bar{c}_{ap} \quad d_{bq} \quad W^+_\mu$	$-\frac{1}{2} \frac{e \cdot \sqrt{2} \cdot V_{cd}}{s_w} \cdot \delta_{pq} \gamma_{ac}^\mu \frac{(1-\gamma^5)_{cb}}{2}$

Fields in the vertex	Variational derivative of Lagrangian by fields
$\bar{c}_{ap} \quad d_{bq} \quad W_F^+$	$-\frac{1}{2} \frac{i \cdot e \cdot M_c \cdot \sqrt{2} \cdot Vcd}{M_W \cdot s_w} \cdot \delta_{pq} \frac{(1-\gamma^5)_{ab}}{2}$
$\bar{c}_{ap} \quad s_{bq} \quad W_\mu^+$	$-\frac{1}{2} \frac{e \cdot \sqrt{2} \cdot Vcs}{s_w} \cdot \delta_{pq} \gamma_{ac}^\mu \frac{(1-\gamma^5)_{cb}}{2}$
$\bar{c}_{ap} \quad s_{bq} \quad W_F^+$	$\frac{1}{2} \frac{i \cdot e \cdot \sqrt{2} \cdot Vcs}{M_W \cdot s_w} \delta_{pq} (M_s \cdot \frac{(1+\gamma^5)_{ab}}{2} - M_c \cdot \frac{(1-\gamma^5)_{ab}}{2})$
$\bar{d}_{ap} \quad c_{bq} \quad W_\mu^-$	$-\frac{1}{2} \frac{e \cdot \sqrt{2} \cdot Vcd}{s_w} \cdot \delta_{pq} \gamma_{ac}^\mu \frac{(1-\gamma^5)_{cb}}{2}$
$\bar{d}_{ap} \quad c_{bq} \quad W_F^-$	$\frac{1}{2} \frac{i \cdot e \cdot M_c \cdot \sqrt{2} \cdot Vcd}{M_W \cdot s_w} \cdot \delta_{pq} \frac{(1+\gamma^5)_{ab}}{2}$
$\bar{d}_{ap} \quad d_{bq} \quad A_\mu$	$\frac{1}{3} e \delta_{pq} \gamma_{ac}^\mu \cdot \delta_{cb}$
$\bar{d}_{ap} \quad d_{bq} \quad G_{\mu r}$	$g_s \cdot \lambda_{pq}^r \gamma_{ab}^\mu$
$\bar{d}_{ap} \quad d_{bq} \quad Z_\mu$	$-\frac{1}{6} \frac{e}{c_w \cdot s_w} \delta_{pq} \gamma_{ac}^\mu (2s_w^2 \cdot \frac{(1+\gamma^5)_{cb}}{2} - (3 - 2s_w^2) \cdot \frac{(1-\gamma^5)_{cb}}{2})$
$\bar{d}_{ap} \quad t_{bq} \quad W_\mu^-$	$-\frac{1}{2} \frac{e \cdot \sqrt{2} \cdot Vtd}{s_w} \cdot \delta_{pq} \gamma_{ac}^\mu \frac{(1-\gamma^5)_{cb}}{2}$
$\bar{d}_{ap} \quad t_{bq} \quad W_F^-$	$\frac{1}{2} \frac{i \cdot e \cdot M_t \cdot \sqrt{2} \cdot Vtd}{M_W \cdot s_w} \cdot \delta_{pq} \frac{(1+\gamma^5)_{ab}}{2}$
$\bar{d}_{ap} \quad u_{bq} \quad W_\mu^-$	$-\frac{1}{2} \frac{e \cdot \sqrt{2} \cdot Vud}{s_w} \cdot \delta_{pq} \gamma_{ac}^\mu \frac{(1-\gamma^5)_{cb}}{2}$
$\bar{e}_a \quad e_b \quad A_\mu$	$e \gamma_{ac}^\mu \cdot \delta_{cb}$
$\bar{e}_a \quad e_b \quad Z_\mu$	$\frac{1}{2} \frac{e}{c_w \cdot s_w} \gamma_{ac}^\mu ((1 - 2s_w^2) \cdot \frac{(1-\gamma^5)_{cb}}{2} - 2s_w^2 \cdot \frac{(1+\gamma^5)_{cb}}{2})$
$\bar{e}_a \quad \nu_b^e \quad W_\mu^-$	$-\frac{1}{2} \frac{e \cdot \sqrt{2}}{s_w} \cdot \gamma_{ac}^\mu \frac{(1-\gamma^5)_{cb}}{2}$
$\bar{\mu}_a \quad \mu_b \quad A_\mu$	$e \gamma_{ac}^\mu \cdot \delta_{cb}$
$\bar{\mu}_a \quad \mu_b \quad H$	$-\frac{1}{2} \frac{e \cdot M_\mu}{M_W \cdot s_w} \cdot \delta_{ab}$
$\bar{\mu}_a \quad \mu_b \quad Z_\mu$	$\frac{1}{2} \frac{e}{c_w \cdot s_w} \gamma_{ac}^\mu ((1 - 2s_w^2) \cdot \frac{(1-\gamma^5)_{cb}}{2} - 2s_w^2 \cdot \frac{(1+\gamma^5)_{cb}}{2})$
$\bar{\mu}_a \quad \mu_b \quad Z_F$	$-\frac{1}{2} \frac{i \cdot e \cdot M_\mu}{M_W \cdot s_w} \cdot \gamma_{ab}^5$
$\bar{\mu}_a \quad \nu_b^\mu \quad W_\mu^-$	$-\frac{1}{2} \frac{e \cdot \sqrt{2}}{s_w} \cdot \gamma_{ac}^\mu \frac{(1-\gamma^5)_{cb}}{2}$
$\bar{\mu}_a \quad \nu_b^\mu \quad W_F^-$	$-\frac{1}{2} \frac{i \cdot e \cdot M_\mu \cdot \sqrt{2}}{M_W \cdot s_w} \cdot \frac{(1-\gamma^5)_{ab}}{2}$
$\bar{\tau}_a \quad \tau_b \quad A_\mu$	$e \gamma_{ac}^\mu \cdot \delta_{cb}$
$\bar{\tau}_a \quad \tau_b \quad H$	$-\frac{1}{2} \frac{e \cdot M_\tau}{M_W \cdot s_w} \cdot \delta_{ab}$
$\bar{\tau}_a \quad \tau_b \quad Z_\mu$	$\frac{1}{2} \frac{e}{c_w \cdot s_w} \gamma_{ac}^\mu ((1 - 2s_w^2) \cdot \frac{(1-\gamma^5)_{cb}}{2} - 2s_w^2 \cdot \frac{(1+\gamma^5)_{cb}}{2})$
$\bar{\tau}_a \quad \tau_b \quad Z_F$	$-\frac{1}{2} \frac{i \cdot e \cdot M_\tau}{M_W \cdot s_w} \cdot \gamma_{ab}^5$
$\bar{\tau}_a \quad \nu_b^\tau \quad W_\mu^-$	$-\frac{1}{2} \frac{e \cdot \sqrt{2}}{s_w} \cdot \gamma_{ac}^\mu \frac{(1-\gamma^5)_{cb}}{2}$

Fields in the vertex	Variational derivative of Lagrangian by fields
$\bar{\tau}_a \quad \nu^\tau_b \quad W_F^-$	$-\frac{1}{2} \frac{i \cdot e \cdot M_\tau \cdot \sqrt{2}}{M_W \cdot s_w} \cdot \frac{(1-\gamma^5)_{ab}}{2}$
$G_{\mu p} \quad G_{\nu q} \quad G_{\rho r}$	$g_s f_{pqr} (p_3^\nu g^{\mu\rho} - p_3^\mu g^{\nu\rho} + p_1^\rho g^{\mu\nu} - p_1^\nu g^{\mu\rho} - p_2^\rho g^{\mu\nu} + p_2^\mu g^{\nu\rho})$
$\bar{C}_p^G \quad C_q^G \quad G_{\mu r}$	$g_s \cdot p_2^\mu f_{pqr}$
$H \quad H \quad H$	$-\frac{3}{2} \frac{e \cdot M H^2}{M_W \cdot s_w}$
$H \quad H \quad Y$	$-\frac{1}{2} l m h \cdot v m$
$H \quad W_\mu^+ \quad W_\nu^-$	$\frac{e \cdot M_W}{s_w} \cdot g^{\mu\nu}$
$H \quad W_\mu^+ \quad W_F^-$	$\frac{1}{2} \frac{i \cdot e}{s_w} (p_3^\mu - p_1^\mu)$
$H \quad W_F^+ \quad W_\mu^-$	$-\frac{1}{2} \frac{i \cdot e}{s_w} (p_1^\mu - p_2^\mu)$
$H \quad W_F^+ \quad W_F^-$	$-\frac{1}{2} \frac{e \cdot M H^2}{M_W \cdot s_w}$
$H \quad X \quad X$	$-\frac{M_W \cdot s_w \cdot l s h}{e}$
$H \quad Y \quad Y$	$-\frac{M_W \cdot s_w \cdot l m h}{e}$
$H \quad Z_\mu \quad Z_\nu$	$\frac{e \cdot M_W}{c_w^2 \cdot s_w} \cdot g^{\mu\nu}$
$H \quad Z_\mu \quad Z_F$	$\frac{1}{2} \frac{i \cdot e}{c_w \cdot s_w} (p_3^\mu - p_1^\mu)$
$H \quad Z_F \quad Z_F$	$-\frac{1}{2} \frac{e \cdot M H^2}{M_W \cdot s_w}$
$\bar{\nu}_a^e \quad e_b \quad W_\mu^+$	$-\frac{1}{2} \frac{e \cdot \sqrt{2}}{s_w} \cdot \gamma_{ac}^\mu \frac{(1-\gamma^5)_{cb}}{2}$
$\bar{\nu}_a^e \quad \nu_b^e \quad Z_\mu$	$-\frac{1}{2} \frac{e}{c_w \cdot s_w} \cdot \gamma_{ac}^\mu \frac{(1-\gamma^5)_{cb}}{2}$
$\bar{\nu}_a^\mu \quad \mu_b \quad W_\mu^+$	$-\frac{1}{2} \frac{e \cdot \sqrt{2}}{s_w} \cdot \gamma_{ac}^\mu \frac{(1-\gamma^5)_{cb}}{2}$
$\bar{\nu}_a^\mu \quad \mu_b \quad W_F^+$	$\frac{1}{2} \frac{i \cdot e \cdot M_\mu \cdot \sqrt{2}}{M_W \cdot s_w} \cdot \frac{(1+\gamma^5)_{ab}}{2}$
$\bar{\nu}_a^\mu \quad \nu_b^\mu \quad Z_\mu$	$-\frac{1}{2} \frac{e}{c_w \cdot s_w} \cdot \gamma_{ac}^\mu \frac{(1-\gamma^5)_{cb}}{2}$
$\bar{\nu}_a^\tau \quad \tau_b \quad W_\mu^+$	$-\frac{1}{2} \frac{e \cdot \sqrt{2}}{s_w} \cdot \gamma_{ac}^\mu \frac{(1-\gamma^5)_{cb}}{2}$
$\bar{\nu}_a^\tau \quad \tau_b \quad W_F^+$	$\frac{1}{2} \frac{i \cdot e \cdot M_\tau \cdot \sqrt{2}}{M_W \cdot s_w} \cdot \frac{(1+\gamma^5)_{ab}}{2}$
$\bar{\nu}_a^\tau \quad \nu_b^\tau \quad Z_\mu$	$-\frac{1}{2} \frac{e}{c_w \cdot s_w} \cdot \gamma_{ac}^\mu \frac{(1-\gamma^5)_{cb}}{2}$
$\bar{s}_{ap} \quad c_{bq} \quad W_\mu^-$	$-\frac{1}{2} \frac{e \cdot \sqrt{2} \cdot V_{cs}}{s_w} \cdot \delta_{pq} \gamma_{ac}^\mu \frac{(1-\gamma^5)_{cb}}{2}$
$\bar{s}_{ap} \quad c_{bq} \quad W_F^-$	$-\frac{1}{2} \frac{i \cdot e \cdot \sqrt{2} \cdot V_{cs}}{M_W \cdot s_w} \delta_{pq} (M_s \cdot \frac{(1-\gamma^5)_{ab}}{2} - M_c \cdot \frac{(1+\gamma^5)_{ab}}{2})$
$\bar{s}_{ap} \quad s_{bq} \quad A_\mu$	$\frac{1}{3} e \delta_{pq} \gamma_{ac}^\mu \cdot \delta_{cb}$

Fields in the vertex	Variational derivative of Lagrangian by fields
$\bar{s}_{ap} \quad s_{bq} \quad G_{\mu r}$	$g_s \cdot \lambda_{pq}^r \gamma_{ab}^\mu$
$\bar{s}_{ap} \quad s_{bq} \quad H$	$-\frac{1}{2} \frac{e \cdot M_s}{M_W \cdot s_w} \delta_{pq} \cdot \delta_{ab}$
$\bar{s}_{ap} \quad s_{bq} \quad Z_\mu$	$-\frac{1}{6} \frac{e}{c_w \cdot s_w} \delta_{pq} \gamma_{ac}^\mu (2s_w^2 \cdot \frac{(1+\gamma^5)_{cb}}{2} - (3 - 2s_w^2) \cdot \frac{(1-\gamma^5)_{cb}}{2})$
$\bar{s}_{ap} \quad s_{bq} \quad Z_F$	$-\frac{1}{2} \frac{i \cdot e \cdot M_s}{M_W \cdot s_w} \delta_{pq} \cdot \gamma_{ab}^5$
$\bar{s}_{ap} \quad t_{bq} \quad W_{\mu}^{-}$	$-\frac{1}{2} \frac{e \cdot \sqrt{2} \cdot Vts}{s_w} \cdot \delta_{pq} \gamma_{ac}^\mu \frac{(1-\gamma^5)_{cb}}{2}$
$\bar{s}_{ap} \quad t_{bq} \quad W_F^{-}$	$-\frac{1}{2} \frac{i \cdot e \cdot \sqrt{2} \cdot Vts}{M_W \cdot s_w} \delta_{pq} (M_s \cdot \frac{(1-\gamma^5)_{ab}}{2} - M_t \cdot \frac{(1+\gamma^5)_{ab}}{2})$
$\bar{s}_{ap} \quad u_{bq} \quad W_{\mu}^{-}$	$-\frac{1}{2} \frac{e \cdot \sqrt{2} \cdot Vus}{s_w} \cdot \delta_{pq} \gamma_{ac}^\mu \frac{(1-\gamma^5)_{cb}}{2}$
$\bar{s}_{ap} \quad u_{bq} \quad W_F^{-}$	$-\frac{1}{2} \frac{i \cdot e \cdot M_s \cdot \sqrt{2} \cdot Vus}{M_W \cdot s_w} \cdot \delta_{pq} \frac{(1-\gamma^5)_{ab}}{2}$
$\bar{t}_{ap} \quad b_{bq} \quad W_{\mu}^{+}$	$-\frac{1}{2} \frac{e \cdot \sqrt{2} \cdot Vtb}{s_w} \cdot \delta_{pq} \gamma_{ac}^\mu \frac{(1-\gamma^5)_{cb}}{2}$
$\bar{t}_{ap} \quad b_{bq} \quad W_F^{+}$	$\frac{1}{2} \frac{i \cdot e \cdot \sqrt{2} \cdot Vtb}{M_W \cdot s_w} \delta_{pq} (M_b \cdot \frac{(1+\gamma^5)_{ab}}{2} - M_t \cdot \frac{(1-\gamma^5)_{ab}}{2})$
$\bar{t}_{ap} \quad d_{bq} \quad W_{\mu}^{+}$	$-\frac{1}{2} \frac{e \cdot \sqrt{2} \cdot Vtd}{s_w} \cdot \delta_{pq} \gamma_{ac}^\mu \frac{(1-\gamma^5)_{cb}}{2}$
$\bar{t}_{ap} \quad d_{bq} \quad W_F^{+}$	$-\frac{1}{2} \frac{i \cdot e \cdot M_t \cdot \sqrt{2} \cdot Vtd}{M_W \cdot s_w} \cdot \delta_{pq} \frac{(1-\gamma^5)_{ab}}{2}$
$\bar{t}_{ap} \quad s_{bq} \quad W_{\mu}^{+}$	$-\frac{1}{2} \frac{e \cdot \sqrt{2} \cdot Vts}{s_w} \cdot \delta_{pq} \gamma_{ac}^\mu \frac{(1-\gamma^5)_{cb}}{2}$
$\bar{t}_{ap} \quad s_{bq} \quad W_F^{+}$	$\frac{1}{2} \frac{i \cdot e \cdot \sqrt{2} \cdot Vts}{M_W \cdot s_w} \delta_{pq} (M_s \cdot \frac{(1+\gamma^5)_{ab}}{2} - M_t \cdot \frac{(1-\gamma^5)_{ab}}{2})$
$\bar{t}_{ap} \quad t_{bq} \quad A_\mu$	$-\frac{2}{3} e \delta_{pq} \gamma_{ac}^\mu \cdot \delta_{cb}$
$\bar{t}_{ap} \quad t_{bq} \quad G_{\mu r}$	$g_s \cdot \lambda_{pq}^r \gamma_{ab}^\mu$
$\bar{t}_{ap} \quad t_{bq} \quad H$	$-\frac{1}{2} \frac{e \cdot M_t}{M_W \cdot s_w} \delta_{pq} \cdot \delta_{ab}$
$\bar{t}_{ap} \quad t_{bq} \quad Z_\mu$	$-\frac{1}{6} \frac{e}{c_w \cdot s_w} \delta_{pq} \gamma_{ac}^\mu ((3 - 4s_w^2) \cdot \frac{(1-\gamma^5)_{cb}}{2} - 4s_w^2 \cdot \frac{(1+\gamma^5)_{cb}}{2})$
$\bar{t}_{ap} \quad t_{bq} \quad Z_F$	$\frac{1}{2} \frac{i \cdot e \cdot M_t}{M_W \cdot s_w} \delta_{pq} \cdot \gamma_{ab}^5$
$\bar{u}_{ap} \quad b_{bq} \quad W_{\mu}^{+}$	$-\frac{1}{2} \frac{e \cdot \sqrt{2} \cdot Vub}{s_w} \cdot \delta_{pq} \gamma_{ac}^\mu \frac{(1-\gamma^5)_{cb}}{2}$
$\bar{u}_{ap} \quad b_{bq} \quad W_F^{+}$	$\frac{1}{2} \frac{i \cdot e \cdot M_b \cdot \sqrt{2} \cdot Vub}{M_W \cdot s_w} \cdot \delta_{pq} \frac{(1+\gamma^5)_{ab}}{2}$
$\bar{u}_{ap} \quad d_{bq} \quad W_{\mu}^{+}$	$-\frac{1}{2} \frac{e \cdot \sqrt{2} \cdot Vud}{s_w} \cdot \delta_{pq} \gamma_{ac}^\mu \frac{(1-\gamma^5)_{cb}}{2}$
$\bar{u}_{ap} \quad s_{bq} \quad W_{\mu}^{+}$	$-\frac{1}{2} \frac{e \cdot \sqrt{2} \cdot Vus}{s_w} \cdot \delta_{pq} \gamma_{ac}^\mu \frac{(1-\gamma^5)_{cb}}{2}$
$\bar{u}_{ap} \quad s_{bq} \quad W_F^{+}$	$\frac{1}{2} \frac{i \cdot e \cdot M_s \cdot \sqrt{2} \cdot Vus}{M_W \cdot s_w} \cdot \delta_{pq} \frac{(1+\gamma^5)_{ab}}{2}$
$\bar{u}_{ap} \quad u_{bq} \quad A_\mu$	$-\frac{2}{3} e \delta_{pq} \gamma_{ac}^\mu \cdot \delta_{cb}$

Fields in the vertex	Variational derivative of Lagrangian by fields
$\bar{u}_{ap} \quad u_{bq} \quad G_{\mu r}$	$g_s \cdot \lambda_{pq}^r \gamma_{ab}^\mu$
$\bar{u}_{ap} \quad u_{bq} \quad Z_\mu$	$-\frac{1}{6} \frac{e}{c_w \cdot s_w} \delta_{pq} \gamma_{ac}^\mu ((3 - 4s_w^2) \cdot \frac{(1-\gamma^5)_{cb}}{2} - 4s_w^2 \cdot \frac{(1+\gamma^5)_{cb}}{2})$
$W_\mu^+ \quad W_\nu^- \quad Z_\rho$	$-\frac{c_w \cdot e}{s_w} (p_1^\nu g^{\mu\rho} - p_1^\rho g^{\mu\nu} - p_2^\mu g^{\nu\rho} + p_2^\rho g^{\mu\nu} + p_3^\mu g^{\nu\rho} - p_3^\nu g^{\mu\rho})$
$W_\mu^+ \quad W_F^- \quad Z_\nu$	$-\frac{i \cdot e \cdot M_W \cdot s_w}{c_w} \cdot g^{\mu\nu}$
$W_\mu^+ \quad W_F^- \quad Z_F$	$-\frac{1}{2} \frac{e}{s_w} (p_2^\mu - p_3^\mu)$
$\bar{C}^{W+} \quad C^Z \quad W_\mu^-$	$e \cdot p_1^\mu$
$\bar{C}^{W+} \quad C^Z \quad W_F^-$	$-i \cdot e \cdot M_W$
$\bar{C}^{W+} \quad C^{W-} \quad A_\mu$	$-e \cdot p_1^\mu$
$\bar{C}^{W+} \quad C^{W-} \quad H$	$-\frac{1}{2} \frac{e \cdot M_W}{s_w}$
$\bar{C}^{W+} \quad C^{W-} \quad Z_\mu$	$-\frac{c_w \cdot e}{s_w} \cdot p_1^\mu$
$\bar{C}^{W+} \quad C^{W-} \quad Z_F$	$\frac{1}{2} \frac{i \cdot e \cdot M_W}{s_w}$
$\bar{C}^{W+} \quad C^Z \quad W_\mu^-$	$\frac{c_w \cdot e}{s_w} \cdot p_1^\mu$
$\bar{C}^{W+} \quad C^Z \quad W_F^-$	$-\frac{1}{2} \frac{i \cdot (1-2s_w^2) \cdot e \cdot M_W}{c_w \cdot s_w}$
$W_F^+ \quad W_\mu^- \quad Z_\nu$	$\frac{i \cdot e \cdot M_W \cdot s_w}{c_w} \cdot g^{\mu\nu}$
$W_F^+ \quad W_\mu^- \quad Z_F$	$-\frac{1}{2} \frac{e}{s_w} (p_3^\mu - p_1^\mu)$
$W_F^+ \quad W_F^- \quad Y$	$-\frac{1}{2} l m h \cdot v m$
$W_F^+ \quad W_F^- \quad Z_\mu$	$\frac{1}{2} \frac{(1-2s_w^2) \cdot e}{c_w \cdot s_w} (p_2^\mu - p_1^\mu)$
$\bar{C}^{W-} \quad C^Z \quad W_\mu^+$	$-e \cdot p_1^\mu$
$\bar{C}^{W-} \quad C^Z \quad W_F^+$	$i \cdot e \cdot M_W$
$\bar{C}^{W-} \quad C^{W+} \quad A_\mu$	$e \cdot p_1^\mu$
$\bar{C}^{W-} \quad C^{W+} \quad H$	$-\frac{1}{2} \frac{e \cdot M_W}{s_w}$
$\bar{C}^{W-} \quad C^{W+} \quad Z_\mu$	$\frac{c_w \cdot e}{s_w} \cdot p_1^\mu$
$\bar{C}^{W-} \quad C^{W+} \quad Z_F$	$-\frac{1}{2} \frac{i \cdot e \cdot M_W}{s_w}$
$\bar{C}^{W-} \quad C^Z \quad W_\mu^+$	$-\frac{c_w \cdot e}{s_w} \cdot p_1^\mu$
$\bar{C}^{W-} \quad C^Z \quad W_F^+$	$\frac{1}{2} \frac{i \cdot (1-2s_w^2) \cdot e \cdot M_W}{c_w \cdot s_w}$

Fields in the vertex	Variational derivative of Lagrangian by fields
$X \ X \ Y$	$-\frac{1}{3}(3lpxvm + 4als)$
$Y \ Y \ Y$	$-2(3almvm + lpc)$
$Y \ Z_F \ Z_F$	$-\frac{1}{2}lmh \cdot vm$
$\bar{C}^Z \ C^{W+} \ W^-_{\mu}$	$-\frac{c_w \cdot e}{s_w} \cdot p_1^{\mu}$
$\bar{C}^Z \ C^{W+} \ W_F^-$	$\frac{1}{2} \frac{i \cdot e \cdot M_W}{c_w \cdot s_w}$
$\bar{C}^Z \ C^{W-} \ W^+_{\mu}$	$\frac{c_w \cdot e}{s_w} \cdot p_1^{\mu}$
$\bar{C}^Z \ C^{W-} \ W_F^+$	$-\frac{1}{2} \frac{i \cdot e \cdot M_W}{c_w \cdot s_w}$
$\bar{C}^Z \ C^Z \ H$	$-\frac{1}{2} \frac{e \cdot M_W}{c_w^2 \cdot s_w}$
$A_{\mu} \ A_{\nu} \ W^+_{\rho} \ W^-_{\sigma}$	$-e^2(2g^{\mu\nu}g^{\rho\sigma} - g^{\mu\rho}g^{\nu\sigma} - g^{\mu\sigma}g^{\nu\rho})$
$A_{\mu} \ A_{\nu} \ W_F^+ \ W_F^-$	$2e^2 \cdot g^{\mu\nu}$
$A_{\mu} \ H \ W^+_{\nu} \ W_F^-$	$\frac{1}{2} \frac{i \cdot e^2}{s_w} \cdot g^{\mu\nu}$
$A_{\mu} \ H \ W_F^+ \ W^-_{\nu}$	$-\frac{1}{2} \frac{i \cdot e^2}{s_w} \cdot g^{\mu\nu}$
$A_{\mu} \ W^+_{\nu} \ W^-_{\rho} \ Z_{\sigma}$	$-\frac{c_w \cdot e^2}{s_w}(2g^{\mu\sigma}g^{\nu\rho} - g^{\mu\nu}g^{\rho\sigma} - g^{\mu\rho}g^{\nu\sigma})$
$A_{\mu} \ W^+_{\nu} \ W_F^- \ Z_F$	$-\frac{1}{2} \frac{e^2}{s_w} \cdot g^{\mu\nu}$
$A_{\mu} \ W_F^+ \ W^-_{\nu} \ Z_F$	$-\frac{1}{2} \frac{e^2}{s_w} \cdot g^{\mu\nu}$
$A_{\mu} \ W_F^+ \ W_F^- \ Z_{\nu}$	$\frac{(1-2s_w^2) \cdot e^2}{c_w \cdot s_w} \cdot g^{\mu\nu}$
$G_{\mu p} \ G_{\nu q} \ G_{\rho r} \ G_{\sigma s}$	$g_s^2(g^{\mu\rho}g^{\nu\sigma}f_{pqt}f_{rst} - g^{\mu\sigma}g^{\nu\rho}f_{pqt}f_{rst} + g^{\mu\nu}g^{\rho\sigma}f_{prt}f_{qst} - g^{\mu\sigma}g^{\nu\rho}f_{prt}f_{qst} + g^{\mu\nu}g^{\rho\sigma}f_{pst}f_{qrt} - g^{\mu\rho}g^{\nu\sigma}f_{pst}f_{qrt})$
$H \ H \ H \ H$	$-\frac{3}{4} \frac{e^2 \cdot MH^2}{M_W^2 \cdot s_w^2}$
$H \ H \ W^+_{\mu} \ W^-_{\nu}$	$\frac{1}{2} \frac{e^2}{s_w^2} \cdot g^{\mu\nu}$
$H \ H \ W_F^+ \ W_F^-$	$-\frac{1}{4} \frac{e^2 \cdot MH^2}{M_W^2 \cdot s_w^2}$
$H \ H \ X \ X$	$-\frac{1}{2}lsh$
$H \ H \ Y \ Y$	$-\frac{1}{2}lmh$
$H \ H \ Z_{\mu} \ Z_{\nu}$	$\frac{1}{2} \frac{e^2}{c_w^2 \cdot s_w^2} \cdot g^{\mu\nu}$
$H \ H \ Z_F \ Z_F$	$-\frac{1}{4} \frac{e^2 \cdot MH^2}{M_W^2 \cdot s_w^2}$

Fields in the vertex	Variational derivative of Lagrangian by fields
$H \quad W^+_{\mu} \quad W^-_F \quad Z_{\nu}$	$-\frac{1}{2} \frac{i \cdot e^2}{c_w} \cdot g^{\mu\nu}$
$H \quad W^+_F \quad W^-_{\mu} \quad Z_{\nu}$	$\frac{1}{2} \frac{i \cdot e^2}{c_w} \cdot g^{\mu\nu}$
$W^+_{\mu} \quad W^+_{\nu} \quad W^-_{\rho} \quad W^-_{\sigma}$	$\frac{e^2}{s_w^2} (2g^{\mu\nu} g^{\rho\sigma} - g^{\mu\sigma} g^{\nu\rho} - g^{\mu\rho} g^{\nu\sigma})$
$W^+_{\mu} \quad W^+_F \quad W^-_{\nu} \quad W^-_F$	$\frac{1}{2} \frac{e^2}{s_w^2} \cdot g^{\mu\nu}$
$W^+_{\mu} \quad W^-_{\nu} \quad Z_{\rho} \quad Z_{\sigma}$	$-\frac{c_w^2 \cdot e^2}{s_w^2} (2g^{\mu\nu} g^{\rho\sigma} - g^{\mu\rho} g^{\nu\sigma} - g^{\mu\sigma} g^{\nu\rho})$
$W^+_{\mu} \quad W^-_{\nu} \quad Z_F \quad Z_F$	$\frac{1}{2} \frac{e^2}{s_w^2} \cdot g^{\mu\nu}$
$W^+_{\mu} \quad W^-_F \quad Z_{\nu} \quad Z_F$	$\frac{1}{2} \frac{e^2}{c_w} \cdot g^{\mu\nu}$
$W^+_F \quad W^+_F \quad W^-_F \quad W^-_F$	$-\frac{1}{2} \frac{e^2 \cdot M H^2}{M_W^2 \cdot s_w^2}$
$W^+_F \quad W^-_{\mu} \quad Z_{\nu} \quad Z_F$	$\frac{1}{2} \frac{e^2}{c_w} \cdot g^{\mu\nu}$
$W^+_F \quad W^-_F \quad X \quad X$	$-\frac{1}{2} lsh$
$W^+_F \quad W^-_F \quad Y \quad Y$	$-\frac{1}{2} lmh$
$W^+_F \quad W^-_F \quad Z_{\mu} \quad Z_{\nu}$	$\frac{1}{2} \frac{(1-2s_w^2)^2 \cdot e^2}{c_w^2 \cdot s_w^2} \cdot g^{\mu\nu}$
$W^+_F \quad W^-_F \quad Z_F \quad Z_F$	$-\frac{1}{4} \frac{e^2 \cdot M H^2}{M_W^2 \cdot s_w^2}$
$X \quad X \quad X \quad X$	$-6alt$
$X \quad X \quad Y \quad Y$	$-lpx$
$X \quad X \quad Z_F \quad Z_F$	$-\frac{1}{2} lsh$
$Y \quad Y \quad Y \quad Y$	$-6alm$
$Y \quad Y \quad Z_F \quad Z_F$	$-\frac{1}{2} lmh$
$Z_{\mu} \quad Z_{\nu} \quad Z_F \quad Z_F$	$\frac{1}{2} \frac{e^2}{c_w^2 \cdot s_w^2} \cdot g^{\mu\nu}$
$Z_F \quad Z_F \quad Z_F \quad Z_F$	$-\frac{3}{4} \frac{e^2 \cdot M H^2}{M_W^2 \cdot s_w^2}$