


Find solutions for your homework

Search

home / study / engineering / electrical engineering / electrical engineering questions and answers / don't use laplace; this is an lti system. 4 x(t) g(t) + TH + T...

Question: DON'T USE LAPLACE; This is an LTI system. 4 x(t) g(t) + TH + T...

DON'T USE LAPLACE ; This is an LTI system.



- (a) Find the differential equation which represents this system.
- (b) Find the frequency response of this system.
- (c) Find the impulse response of this system from its frequency response.
- (d) (5 pts) Find the output $y(t)$ for the input $x(t) = \frac{1}{4}e^{-t/4}u(t)$ using the frequency response.

PLEASE, DON'T USE LAPLACE TRANSFORM

Show transcribed image text

Expert Answer ⓘ

Anonymous answered this
805 answers

Was this answer helpful?

👍

0

👎

1

Post a question

Answers from our experts for your tough homework questions

Enter question

Continue to post

20 questions remaining



Snap a photo from your phone to post a question


We'll send you a one-time download link

888-888-8888

Text me


By providing your phone number, you agree to receive a one-time automated text message with a link to get the app. Standard messaging rates may apply.

My Textbook Solutions




Signals, Systems, &...
5th Edition

[View all solutions](#)



Signals and Systems
2nd Edition

Fundamental s of Signals...
0th Edition



$$(a) \quad \dot{y}(t) = 4x(t) - 5y(t) + \int (x(t) - 6y(t)) dt$$

$$\& \quad y(t) = \int \dot{y}(t) dt = \int [4x(t) - 5y(t) + \int (x(t) - 6y(t)) dt] dt$$

Differentiate it once

$$\frac{d\dot{y}(t)}{dt} = 4\dot{x}(t) - 5\dot{y}(t) + \int [\dot{x}(t) - 6\dot{y}(t)] dt$$

Differentiate it once more

$$\frac{d^2\dot{y}(t)}{dt^2} = 4\frac{d\dot{x}(t)}{dt} - 5\frac{d\dot{y}(t)}{dt} + \dot{x}(t) - 6\dot{y}(t)$$

$$\boxed{\frac{d^2\dot{y}(t)}{dt^2} + 5\frac{d\dot{y}(t)}{dt} + 6\dot{y}(t) = 4\frac{d\dot{x}(t)}{dt} + \dot{x}(t)}$$

Differential Equation

$$(b) \quad (j\omega)^2 Y(j\omega) + 5(j\omega) Y(j\omega) + 6 Y(j\omega) = 4(j\omega) X(j\omega) + X(j\omega)$$

$$\boxed{Y(j\omega) [6 + j5\omega - \omega^2] = X(j\omega) [1 + j4\omega]}$$

frequency response

$$(c) \quad \frac{Y(j\omega)}{X(j\omega)} = \frac{1 + j4\omega}{6 - \omega^2 + j5\omega}$$

using partial fraction

$$H(j\omega) = \frac{Y(j\omega)}{X(j\omega)} = \frac{7}{2 + j\omega} - \frac{3}{3 + j\omega}$$

Take inverse fourier transform

$$\boxed{h(t) = [7e^{-2t} - 3e^{-3t}] u(t)}$$

$$(d) \quad x(t) = \frac{1}{4} e^{-t/4} u(t)$$

Take fourier transform

$$X(j\omega) = \frac{1}{4} \left(\frac{1}{\frac{1}{4} + j\omega} \right)$$


$$\frac{Y(j\omega)}{X(j\omega)} = \left(\frac{7}{2 + j\omega} - \frac{3}{3 + j\omega} \right)$$

$$Y(j\omega) = \left(\frac{7}{2 + j\omega} - \frac{3}{3 + j\omega} \right) \frac{1}{4} \left(\frac{1}{\frac{1}{4} + j\omega} \right)$$

$$Y(j\omega) = \frac{1}{4} \left[\left(\frac{7}{2 + j\omega} \right) \left(\frac{1}{\frac{1}{4} + j\omega} \right) - \left(\frac{3}{3 + j\omega} \right) \left(\frac{1}{\frac{1}{4} + j\omega} \right) \right]$$

$$Y(j\omega) = \frac{1}{4} \left[\frac{4}{\frac{1}{4} + j\omega} - \frac{4}{2 + j\omega} - \frac{1.090}{\frac{1}{4} + j\omega} + \frac{1.090}{3 + j\omega} \right]$$

$$Y(j\omega) = \frac{1}{4} \left[\frac{2.9}{\frac{1}{4} + j\omega} - \frac{4}{2 + j\omega} + \frac{1.09}{3 + j\omega} \right]$$



please upvote my answer.

Comment >

Questions viewed by other students

Q: (15 pts) Using Fourier Transform properties, please solve them (a) (5 pts) Firstly derive a Fourier transform of the signal $e^{-|t|}$. (b) (5 pts) Determine the Fourier transform of $te^{-|t|}$. (C) (5 pts) Using the result of part b find the Fourier transform of $(1442)^2$.

A: [See answer](#)

Q: (20 pts) This is an LTI system: $4 \frac{d}{dt} g(t) + s + us -6 -5$ (a) Firstly determine the differential equation that represents the system above (b) Determine the frequency response of the system. (C) Determine the Impulse response of this system from its frequency response. (d) (5 pts) Find the output $y(t)$ for the input $\hat{a}(t) = \{e=t/4u(t)$ using the frequency response.

A: [See answer](#)

COMPANY

About Chegg
Chegg For Good
College Marketing
Corporate Development
Investor Relations
Jobs
Join Our Affiliate Program
Media Center
Site Map

LEGAL & POLICIES

Advertising Choices
Cookie Notice
General Policies
Intellectual Property Rights
Terms of Use
Global Privacy Policy
DO NOT SELL MY INFO
Honor Code
Honor Shield

CHEGG PRODUCTS AND SERVICES

Cheap Textbooks
Chegg Coupon
Chegg Play
Chegg Study Help
College Textbooks
eTextbooks
Flashcards
Learn
Chegg Math Solver

CHEGG NETWORK

EasyBib
Internships.com
Thinkful

CUSTOMER SERVICE

Customer Service
Give Us Feedback
Help with eTextbooks
Help to use EasyBib Plus
Manage Chegg Study Subscription
Return Your Books
Textbook Return Policy

