SHER KHAN PRESENTS

SherWatch Command Center

A Windows network security monitor that shows every program sending data out of your PC, scores it against threat intelligence and known exploits, explains what it sees in plain language, and lets you act on it in one click.

Rust + Tauri | Per-process capture (ETW) | 28 detection rules | Threat feeds auto-updated | 3D globe | Built-in AI analyst | Runs 100 % locally

Private build for Sher Khan · 2026

WHAT IT DOES

Everything that leaves your PC, who sent it, and whether it should have

See every connection, per program

Live table of all TCP and UDP flows with the owning process, signature, destination, hostname, country, bytes and age. Captured from the Windows kernel, not a packet sniffer.

Catch what should not be happening

28 rules: threat-feed matches, beaconing, exfiltration, DNS tunnelling, algorithm-generated domains, living-off-the-land tools, masquerading, unsigned software, suspicious locations, new listeners.

Know when a file leaves

Any program not on your approved list that uploads more than a few MB, or uploads to a file-sharing service, raises a critical alert within seconds.

Threat data that keeps itself fresh

Feodo, Spamhaus, IPsum, Tor exits, OpenPhish, Blackbook and CISA's exploited-vulnerability catalogue refresh on a schedule. New sources arrive through a manifest; the app tells you when it needs a code update.

Vulnerable software on this PC

Installed programs and services are matched against CISA KEV and, optionally, published CVEs for the exact version, with a judgement on whether the fix is likely installed.

Act, log, revert

Terminate, block in Windows Firewall, trust a file by hash. Every action is written to an audit log and can be reverted from the Settings page.

ALSO

- **Built-in AI analyst**: ask "what is this process doing?" and get an answer with the facts already attached, from a free keyless model, a local Ollama model or Claude.
- **Interactive 3D globe** of live destinations with per-country colouring and clickable destination cards.
- **Desktop app and browser version** built from the same code, with installer and tray icon.
- **Local only**: no account, no cloud, the dashboard answers only your own machine.

OVERVIEW

The command center view

SherWatch
COMMAND CENTER

- Overview
- Globe
- Connections
- Processes
- Alerts 115
- DNS
- Inventory
- Assistant
- History
- Settings

Live feed
Packet capture
Administrator

Overview 15:08:50

8 critical · 13 high · Search process, host, IP...

Upload	Download	Connections	Processes online	Open alerts	Session total
2.1 KB/s	1.5 KB/s	489 111 to the internet	85 74 listening ports	115 8 critical · 18 high · 68 medium · 21 low · 322 info	13.1 MB ↑ 401 KB · ↓ 12.7 MB

Live destinations

46 destinations · 46 active




Latest alerts

all

- **node.exe opened a listening port tcp/3000** — INFO — 15:08:12
  node.exe (33344) · 0.0.0.0:3000 · R14-new-listener
- **AnyDesk.exe opened a listening port tcp/7070** — INFO — 15:08:12
  AnyDesk.exe (6204) · 0.0.0.0:7070 · R14-new-listener
- **AnyDesk.exe opened a listening port tcp/65062** — INFO — 15:08:12
  AnyDesk.exe (6204) · 0.0.0.0:65062 · R14-new-listener
- **OpenRGB.exe opened a listening port tcp/6742** — HIGH — 15:08:12
  OpenRGB.exe (6336) · 0.0.0.0:6742 · R14-new-listener


Top talkers

bytes this session




Throughput, last 5 minutes

Upload · Download




Destinations by country


active connections



GLOBE

Where your data goes, live





- Arcs from your location to every active destination, coloured by risk; points sized by traffic; one label per city.
- Countries you talk to light up; countries hosting a threat-feed match turn red.
- Hover pauses the rotation. **Click** a point, city or country for the destination card: owner, intel match, bytes and every process sending there, each linking to its drawer, the assistant or the connection list.
- Your home location comes from the config or is detected once from your public IP.

CONNECTIONS

Every live flow with its owner

SherWatch
COMMAND CENTER

- Overview
- Globe
- Connections
- Processes
- Alerts 112
- DNS
- Inventory
- Assistant
- History
- Settings

Live feed
Packet capture
Administrator

Connections 15:01:07

8 critical · 12 high · Search process, host, IP...


ALL	INTERNET	LOCAL	TCP	UDP	THREAT INTEL	RISKY
615	147	468	246	369	0	22
open connections	public addresses	LAN, loopback, link-local			feed matches	process risk 25+

Sort: Newest · Most upload · Most download · Highest risk · Longest open · 147 of 615 · Export CSV


Process	PID	Proto	Remote	Hostname	Port	Location	State	Out	I
System	4	UDP	172.188.155.25		137	SG Singapore, SG	udp	100 B	0 I
msedge.exe	66848	TCP	2a02:26f0:2b80:100::215:48dd		80	FR Paris, FR · Akamai	established	2.0 KB	13.0 MI
RemoteDesktopCompanion.exe	39984	TCP	2a03:2880:f060:13:face:b00c:0:8e	edge-mqtt6-shv-01-pmo1.facebook.com	443	IT Palermo, IT · Meta	established	34.7 KB	24 I
msedge.exe	66848	TCP	2620:1ec:33::11		443	US New York, US · Microsoft	established	12.4 KB	8.1 KI
Discord.exe	28384	TCP	162.159.134.234		443	CA Toronto, CA · Cloudflare	established	242 B	8.2 KI
codex.exe	61184	TCP	2606:4700:4408::ac40:9bd1	ab.chatgpt.com	443	CA Montreal, CA · Cloudflare	established	0 B	0 I
OVRServer_x64.exe	34540	TCP	2a03:2880:f160:82:face:b00c:0:25de	edge-star-mini6-shv-01-pmo1.facebook.c...	443	IT Palermo, IT · Meta	close-wait	0 B	0 I
firefox.exe	9552	TCP	34.107.243.93	93.243.107.34.bc.googleusercontent.com	443	US Kansas City, US · Google	established	0 B	0 I
claude.exe	7264	TCP	2607:6bc0::10	api.anthropic.com	443	US San Francisco (Financial District), US · An...	established	192 B	168 I
firefox.exe	9552	TCP	2a00:1450:4006:812::200a	ncmrsb-an-in-x0a.1e100.net	443	FR Marseille, FR · Google	established	5.1 KB	2.6 KI
codex.exe	61184	TCP	2606:4700:4408::ac40:9bd1	ab.chatgpt.com	443	CA Montreal, CA · Cloudflare	established	0 B	0 I
claude.exe	7092	TCP	2600:1901:0:9e23::	http-intake.logs.us5.datadoghq.com	443	US Kansas City, US	established	30.9 KB	5.6 KI
ChatGPT.exe	16188	TCP	2606:4700:4408::ac40:9bd1	ab.chatgpt.com	443	CA Montreal, CA · Cloudflare	established	0 B	0 I
ChatGPT.exe	16188	TCP	2606:4700:4403::ac40:94eb		443	CA Montreal, CA · Cloudflare	established	84 B	72 I
codex.exe	61184	TCP	2606:4700:4408::ac40:9bd1	ab.chatgpt.com	443	CA Montreal, CA · Cloudflare	established	0 B	0 I
ChatGPT.exe	16188	TCP	2606:4700:4403::ac40:94eb		443	CA Montreal, CA · Cloudflare	established	84 B	72 I
claude.exe	7092	TCP	160.79.104.10	api.anthropic.com	443	US San Francisco (Financial District), US · An...	established	18.7 KB	1.1 KI
RemoteDesktopCompanion.exe	39984	TCP	2a03:2880:f060:0:face:b00c:0:2	edge-star6-shv-01-pmo1.facebook.com	443	IT Palermo, IT · Meta	close-wait	0 B	0 I
explorer.exe	36780	TCP	2603:1046:c0c:c11::2		443	AE Dubai, AE · Microsoft	established	0 B	0 I
msedge.exe	66848	TCP	2620:1ec:33:1::11		443	US New York, US · Microsoft	established	7.3 KB	2.2 KI
claude.exe	9124	TCP	2607:6bc0::10	api.anthropic.com	443	US San Francisco (Financial District), US · An...	established	4.2 KB	4.7 KI

PROCESSES

Who is talking, and the full story of each



- Cards: running, online now, unsigned, odd location (Temp, Downloads, AppData…), risky, with alerts.
- Signature status with publisher, location flags, 60-second activity sparkline, bytes, connections, DNS queries and a decaying risk score.
- Buttons per row: ✦ explain, kill, block.



- **Process drawer**: parent, user, start time, command line, signer, SHA-256 with VirusTotal link, hosted services, traffic, listening sockets, alerts, connections, DNS and repeated contacts.
- **Terminate**, **Block in firewall** (shows the live state and turns into "allow"), **Trust** by file hash, and ✦ **Explain** with the answer and follow-up box inside the drawer.

ALERTS

Findings, ranked and explained

SherWatch
COMMAND CENTER

- Overview
- Globe
- Connections
- Processes
- Alerts 114
- DNS
- Inventory
- Assistant
- History
- Settings

Live feed
Packet capture
Administrator

Alerts 15:12:31

6 critical | 13 high | Search process, host, IP...


ALL	CRITICAL	HIGH	MEDIUM	LOW	INFO
438	8	18	69	21	322
436 open	6 open	18 open	69 open	21 open	322 open

Unacknowledged only 438 alerts

Acknowledge all | Export CSV | Export JSON

Alerts over the last 24 hours

critical high medium low info



ChatGPT Classic.exe connected to an IP without any DNS lookup — MEDIUM 15:09:56
No DNS query explains 2606:4700:440b::6812:2715:443. Malware often embeds its server address directly.
ChatGPT Classic.exe (43904) · 2606:4700:440b::6812:2715:443 · R20-hardcoded-ip · ×3
ack

node.exe opened a listening port tcp/3000 — INFO 15:08:12
C:\Program Files\nodejs\node.exe now accepts incoming connections on 0.0.0.0:3000. Backdoors and remote-access tools do this.
node.exe (33344) · 0.0.0.0:3000 · R14-new-listener
ack

AnyDesk.exe opened a listening port tcp/7070 — INFO 15:08:12
C:\Program Files (x86)\AnyDesk\AnyDesk.exe now accepts incoming connections on 0.0.0.0:7070. Backdoors and remote-access tools do this.
AnyDesk.exe (6204) · 0.0.0.0:7070 · R14-new-listener
ack

AnyDesk.exe opened a listening port tcp/65062 — INFO 15:08:12
C:\Program Files (x86)\AnyDesk\AnyDesk.exe now accepts incoming connections on 0.0.0.0:65062. Backdoors and remote-access tools do this.
AnyDesk.exe (6204) · 0.0.0.0:65062 · R14-new-listener
ack

OpenRGB.exe opened a listening port tcp/6742 — HIGH 15:08:12
C:\Program Files\OpenRGB\OpenRGB.exe now accepts incoming connections on 0.0.0.0:6742. Backdoors and remote-access tools do this.
OpenRGB.exe (6336) · 0.0.0.0:6742 · R14-new-listener
ack

OVRServer_x64.exe opened a listening port tcp/50788 — INFO 15:08:12
D:\Meta Horizon\Support\oculus-runtime\OVRServer_x64.exe now accepts incoming connections on 0.0.0.0:50788. Backdoors and remote-access tools do this.
OVRServer_x64.exe (34540) · 0.0.0.0:50788 · R14-new-listener
ack

OVRServer_x64.exe opened a listening port tcp/50811 — INFO

DETECTION

28 rules, from reputation to behaviour

RULE	SEV	LOOKS FOR	RULE	SEV	LOOKS FOR
R01 / R02	CRITICAL	IP or domain listed in a threat feed	R15	HIGH	Hosts-file hijack or blocked security vendor
R04	MEDIUM	Unsigned or invalid-signature program on the internet	R16	LOW	Connection to a watch-list country
R05	HIGH	Network program in Temp, Downloads, Desktop, Recycle Bin…	R17	MEDIUM	Fan-out: 100+ hosts in a minute (scan, spray, P2P)
R06	HIGH	Living-off-the-land binary (certutil, mshta, rundll32…) online	R18	LOW	Session open for over six hours on an odd port
R07	HIGH	Suspicious destination port: SMB, RDP, IRC, Tor, miners, SOCKS…	R19	HIGH	Network child of Office, Acrobat or a script host
R08	MEDIUM	Program bypassing the Windows resolver (own DNS)	R20	MEDIUM	Unsigned program using an IP no DNS query explains
R09	HIGH	Beaconing: regular timer-like check-ins	R21	CRITICAL	VirusTotal detections for an unsigned file
R10	HIGH	Large upload volume per minute / five minutes	R22	HIGH	Unsigned program accepting connections from other machines
R11	HIGH	DNS tunnelling patterns	R23	CRITICAL	Process named like svchost, lsass… outside Windows
R12	MEDIUM	Algorithm-generated domain names	R24 / R25	HIGH	Exploited software likely unpatched; Windows updates stale
R13	INFO	New application on the network (first time ever)	R26	HIGH	Published CVEs for the exact installed version
R14	HIGH	New listening port (info for signed software)	R27 / R28	CRITICAL	File leaving the PC; upload to a file-sharing service

Severities feed a per-process risk score that decays over time. Every threshold is editable on the Settings page; nothing is hard-coded. Trusting a file by hash silences the signature and location rules for that exact file only.

FILES LEAVING THE PC

A critical alert the moment something uploads

R27 · File upload by a non-approved program

Any program not on the approved-uploader list (OneDrive by default) that sends more than the threshold (5 MB in a minute, editable) to public addresses raises a **critical** alert naming the program, the amount and what to do. Backup clients, video calls and AI coding tools will trip it until you approve them deliberately.

R28 · Upload to a file-sharing service

51 built-in services (WeTransfer, Mega, Dropbox, GoFile, transfer.sh, Pastebin, the Telegram API, Discord, S3…) matched by hostname and by address, re-resolved on a schedule. A real upload is critical; merely browsing the site stays silent. The list and threshold are editable.

HONEST LIMITS

- The monitor sees bytes, never file names or content; everything is inferred from behaviour. Traffic is encrypted and is never inspected.
- Loopback traffic is excluded from all volume counts, so the dashboard itself and local dev servers cannot trigger these rules.
- Files leaving by USB stick, Bluetooth, network share, printer or remote-desktop clipboard are not network traffic and are not seen.
- Byte counts need administrator rights; without them R28 drops to a medium "connected to a file-sharing service" notice.

DNS

Every name lookup, per process

SherWatch
COMMAND CENTER

- Overview
- Globe
- Connections
- Processes
- Alerts 112
- DNS
- Inventory
- Assistant
- History
- Settings

Live feed
Packet capture
Administrator

DNS 15:01:41


8 critical | 12 high | Search process, host, IP...

ALL	A / AAAA	OTHER TYPES	FAILED	FLAGGED
400	298	102	252	0
queries captured	name to address	TXT, SRV, PTR...	NXDOMAIN and errors	intel, DGA, tunnelling

filter by name or proces | 400 queries | Export CSV

Most queried domains


recent queries



Time	Process	Query	Type	Status	Answers
15:01:39	msedge.exe	wpad	AAAA	123	
15:01:39	msedge.exe	wpad	A	bad param	
15:01:39	msedge.exe	wpad	AAAA	123	
15:01:39	msedge.exe	wpad	A	bad param	
15:01:36	codex.exe	ab.chatgpt.com	AAAA	ok	2606:4700:4408::ac40:9bd1, 2
15:01:36	codex.exe	ab.chatgpt.com	A	bad param	
15:01:35	sherwatch-desktop.exe	0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0…	PTR	NXDOMAIN	
15:01:35	sherwatch-desktop.exe	a.0.5.e.1.6.e.5.0.0.0.0.0.0.0.0.1.2…	PTR	NXDOMAIN	
15:01:35	sherwatch-desktop.exe	1.0.0.2.0.0.0.0.0.0.0.0.0.0.0.0.7.1…	PTR	ok	
15:01:35	sherwatch-desktop.exe	0.c.0.0.5.6.3.0.0.0.0.0.0.0.0.0.0.0…	PTR	NXDOMAIN	
15:01:35	sherwatch-desktop.exe	2.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.f.0…	PTR	NXDOMAIN	
15:01:35	sherwatch-desktop.exe	e.0.0.2.0.0.0.0.0.0.0.0.0.0.0.0.1.1…	PTR	ok	
15:01:35	sherwatch-desktop.exe	3.a.e.7.5.6.3.0.0.0.0.0.0.0.0.0.1.0…	PTR	NXDOMAIN	
15:01:35	sherwatch-desktop.exe	203.159.144.74.in-addr.arpa.	PTR	NXDOMAIN	
15:01:31	pid 8200	wpad	AAAA	123	
15:01:31	pid 8200	wpad	A	bad param	
15:01:31	pid 8200	wpad	AAAA	123	
15:01:31	pid 8200	wpad	A	bad param	
15:01:31	sherwatch-desktop.exe	d.8.4.f.5.1.2.0.0.0.0.0.0.0.0.0.1.0…	PTR	ok	
15:01:31	sherwatch-desktop.exe	65.16.150.216.in-addr.arpa.	PTR	NXDOMAIN	
15:01:28	msedge.exe	wpad	AAAA	123	
15:01:28	msedge.exe	wpad	A	bad param	
15:01:28	msedge.exe	wpad	AAAA	123	
15:01:28	msedge.exe	wpad	A	bad param	

INVENTORY


Installed software, services and their known exploits



ASSISTANT

An analyst that already has the facts

- Ask in plain language: "what is svchost 6400 doing?", "is cbservice.exe safe?", "which alerts matter today?", or "summarise my network".
- Every ✦ button attaches the context automatically: path, signature, publisher, parent, hosted services, connections with hostnames and owners, DNS, alerts with rule meanings, vulnerability matches. Answers end with a verdict and a recommended action.
- Answers appear where you are: inside the process drawer with a follow-up box, or in the Assistant view for general questions.
- Choose the model from a dropdown: a free keyless online model by default, any local Ollama model to keep everything on the PC, or Claude and OpenAI-compatible endpoints with your own key.



HISTORY

What happened while you were away

SherWatch
COMMAND CENTER

- Overview
- Globe
- Connections
- Processes
- Alerts 112
- DNS
- Inventory
- Assistant
- History
- Settings

Live feed
Packet capture
Administrator

History 15:02:04


8 critical | 12 high | Search process, host, IP...

1 h | 6 h | 24 h | 7 d | 30 d

stored locally in data/sherwatch.db


Traffic by application

msedgewebview2.exe | netmon-desktop.exe | msedge.exe | firefox.exe | codex.exe | sherwatch-desktop.exe | claude.exe | Other



Alerts

critical | high | medium | low | info




Closed connections 500 shown

Started	Duration	Process	Remote	Hostname	Country	Out	In	Flags
2026-11-01 15:01	1s	msedge.exe	2620:1ec:33::11:443		US US	5.4 KB	58.9 KB	
2026-11-01 15:01	0s	msedge.exe	2603:1047:1:118::80:443		MY MY	5.4 KB	9.3 KB	
2026-11-01 15:01	0s	msedge.exe	2620:1ec:4a::46:443		US US	4.5 KB	12.2 KB	
2026-11-01 15:01	1s	msedge.exe	2a02:26f0:2b80:102::216:fa64:443	g2a02-26f0-2b80-0102-0000-0000-0216-fa64.deploy.st...	FR FR	2.4 KB	22.0 KB	
2026-11-01 15:01	0s	msedge.exe	2a00:1450:4006:81c::2001:443	ncmrsa-aj-in-x01.1e100.net	FR FR	2.4 KB	172 KB	
2026-11-01 15:01	0s	sherwatch-desktop.exe	127.0.0.1:65301			2.2 KB	549 B	
2026-11-01 15:01	0s	msedge.exe	127.0.0.1:8787			544 B	23.0 KB	
2026-11-01 15:01	1s	msedge.exe	2603:1061:10:1::13:443		CA CA	24.0 KB	11.8 KB	
2026-11-01 15:01	0s	msedge.exe	13.107.6.158:443	bingforbusiness.com	US US	4.9 KB	9.7 KB	

SETTINGS AND CONTROL

Tune it, act on it, undo it



UNDER THE HOOD

Built for speed and a small attack surface

Collectors

Kernel network trace (ETW) for per-process bytes and DNS, socket tables polled every second, process inspector with Authenticode checks and hashing, reverse DNS, optional VirusTotal.

Analysis

Rules run every two seconds over a snapshot: feeds, GeoIP, timing windows for beacons and fan-out, DNS windows, inventory matching every 30 minutes.

Storage and intel

SQLite with a batching writer; feeds and the KEV catalogue cached on disk and refreshed on a schedule; manifest-driven feed additions.

Front ends

One Rust library, two thin binaries: a browser version and a Tauri desktop app with tray icon, single instance and an NSIS installer. Same dashboard, no drift.

SECURITY DESIGN

- Written in Rust; the UI is plain HTML with no framework and renders only escaped data.
- The API answers only the local dashboard: Host and Origin are checked on every request, which defeats DNS rebinding and cross-site requests from other tabs.
- The desktop window loads the local server like a browser tab and is granted no Tauri commands, so a rendering bug cannot reach the operating system.
- External tools run without consoles; the monitor exempts only its own process from rules that its own behaviour would trip.
- Nothing leaves the PC except feed downloads, the one-time public-IP lookup and the assistant requests you choose to send.

GETTING STARTED

Two ways to run it

Desktop app

Run `SherWatch_0.1.0_x64-setup.exe`. Start SherWatch from the Start menu, accept the administrator prompt, and the window opens on the Overview. Closing the window keeps it monitoring in the tray; Quit stops it.

Browser version

Run `run.cmd` in the project folder. The same prompt appears, the server starts and the dashboard opens at `http://127.0.0.1:8787/` in your browser.

FIRST MINUTES

- The GeoIP database (about 120 MB) downloads once; threat feeds refresh in the background. Everything works meanwhile.
- Administrator rights are what unlock byte counts, DNS capture and the file-exfiltration rules; without them the connection view still works.
- Expect a burst of info alerts on the first run as every program you use is seen for the first time; after that only new things are reported.
- When your own backup, call or AI tools trip the file-upload rule, approve them in Settings and they stay quiet.

DOCUMENTATION

User guide, detection rules, architecture, building, updating and third-party notices live in the `docs/` folder of the private repository `github.com/gokukhan/SherWatch`.