

tenable

Nessus Essentials

Scans

Settings

gokul / 192.168.1.1

< Back to Hosts

Filter

Search Vulnerabilities

26 Vulnerabilities

Sev	CVSS	VPR	EPSS	Name	Family	Count	
INFO				Netstat Portscanner (SSH)	Port scanners	38	
INFO				DCE Services Enumeration	Windows	8	
INFO				Service Detection	Service detection	7	
INFO				Web Server No 404 Error Code Check	Web Servers	3	
INFO				Remote Services Not Using Post-Quantum Ciphers	General	2	
INFO				Service Detection (HELP Request)	Service detection	2	
INFO				Common Platform Enumeration (CPE)	General	1	
INFO				Device Type	General	1	
INFO				Host Fully Qualified Domain Name (FQDN) Resolution	General	1	
INFO				Microsoft Windows NTLMSSP Authentication Request Remote Network Name Disclosure	Windows	1	
INFO				Nessus Scan Information	Settings	1	
INFO				Nessus Server Detection	Service detection	1	
INFO				Netstat Connection Information	General	1	
INFO				OS Fingerprints Detected	General	1	
INFO				OS Identification	General	1	

Configure

Audit Trail

Launch

Report

Export

Host Details

IP: 192.168.56.1
OS: Windows 11
Start: Today at 2:09 PM
End: Today at 2:50 PM
Elapsed: 41 minutes
KB: [Download](#)
Auth: Fail

Vulnerabilities

Critical

High

Medium

Low

Info

Tenable News

Amazon Cognito 1-Click Open Redirection via OAuth ...

Read More

tenable

Nessus Essentials

Scans

Settings

FOLDERS

My Scans

gokulintern task 3

All Scans

Trash

RESOURCES

Policies

Plugin Rules

Tenable News

What the Miasma campaign reveals about the new sup...

Read More

☐	INFO	Device Type	General	1	🔄	✎
☐	INFO	Host Fully Qualified Domain Name (FQDN) Resolution	General	1	🔄	✎
☐	INFO	Microsoft Windows NTLMSSP Authentication Request Remote Network Name Disclosure	Windows	1	🔄	✎
☐	INFO	Nessus Scan Information	Settings	1	🔄	✎
☐	INFO	Nessus Server Detection	Service detection	1	🔄	✎
☐	INFO	Netstat Connection Information	General	1	🔄	✎
☐	INFO	OS Fingerprints Detected	General	1	🔄	✎
☐	INFO	OS Identification	General	1	🔄	✎
☐	INFO	OS Identification and Installed Software Enumeration over SSH v2 (Using New SSH Library)	Misc.	1	🔄	✎
☐	INFO	OS Security Patch Assessment Not Available	Settings	1	🔄	✎
☐	INFO	Shor's Harvest Now Decrypt Later	General	1	🔄	✎
☐	INFO	SSL Root Certification Authority Certificate Information	General	1	🔄	✎
☐	INFO	Strict Transport Security (STS) Detection	Service detection	1	🔄	✎
☐	INFO	Target Credential Status by Authentication Protocol - No Credentials Provided	Settings	1	🔄	✎
☐	MIXED	 📁 SSL (Multiple Issues)	General	10	🔄	✎
☐	INFO	 📁 HTTP (Multiple Issues)	Web Servers	9	🔄	✎
☐	INFO	 📁 SMB (Multiple Issues)	Windows	6	🔄	✎
☐	INFO	 📁 TLS (Multiple Issues)	General	5	🔄	✎
☐	INFO	 📁 TLS (Multiple Issues)	Service detection	3	🔄	✎

Low

Info

GOKULNATH

gokul / 192.168.56.1 / SSL (Multiple Issues)

[← Back to Vulnerabilities](#)

Vulnerabilities 26

Sev	CVSS	VPR	EPSS	Name	Family	Count	
MEDIUM	6.5			SSL Certificate Cannot Be Trusted	General	1	
MEDIUM	6.5			SSL Self-Signed Certificate	General	1	
MEDIUM	5.3			SSL Certificate Expiry	General	1	
INFO				SSL Cipher Suites Supported	General	2	
INFO				SSL Perfect Forward Secrecy Cipher Suites Supported	General	2	
INFO				SSL Certificate 'commonName' Mismatch	General	1	
INFO				SSL Certificate Information	General	1	
INFO				SSL Cipher Block Chaining Cipher Suites Supported	General	1	

Scan Details

Policy: Basic Network Scan
Status: Completed
Severity Base: CVSS v3.0
Scanner: Local Scanner
Start: Today at 2:09 PM
End: Today at 2:50 PM
Elapsed: 41 minutes

Vulnerabilities



tenable

Nessus Essentials

Scans

Settings

2

GOKULNATH

FOLDERS

My Scans

gokulintern task 3

All Scans

Trash

RESOURCES

Policies

Plugin Rules

Tenable News

Operationalize CISA BOD 26-04 with Tenable One

Read More

gokul / Plugin #51192

[Back to Vulnerability Group](#)

Configure

Audit Trail

Launch

Report

Export

Vulnerabilities26

MEDIUM

SSL Certificate Cannot Be Trusted

Description

The server's X.509 certificate cannot be trusted. This situation can occur in three different ways, in which the chain of trust can be broken, as stated below :

- First, the top of the certificate chain sent by the server might not be descended from a known public certificate authority. This can occur either when the top of the chain is an unrecognized, self-signed certificate, or when intermediate certificates are missing that would connect the top of the certificate chain to a known public certificate authority.

- Second, the certificate chain may contain a certificate that is not valid at the time of the scan. This can occur either when the scan occurs before one of the certificate's 'notBefore' dates, or after one of the certificate's 'notAfter' dates.

- Third, the certificate chain may contain a signature that either didn't match the certificate's information or could not be verified. Bad signatures can be fixed by getting the certificate with the bad signature to be re-signed by its issuer. Signatures that could not be verified are the result of the certificate's issuer using a signing algorithm that Nessus either does not support or does not recognize.

If the remote host is a public host in production, any break in the chain makes it more difficult for users to verify the authenticity and identity of the web server. This could make it easier to carry out man-in-the-middle attacks against the remote host.

Solution

Purchase or generate a proper SSL certificate for this service.

See Also

<https://www.itu.int/rec/T-REC-X.509/en>
<https://en.wikipedia.org/wiki/X.509>

Plugin Details

Severity:Medium

ID:51192

Version:1.20

Type:remote

Family:General

Published:December 15, 2010

Modified:June 16, 2025

Risk Information

Risk Factor: Medium

CVSS v3.0 Base Score: 6.5

CVSS v3.0 Vector: CVSS:3.0/AV:N/AC:L/PR:N/UI:N/S:U/C:L/I:L/A:N

CVSS v2.0 Base Score: 6.4

CVSS v2.0 Vector: CVSS2#AV:N/AC:L/Au:N/C:P/I:P/A:N

Output

The following certificate was part of the certificate chain sent by the remote host, but it has expired :

```
|-Subject   : C=US/ST=Illinois/L=Chicago/O=Zaphoyd Studios/OU=WebSocket++/CN=Peter Thorson/E=webmaster@zaphoyd.com
|-Not After  : Nov 14 21:20:06 2012 GMT
```

The following certificate was at the top of the certificate chain sent by the remote host, but it is signed by an unknown

gokul / Plugin #57582

Vulnerabilities 26

MEDIUM SSL Self-Signed Certificate

Description

The X.509 certificate chain for this service is not signed by a recognized certificate authority. If the remote host is a public host in production, this nullifies the use of SSL as anyone could establish a man-in-the-middle attack against the remote host.

Note that this plugin does not check for certificate chains that end in a certificate that is not self-signed, but is signed by an unrecognized certificate authority.

Solution

Purchase or generate a proper SSL certificate for this service.

Output

The following certificate was found at the top of the certificate chain sent by the remote host, but is self-signed and was not found in the list of known certificate authorities :

| -Subject : C=US/ST=Illinois/L=Chicago/O=Zaphoyd Studios/OU=WebSocket++/CN=Peter Thorson/E=webmaster@zaphoyd.com

To see debug logs, please visit individual host

Port	Hosts
9012 / tcp / www	192.168.56.1

Plugin Details

Severity:	Medium
ID:	57582
Version:	1.6
Type:	remote
Family:	General
Published:	January 17, 2012
Modified:	June 14, 2022

Risk Information

Risk Factor: Medium
CVSS v3.0 Base Score: 6.5
CVSS v3.0 Vector:
CVSS:3.0/AV:N/AC:L/PR:N/UI:N/S:U/C:L/I:L/A:N
CVSS v2.0 Base Score: 6.4
CVSS v2.0 Vector:
CVSS2#AV:N/AC:L/Au:N/C:P/I:P/A:N

gokul / Plugin #15901

[← Back to Vulnerability Group](#)

Vulnerabilities 26

MEDIUM **SSL Certificate Expiry**

Description
This plugin checks expiry dates of certificates associated with SSL- enabled services on the target and reports whether any have already expired.

Solution

Solution

Purchase or generate a new SSL certificate to replace the existing one.

Output

The SSL certificate has already expired :

```
Subject       : C=US, ST=Illinois, L=Chicago, O=Zaphoyd Studios, OU=WebSocket++, CN=Peter Thorson, emailAddress=webmaster@zaphoyd.com
Issuer        : C=US, ST=Illinois, L=Chicago, O=Zaphoyd Studios, OU=WebSocket++, CN=Peter Thorson, emailAddress=webmaster@zaphoyd.com
Not valid before : Nov 15 21:20:06 2011 GMT
Not valid after  : Nov 14 21:20:06 2012 GMT
```

To see debug logs, please visit individual host

Port	Hosts
9012 / tcp / www	192.168.56.1

Plugin Details

```
Severity:      Medium
ID:           15901
Version:      1.51
Type:         remote
Family:       General
Published:    December 3, 2004
Modified:     December 8, 2025
```

Risk Information

Risk Factor: Medium
CVSS v3.0 Base Score: 5.3
CVSS v3.0 Vector:
CVSS:3.0/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:L/A:N
CVSS v2.0 Base Score: 5.0
CVSS v2.0 Vector:
CVSS2#AV:N/AC:L/Au:N/C:N/I:P/A:N