

PLACEMENT CELL

PROJECT REPORT

Submitted in partial fulfillment of requirement for the award of the Degree

Bachelor of Computer Science

In the faculty of Computer Science of Bharathiar University, Coimbatore

Submitted by

K.VAISHNAVI

(Reg.No.2022K0168)

Under the guidance of

Dr.A.POORNIMA MCA.,M.Phil.,Ph.D.,

Guest lecturer , Department of Computer Science



Department of Computer Science

L.R.G GOVERNMENT ARTS COLLEGE FOR WOMEN

(Affiliated To Bharathiar University)

TIRUPUR-4

APRIL-2023

CERTIFICATE

This is to certify that the project work entitled "**PLACEMENT CELL**" Submitted to Bharathiar University in partial fulfilled of the requirement for the award of the Degree of Bachelor of computer science is a record of the original work done by **Ms.K.VAISHNAVI (Reg.No.2022K0168)** Under my supervisor and that project work has not formed the basis for the any Degree /Diploma /Association /Fellowship or similar title to any candidate of any university.

Internal Guide

Dr.A.POORNIMA MCA.,M.Phil.,Ph.D.,

Head of the Department

Dr.R.PARIMALA MSc.,M.Phil.,Ph.D.,

Viva-voce examination is held on _____ L.R.G Government Arts College for Women, Tirupur-641604.

Internal Examiner

External Examiner

DECLARATION

DECLARATION

I hereby declare that the project work submitted to the **UG Department of the Computer Science, L.R.G. Government Arts College for Women, Tirupur**, affiliated to Bharathiar University, Coimbatore in the partial fulfillment of the required for the award of Bachelor of Computer Science is an original work done by me during the sixth semester.

Place:

Signature of the Candidate

Date:

(K.VAISHNAVI)

(Reg.No:2022K0168)

ACKNOWLEDGEMENT

ACKNOWLEDGEMENT

I would like to external my thankfulness to the almighty for blessing the work of my hands, I am grateful to my parents for continued encouragement that they had given to me.

I would like to external my profound gratitude and sincere thanks to **Dr.M.R.YEZHILI MA.,M.Phil.,Ph.D** Principal, L.R.G Government Arts College For Women , for the encouragement rendered to me during this project.

It's my privilege to thank **Dr.R.PARIMALA MSc.,M.Phil.,Ph.D** Incharge Head of the department of computer science for her valuable guidance and support throughout the project development work.

I express my deep sense of gratitude and sincere thanks to my guide **Dr.A.POORNIMA MCA.,M.Phil.,Ph.D** Lecturer, Department of computer science, for providing all sorts of facilities to complete my project work successfully.

I also extend my sincere thanks to all the other faculty member of the department and technical assistance for their co-operation and valuable guidance.

I thank our college library for providing me with many informative books that help me to enrich my knowledge to bring out the project successfully.

SYNOPSIS

SYNOPSIS

From a student's perspective, placements can bring a wide range of benefits and opportunities. Training and management of placement is a crucial part of an educational institution in which most of the work is done manually. Manual system in the colleges requires a lot of manpower and time. With this project we aim to develop a web portal to solve this issue. The project is aimed at developing an application for the placement department of the college. The system is an application which will be accessed and effectively used throughout the organization with proper login enabled. It can also be used as an application for the Placement Officers in the college to manage the student information about placement thus reducing the manual work and consumes less paperwork. The system also provides the facility of viewing the personal and academic information of the student. The system gets the requested list of candidates for the companies who would like to recruit the people according to their eligibility criteria. Larval framework is used to facilitate the process of making the program.

CHAPTER 1

1. INTRODUCTION

1.1 ORGANIZATION PROFILE

Tata Consultancy Services Ltd (TCS), a subsidiary of Tata Sons Pvt Ltd, is a provider of information technology (IT) services. It offers IT infrastructure services, engineering, and industrial services, business intelligence, business process outsourcing, and consulting services, cloud services, quality engineering, block chain, enterprise solutions, and IoT. The company offers business solutions to various industries, including banking, financial services, communication, media, technology, insurance, life sciences and healthcare, retail, consumer goods and distribution, manufacturing, information services, Hi-Tech, education, energy and utilities, life sciences, healthcare, travel, transportation, and hospitality. Its software products comprise TCS BaNCS, Ignio, TAP, TCS iON, TCS TwinX, TCS Optumera, TCS OmniStore, TCS ADD, TCS HOBS, Quartz, Jile, and TCS MasterCraft. The company has operations across Latin America, North America, Europe, Asia-Pacific, the Middle East, and Africa. TCS is headquartered in Mumbai, Maharashtra, India.

TCS offers a consulting-led, cognitive-powered, integrated portfolio of business, technology, and engineering services and solutions. This is delivered through its unique Location Independent Agile™ delivery model, recognized as a benchmark of excellence in software development.

A part of the Tata group, India's largest multinational business group, TCS has over 592,000 of the world's best-trained consultants in 55 countries. The company generated consolidated revenues of US \$25.7 billion in the fiscal year ended March 31, 2022, and is listed on the BSE (formerly Bombay Stock Exchange) and the NSE (National Stock Exchange) in India.

1.2 SYSTEM SPECIFICATION

System Requirements Specification also known as Software Requirements Specification, is a document or set of documentation that describes the features and behavior of a software application

WINDOWS OS

Windows is a graphical operating system developed by Microsoft. It allows users to view and store files, run the software, play games, watch videos, and provides a way to connect to the internet. It was released for both home computing and professional works.

Microsoft introduced the first version as 1.0

It was released for both home computing and professional functions of Windows on 10 November 1983. Later, it was released on many versions of Windows as well as the current version, Windows 10.

In 1993, the first business-oriented version of Windows was released, which is known as Windows NT 3.1. Then it introduced the next versions, Windows 3.5, 4/0, and Windows 2000. When the XP Windows was released by Microsoft in 2001, the company designed its various versions for a personal and business environment. It was designed based on standard x86 hardware, like Intel and AMD processor. Accordingly, it can run on different brands of hardware, such as HP, Dell, and Sony computers, including home-built PCs.

[Play Video](#)

Editions of Windows

Microsoft has produced several editions of Windows, starting with Windows XP. These versions have the same core operating system, but some versions included advance features with an additional cost. There are two most common editions of Windows:

- Windows Home
- Windows Professional

Windows Home is basic edition of Windows. It offers all the fundamental functions of Windows, such as browsing the web, connecting to the Internet, playing video games, using office software, watching videos. Furthermore, it is less expensive and comes pre-installed with many new computers.

JAVA

Java is a high-level programming language developed by Sun Microsystems. It was originally designed for developing programs for set-top boxes and handheld devices, but later became a popular choice for creating web applications.

The Java syntax is similar to C++, but is strictly an object-oriented programming language. For example, most Java programs contain classes, which are used to define objects, and methods, which are assigned to individual classes. Java is also known for being stricter than C++, meaning variables and functions must be explicitly defined. This means Java source code may produce errors or "exceptions" more easily than other languages, but it also limits other types of errors that may be caused by undefined variables or unassigned types.

Unlike Windows executable (.EXE files) or Macintosh applications (.APP files), Java programs are not run directly by the operating system. Instead, Java programs are interpreted by the Java Virtual Machine, or JVM, which runs on multiple platforms. This means all Java programs are multiplatform and can run on different platforms, including Macintosh, Windows, and Unix computers. However, the JVM must be installed for Java applications or applets to run at all. Fortunately, the JVM is included as part of the Java Runtime Environment (JRE),

SQL

Structured query language (SQL) is a programming language for storing and processing information in a relational database. A relational database stores information in tabular form, with rows and columns representing different data attributes and the various relationships between the data values. You can use SQL statements to store, update, remove, search, and retrieve information from the database. You can also use SQL to maintain and optimize database performance.

Relational database management systems use structured query language (SQL) to store and manage data. The system stores multiple database tables that relate to each other. MS SQL Server, MySQL, or MS Access are examples of relational database management systems. The following are the components of such a system.

A SQL table is the basic element of a relational database. The SQL database table consists of rows and columns. Database engineers create relationships between multiple database tables to optimize data storage space.

SQL statements, or SQL queries, are valid instructions that relational database management systems understand. Software developers build SQL statements by using different SQL language elements. SQL language elements are components such as identifiers, variables, and search conditions that form a correct SQL statement.

1.2.1 HARDWARE SPECIFICATION

- Processor : P 4 700 GHz.
- RAM : 4 GB RAM
- Hard Disk Drive : 180 GB

1.2.2 SOFTWARE SPECIFICATION

- Operating System : Windows 7/8/10
- Front End : JAVA
- Back End : SQL

CHAPTER 2

SYSTEM STUDY

2.1 EXISTING SYSTEM

In colleges the records were stored in excel sheets hence sorting the data is always a problem. The excel sheets are also less advanced. Hence sorting and searching problems arises. Updating Records is another tedious task. Due to the above problems the updating was very difficult and ambiguous. Data redundancy also occurs due to the duplication of files and records. The files were not stored in a hierarchical format, hence searching the eligible students was the greatest problem [1]. The placement officer has to find out the eligible students by looking at the excel sheet. He/she has to see the marks of every student and their eligibility.

2.1.1 DRAWBACKS

- students face is that they are not made aware of the Training and Placement activity held in their institutions, hence there might have been a loss of opportunities
- Hence lots of confusion at the last moment also arises

2.2 PROPOSED SYSTEM

To design and implement a web-based placement management system. High-quality placements bring good benefits and positive impacts on students as well as for the colleges. During this process college finds it difficult and time-consuming to collect data from each student. In most cases they collect data manually. Working in a manual system in the colleges requires a lot of manpower and time. The placement management system is an online application that can be accessed throughout the college and outside with proper login details. This system can be used as an application for the placement officer, Hod, faculty coordinator of the college to manage the student information with regards to placement. The student is able to upload their information.

2.2.1 FEATURES

- Can track the student details
- Easy to apply the job systematically

CHAPTER 3

SYSTEM DESIGN AND DEVELOPMENT

3.1 FILE DESIGN

The selection of the file system design approach is done according to the needs of the developers what are the needed requirements and specifications for the new design. It allowed us to identify where our proposal fitted in with relation to current and past file system development. Our experience with file system development is limited so the research served to identify the different techniques that can be used. The variety of file systems encountered show what an active area of research file system development is. The file systems may be from one of the two fundamental categories. In one category, the file system is developed in user space and runs as a user process. Another file system may be developed in the kernel space and runs as a privileged process. Another one is the mixed approach in which we can take the advantages of both aforesaid approaches. Each development option has its own pros and cons. In this article, these design approaches are discussed.

A file system is the data structure designed to support the abstraction of the data blocks as an archive and collection of files. This data structure is unique because it is stored on secondary storage (usually the disk), which is a very slow device.

The file system structure is the most basic level of organization in an operating system. Almost all of the ways an operating system interacts with its users, applications, and security model are dependent upon the way it organizes files on storage devices.

File Design Information systems in business are file and database oriented. Data are accumulated into files that are processed or maintained by the system. The systems analyst is responsible for designing files, determining their contents and selecting a method for organizing the data.

The most important purpose of a file system is to manage user data. This includes storing, retrieving and updating data. Some file systems accept data for storage as a stream of bytes which are collected and stored in a manner efficient for the media.

3.2 INPUT DESIGN

The input design is the link between the information system and the user. It comprises the developing specification and procedures for data preparation and those steps are necessary to put transaction data in to a usable form for processing can be achieved by inspecting the computer to read data from a written or printed document or it can occur by having people keying the data directly into the system. The design of input focuses on controlling the amount of input required, controlling the errors, avoiding delay, avoiding extra steps and keeping the process simple. The input is designed in such a way so that it provides security and ease of use with retaining the privacy. Input Design considered the following things:

- What data should be given as input?
- How the data should be arranged or coded?
- The dialog to guide the operating personnel in providing input.
- Methods for preparing input validations and steps to follow when error occur.

OBJECTIVES

- Input Design is the process of converting a user-oriented description of the input into a computer-based system. This design is important to avoid errors in the data input process and show the correct direction to the management for getting correct information from the computerized system.
- It is achieved by creating user-friendly screens for the data entry to handle large volume of data. The goal of designing input is to make data entry easier and to be free from errors. The data entry screen is designed in such a way that all the data manipulates can be performed. It also provides record viewing facilities.
- When the data is entered it will check for its validity. Data can be entered with the help of screens. Appropriate messages are provided as when needed so that the user
- will not be in maize of instant. Thus the objective of input design is to create an input layout that is easy to follow

3.3 OUTPUT DESIGN

The design of output is the most important task of any system. During output design, developers identify the type of outputs needed, and consider the necessary output controls and prototype report layouts.

External Outputs

Manufacturers create and design external outputs for printers. External outputs enable the system to leave the trigger actions on the part of their recipients or confirm actions to their recipients.

Some of the external outputs are designed as turnaround outputs, which are implemented as a form and re-enter the system as an input.

Internal outputs

Internal outputs are present inside the system, and used by end-users and managers. They support the management in decision making and reporting.

Output Integrity Controls

Output integrity controls include routing codes to identify the receiving system, and verification messages to confirm successful receipt of messages that are handled by network protocol.

Printed or screen-format reports should include a date/time for report printing and the data. Multipage reports contain report title or description, and pagination. Pre-printed forms usually include a version number and effective date.

3.4 DATABASE DESIGN

Today's businesses depend on their databases to provide information essential for day-to-day operations, especially in case of electronic commerce businesses who has a definite advantage with up-to-date database access. Good design forms the foundation of any database, and experienced hands are required in the automation process to design for optimum and stable performance.

Software Solutions have been constantly working on these platforms and have attained a level of expertise. We apply proven methodologies to design, develop, integrate and implement database systems to attain its optimum level of performance and maximize security to meet the client's business model.

Business needs addressed:

- Determine the basic objects about which the information is stored
- Determine the relationships between these groups of information and the objects
- Effectively manage data and create intelligent information
- Remote database administration or on site administrative support
- Database creation, management, and maintenance
- Information retrieval efficiency, remove data redundancy and ensure data security

The most important consideration in designing the database is how the information will be used. The main objective of designing a database is Data Integration, Data Integrity and Data Independence.

Data Integration In a database, information from several files is coordinated, accessed and operated upon as though it is in a single file. Logically, the information is centralized, physically; the data may be located on different devices, connected through data communication facilities.

Data Integrity

Data integrity means storing all data in one place only and how each application accesses it. This approach results in more consistent information, one update being sufficient to achieve a new record status for all applications. This leads to less data redundancy that is data items need not be duplicated.

Data Independence

Data independence is the insulation of application programs from changing aspects of physical data organization. This objective seeks to allow changes in the content and organization of physical data without reprogramming of application and allow modifications to application programs without reorganizing the physical data.

3.5 SYSTEM DEVELOPMENT

Systems development is the process of defining, designing, testing, and implementing a new software application or program. It could include the internal development of customized systems, the creation of database systems, or the acquisition of third party developed software.

Systems development life cycle phases include planning, system analysis, system design, development, implementation, integration and testing, and operations and maintenance.

3.5.1 DESCRIPTION OF MODULES

Admin Module

The Placement officer is the administrator of the system. Admin plays a very crucial role in the system. Admin can log in through a username and password. He/she can maintain the placement activities via the system. Admin can add departments, create new batches, add /delete drives. Students can directly join in the placement drive if interested. Admin can manage the training programs conducted in the college. Admin is also able to analyze the placement activities of each student.

Student Module

Every student is given a default username and password, using this he/she can enter the system. Students can fill the necessary details like 10 th grade etc. if interested, students can register for the upcoming drives. The student is also able to attend the online aptitude test being conducted in the system. Based on this aptitude test and other criteria the placement probabilities of a particular student are been predicted.

Placement company details

Admin logged in to the portal and register the company details. Before registering the details, they should login and enter these details because of the security reason. Whatever the placement company details are entering which will be shown in the student screen then only they can applied the company.

Apply Company

Once the company details are entered then student can apply the job opportunity. In this module has displayed some details about the interview and the interview process, interview date and etc. it will be notify by the admin once its apply.

Student Applies Details

When the students are applied the job portal the notification will be sent to the admin/teacher. Then the teacher can be verifying the student details and share their resume to the company.

CHAPTER 4

TESTING AND IMPLEMENTATION

TESTING METHODOLOGIES

System testing is state of implementation, which is aimed at ensuring that the system works accurately and efficiently as expect before live operation commences. It certifies that the whole set of programs hang together.

System testing requires a test plan that consists of several key activities and step for run program, string, system and user acceptance testing. The implementation of newly designed package is important in adopting a successful new system

Testing is the important stage in software development. the system test in implementation stage in software development process. The system testing implementation should be confirmation that all is correct and an opportunity to show the users that the system works as expected. It accounts the largest percentage of technical effort in the software development process.

Testing phase in the development cycle validates the code against the functional specification testing is vital to achievement of the system goals. The objective of the testing is to discover errors to fulfill this objective a series of test step unit, integration. Validation and system tests were planned and executed the test steps are:

SYSTEM TESTING

Testing is an integral part of any system development life cycle. Insufficient and untested applications may tend to crash and the result is loss of economic and manpower investment besides user's dissatisfaction and downfall of reputation. Software testing can be looked upon as one among many processes, an organization performs, and that provides the lost opportunity to correct any flaws in the developed system. Software testing includes selecting test data that have more probability of giving errors.

The first step in system testing is to develop a plan that tests all aspects of the system. Completeness, correctness, reliability and maintainability of the software are to be tested for the best quality assurance that the system meets the specification and requirements for its intended use and performance. System testing is the most useful practical process of

executing a program with the implicit intention of finding errors that make the program fail. System testing is done in three phases.

- Unit Testing
- Integration Testing
- Validation Testing

UNIT TESTING

Unit testing focuses verification effort on the smallest unit of software the module. Using the detailed design and the process specification testing is done to registration by the user with in the boundary of the Login module. The login form receives the username and password details and validates the value with the database. If valid, the home page is displayed.

INTEGRATION TESTING

Integration Testing is the process of this activity can be considered as testing the design and hence module interaction. The primary objective of integration testing is to discover errors in the interfaces between the components. Login form and registration form are integrated and tested together. If the user is newly registered, the received details will be stored in the registration table. While logging in, the application will check for valid user name and password in the registration table and if valid the user is prompted for submitting complaints.

Data can be lost across an interface, one module can have adverse effect on another sub function when combined it may not produce the desired major functions. Integration testing is a systematic testing for constructing test to uncover errors associated within an interface.

The objectives taken from unit tested modules and a program structure is built for integrated testing. All the modules are combined and the test is made.

A correction made in this testing is difficult because the vast expenses of the entire program complicated the isolation of causes. In this integration testing step, all the errors are corrected for next testing process.

VALIDATION TESTING

Validation are independent procedures that are used together for checking that a product, service, or system meets requirements and specifications and that it fulfills its purpose the actual result from the expected result for the complaint process. Select the complaint category of the complaint by user. The input given to various forms fields are validated effectively. Each module is tested independently. It is tested that the complaint module fields receive the correct input for the necessary details such as complaint category, complaint id, reference name, complaint description, and email for further process.s

After the completion of the integrated testing, software is completely assembled as a package; interfacing error has been uncovered and corrected and a final series of software test validation begins.

Validation testing can be defined in many ways but a simple definition is that validation succeeds when the software function in a manner that can be reasonably expected by the customer. After validation test has been conducted, one of two possible conditions exists.

OUTPUT TESTING

The next process of validation testing, is output testing of the proposed system, since no system could be successful if it does not produce the required output in the specified format. Asking the user about the format required, list the output to be generated or displayed by the system under considerations.

Output testing is a different test whose primary purpose is to fully exercise the computer based system although each test has a different purpose all the work should verify that all system elements have been properly integrated and perform allocated functions.

The output format on the screen is found to be corrected as the format was designed in the system design phase according to the user needs for the hard copy also; the output testing has not resulted in any correction in the system.

SYSTEM IMPLEMENTATION

When the initial design was done for the system, the client was consulted for the acceptance of the design so that further proceedings of the system development can be carried on. After the development of the system a demonstration was given to them about the working of the system. The aim of the system illustration was to identify any malfunction of the system.

After the management of the system was approved the system implemented in the concern, initially the system was run parallel with existing manual system. The system has been tested with live data and has proved to be error free and user friendly.

Implementation is the process of converting a new or revised system design into an operational one when the initial design was done by the system; a demonstration was given to the end user about the working system.

This process is used to verify and identify any logical mess working of the system by feeding various combinations of test data. After the approval of the system by both end user and management the system was implemented.

System implementation is made up of many activities. The six major activities are as follows.

CODING

Coding is the process of whereby the physical design specifications created by the analysis team turned into working computer code by the programming team. A design code may be a tool which helps ensure that the aspiration for quality and quantity for customers and their requirements, particularly for large scale projects, sought by the water agency. Design pattern are documented tried and tested solutions for recurring problems in a given context. So basically you have a problem context and the proposed solution for the same.

INSTALLATION

Installation is the process during which the current system is replaced by the new system. This includes conversion of existing data, software, and documentation and work procedures to those consistent with the new system.

DOCUMENTATION

Documentation is descriptive information that describes the use and operation of the system. The user guide is provided to the end user as the student and administrator. The documentation part contains the details as follows,

User requirement and water agency details administration has been made online. Any customer can request their water requirement details through online and also use of documentation, they can view the purpose of each purpose, The admin could verify the authentication of the users, users requirements and need to take delivery process, thus the documentation is made of full view of project thus it gives the guideline to study the project and how to execute also.

USER TRAINING AND SUPPORT

The software is installed at the deployment environment, the developer will give training to the end user of the regional transport officer and police admin officer in that software. The goal of an end user training program is to produce a motivated user who has the skills needed to apply what has been learned to perform the job related task. The following are the instruction which is specified the handling and un-handling events in the application,

- The authenticated user of admin and office workers only login in the application with authorized username and password.
- Don't make user waste their time to come straight to the water agency or make a phone call.
- It can easily track through online by the user.
- Very user friendliness software

IMPLEMENTATION PROCEDURES

Implementation includes all the activities that take place to convert the old system to the new one. Proper implementation is essential to provide a reliable system to meet the organization requirements. Implementation is the stage in the project where the theoretical design is turned into a working system. The most crucial stage is achieving a successful new system & giving the user confidence in that the new system will work efficiently & effectively in the implementation state.

IMPLEMENTATION PROCEDURES

PILOT RUNNING

Processing the current data by only one user at a time called the pilot running process. When one user is accessing the data at one system, the system is set to be engaged and connected in network. This process is useful only in system where more than one user is restricted.

PARALLEL RUNNING:

Processing the current data by more than one user at a time simultaneously is said to be parallel running process. This same system can be viewed and accessed by more than one user at the time. Hence the implementation method used in the system is a pilot type of implementation.

Implementation is the stage in the project where the theoretical design is turned into a working system. The most crucial stage is achieving a successful new system & giving the user confidence in that the new system will work efficiently & effectively in the implementation state.

The stage consists of,

- Testing the developed program with sample data.
- Detection's and correction of error.
- Creating whether the system meets user requirements.
- Making necessary changes as desired by the user.
- Training user personnel.

USER TRAINING

User Training is designed to prepare the user for testing & consenting the system. .

- User Manual.
- Help Screens.
- Training Demonstration.

USER MANUAL

The summary of important functions about the system and software can be provided as a document to the user.

HELP SCREENS

This features now available in every software package, especially when it is used with a menu. The user selects the “Help” option from the menu. The system accesses the necessary description or information for user reference.

TRAINING DEMONSTRATION:

Another User Training element is a Training Demonstration. Live demonstrations with personal contact are extremely effective for Training Users.

SYSTEM MAINTENANCE

Maintenance is actually the implementation of the review plan. As important as it is, many programmers and analysts are to perform or identify themselves with the maintenance effort. There are psychological, personality and professional reasons for this. Analysts and programmers spend far more time maintaining programs than they do writing them. Maintenance accounts for 50-80 percent of total system development

Maintenance is expensive. One way to reduce the maintenance costs are through maintenance management and software modification audits.

- Maintenance is not as rewarding as exciting as developing systems. It is perceived as requiring neither skill nor experience.
- Users are not fully cognizant of the maintenance problem or its high cost.
- Few tools and techniques are available for maintenance.
- A good test plan is lacking.
- Standards, procedures, and guidelines are poorly defined and enforced.
- Programs are often maintained without care for structure and documentation.
- There are minimal standards for maintenance.
- Programmers expect that they will not be in their current commitment by time their programs go into the maintenance cycle.

Corrective Maintenance

It means repairing, processing or performance failure or making changes because of previously uncovered problems or false assumptions. Task performed to identify, isolate, and rectify a fault so that the failed equipment, machine, or system can be restored to an operational condition within the tolerances or limits established for in-service operations.

Corrective maintenance can be subdivided into "immediate corrective maintenance" (in which work starts immediately after a failure) and "deferred corrective maintenance" (in which work is delayed in conformance to a given set of maintenance rules).

Perfective Maintenance

It means changes made to a system to add new features or to improve performance. Preventive maintenance is predetermined work performed to a schedule with the aim of preventing the wear and tear or sudden failure of equipment components. process or control equipment failure can have adverse results in both human and economic terms. In addition to down time and the costs involved to repair and/or replace equipment parts or components, there is the risk of injury to operators, and of acute exposures to chemical and/or physical agents.

Time-based or run-based Periodically inspecting, servicing, cleaning, or replacing parts to prevent sudden failure .On-line monitoring of equipment in order to use important/expensive parts to the limit of their serviceable life. Preventive maintenance involves changes made to a system to reduce the chance of future system failure.

An example of preventive maintenance might be to increase the number of records that a system can process far beyond what is currently needed or to generalize how a system sends report information to a printer so that so that the system can adapt to changes in printer technology.

Preventive Maintenance

Changes made to a system to avoid possible future problems Perfective maintenance involves making enhancements to improve processing performance, interface usability, or to add desired, but not necessarily required, system features. The objective of perfective maintenance is to improve response time, system efficiency, reliability, or maintainability.

During system operation, changes in user activity or data pattern can cause a decline in efficiency, and perfective maintenance might be needed to restore performance. Usually, the perfective maintenance work is initiated by the IT department, while the corrective and adaptive maintenance work is normally requested by users.

CHAPTER 5

CONCLUSION

College Placement Cells (CPC) play a crucial role in helping students transition from the academic world to the professional world. These cells act as intermediaries between students and potential employers, helping to connect students with job opportunities that match their skills and interests.

One of the biggest advantages of college placement cells is the support they offer to students as they navigate the job search process. CPCs provide a range of services, including resume and cover letter writing workshops, mock interviews, and career counseling, to help students prepare for the job search process and stand out to potential employers.

Another advantage of college placement cells is the access they provide to job opportunities that may not be easily accessible to students on their own. CPCs maintain relationships with a wide range of employers and often receive job postings that are not advertised publicly. This gives students a competitive edge in the job market and increases their chances of finding a job that matches their skills and interests.

College placement cells also offer benefits to employers seeking to recruit new talent. By working with CPCs, employers can connect with a pool of qualified candidates and save time and resources in the recruitment process.

Overall, college placement cells play a critical role in helping students launch their careers and connect with potential employers. As the job market continues to evolve, CPCs will likely become even more important in supporting students as they navigate the increasingly competitive job market.

BIBLIOGRAPHY

Reference:

- Bloch, Joshua. Effective Java: Programming Language Guide. Addison-Wesley, 2017.
- Eckel, Bruce. Thinking in Java. Prentice Hall, 2006.
- Freeman, Eric, and Elisabeth Robson. Head First Java. O'Reilly Media, 2005.
- Horstmann, Cay S. Core Java Volume I--Fundamentals. Prentice Hall, 2018.
- Lea, Doug. Concurrent Programming in Java: Design Principles and Patterns. Addison-Wesley, 2000.
- Naftalin, Maurice, and Philip Wadler. Java Generics and Collections. O'Reilly Media, 2006.
- Schildt, Herbert. Java: A Beginner's Guide. McGraw-Hill Education, 2018.
- Sierra, Kathy, and Bert Bates. Head First Java, 2nd Edition. O'Reilly Media, 2005.
- Subramaniam, Venkat. Functional Programming in Java: Harnessing the Power of Java 8 Lambda Expressions. Pragmatic Bookshelf, 2014.
- Walrath, Kathy, et al. The Java Tutorial: A Short Course on the Basics. Addison-Wesley Professional, 2018.

Website:

Baeldung. "Java Tutorials and Articles." Baeldung, 2023, <https://www.baeldung.com/java-tutorials>.

GeeksforGeeks. "Java Programming Language." GeeksforGeeks, 2023, <https://www.geeksforgeeks.org/java/>.

Stack Overflow. "Questions tagged [java]." Stack Overflow, <https://stackoverflow.com/questions/tagged/java>.

Tutorials Point. "Java Tutorial." Tutorials Point, 2023, <https://www.tutorialspoint.com/java/index.htm>.

Vogella. "Java Tutorials." Vogella, 2023, <https://www.vogella.com/tutorials/java.html>.

GitHub. "Java Repositories." GitHub, <https://github.com/topics/java>.

JavaWorld. "Java Tutorials and Articles." JavaWorld, <https://www.javaworld.com/>.

JetBrains. "IntelliJ IDEA Documentation." JetBrains, <https://www.jetbrains.com/help/idea/>.


Spring Framework. "Spring Boot Documentation." Spring Framework, <https://docs.spring.io/spring-boot/docs/current/reference/html/>.

APPENDICES


A. DATA FLOW DIAGRAM

A data-flow diagram (DFD) is a way of representing a flow of a data of a process or system. The DFD also provides information about the outputs and inputs of each entity and process itself. A data-flow diagram is a part of structured-analysis modeling tools.

LEVEL 0:



LEVEL 1:



B. TABLE STRUCTURE

The table needed for each module was designed and the specification of each and every column was given based on the records and details collected during record specification of the system study.

TABLE NAME: ADMIN

FIELD	DATA TYPE	SIZE	CONSTRAINT
Id	Int	10	Primary key
Username	Varchar	20	Not null
password	Varchar	20	Not null

TABLE NAME: COMPANY

FIELD	DATA TYPE	SIZE	CONSTRAINT
Company id	Int	10	Primary key
Company Name	Varchar	30	Not null
Branch	Varchar	20	Not null
Url	Varchar	10	Not null

TABLE NAME: DRIVE

FIELD	DATA TYPE	SIZE	CONSTRAINT
Drive id	Int	10	Primary key
Title	Varchar	20	Not null
Company Id	int	10	Foreign Key
job position	Varchar	30	Not null
Profile	Varchar	20	Not null

Date	Date	10	Not null
Salary	Int	5	Not null
Sslc	int	3	Not null
Hsc	int	3	Not null
graduation	int	3	Not null

TABLE NAME: STUDENT

FIELD	DATA TYPE	SIZE	CONSTRAINT
Student id	Int	10	Primary key
username	Varchar	20	Not null
user email	Varchar	20	Not null
password	Varchar	30	Not null

B. SAMPLE CODEING

```
@Controller
public class CompanyController {

    @Autowired
    private CompanyRepository companyRepository;

    @GetMapping("/add_company")
    public String showAddCompanyForm(Model model, HttpSession session) {
        if (session.getAttribute("name") != null && session.getAttribute("email") != null) {
            return "redirect:/profile";
        }
        model.addAttribute("company", new Company());
        return "add_company";
    }

    @PostMapping("/add_company")
    public String addCompany(@ModelAttribute("company") Company company, BindingResult bindingResult, RedirectAttributes redirectAttributes) {
        if (bindingResult.hasErrors()) {
            return "add_company";
        }
        try {
            companyRepository.save(company);
            redirectAttributes.addFlashAttribute("success", "Company Added Successfully");
            return "redirect:/add_company";
        } catch (Exception ex) {
            redirectAttributes.addFlashAttribute("error", "Database Error Could not able to execute");
            return "redirect:/add_company";
        }
    }

    @GetMapping("/add_company/{id}/delete")
    public String deleteCompany(@PathVariable("id") Long id, RedirectAttributes redirectAttributes) {
        try {
            companyRepository.deleteById(id);
            redirectAttributes.addFlashAttribute("success", "Company Deleted Successfully");
        }
    }
}
```

```

        } catch (Exception ex) {
            redirectAttributes.addFlashAttribute("error", "Database Error Could not able to execute");
        }
        return "redirect:/add_company";
    }

    @GetMapping("/add_company/all")
    public String showAllCompanies(Model model) {
        List<Company> companies = companyRepository.findAllByIdDesc();
        model.addAttribute("companies", companies);
        return "all_companies";
    }

}

import org.springframework.stereotype.Controller;
import org.springframework.web.bind.annotation.GetMapping;
import org.springframework.web.bind.annotation.PathVariable;
import org.springframework.web.bind.annotation.RequestParam;

import javax.servlet.http.HttpSession;

@Controller
public class DriveController {

    @GetMapping("/drive/{id}")
    public String getDriveDetails(@PathVariable String id,
                                  HttpSession session,
                                  @RequestParam(value = "apply", required = false) String apply) {
        int userId = (int) session.getAttribute("id");
        if (userId == 0) {
            return "redirect:/profile";
        }

        int applyId = 0;
        int errorFillForm = 0;

        if (apply != null) {
            applyId = Integer.parseInt(apply);
            if (applyId == Integer.parseInt(id)) {
                String sql = "INSERT INTO enrolled_students VALUES (" + userId + "," + applyId + ")";

```

```

        // execute the SQL query and handle the result
        //
    } else {
        System.out.println("Error! 1");
    }
}

String      sql      =      "SELECT      *      FROM      drive,company      WHERE
drive.company_id=company.company_id AND drive_id='"+ id + "'";
// execute the SQL query and handle the result
//
if (row != null) {
    String resume = row1.get("resume");
    String driveId = row.get("drive_id");
    String sscResult = row.get("ssc_result");
    String hscResult = row.get("hsc_result");
    String graduationResult = row.get("graduation_result");
    String sscMarks = row1.get("ssc_marks");
    String hscMarks = row1.get("hsc_marks");
    String graduationMarks = row1.get("graduation_marks");
    String mobile = row1.get("mobile");
    String dob = row1.get("dob");
    String gender = row1.get("gender");
    String graduation = row1.get("graduation");
    String graduationDiscipline = row1.get("graduation_discipline");

    if (!resume.equals("") && !mobile.equals("") && !dob.equals("") && !gender.equals("") 
        && !graduation.equals("") && !graduationDiscipline.equals("")) {
        errorFillForm = 1;
        if (Integer.parseInt(sscResult) <= Integer.parseInt(sscMarks)
            && Integer.parseInt(hscResult) <= Integer.parseInt(hscMarks)
            && Integer.parseInt(graduationResult) <= Integer.parseInt(graduationMarks)) {
            applyId = 1;
        }
    }

    if (resume.equals("")) {
        resume = "dr.pdf";
    }
}

```

```

    } else {
        return "redirect:/home";
    }

    // set the model attributes and return the view name
    // ...
}

}

@RestController
@RequestMapping("/apply-now")
public class ApplyNowController {

    private final DriveRepository driveRepository;
    private final EnrolledStudentsRepository enrolledStudentsRepository;

    public ApplyNowController(DriveRepository driveRepository, EnrolledStudentsRepository
enrolledStudentsRepository) {
        this.driveRepository = driveRepository;
        this.enrolledStudentsRepository = enrolledStudentsRepository;
    }

    @GetMapping("/{id}")
    public String applyNow(@PathVariable Long id, HttpSession session, Model model) {
        if (session.getAttribute("name") == null && session.getAttribute("email") == null) {
            return "redirect:/profile";
        }
        boolean isDone = true;
        Optional<Drive> optionalDrive = driveRepository.findById(id);
        if (optionalDrive.isPresent()) {
            Drive drive = optionalDrive.get();
            model.addAttribute("drive", drive);
            Optional<EnrolledStudents> optionalEnrolledStudents =
enrolledStudentsRepository.findByUserIdAndDriveId((Long) session.getAttribute("id"), id);
            if (optionalEnrolledStudents.isPresent()) {
                isDone = false;
            }
            model.addAttribute("isDone", isDone);
            return "apply-now";
        } else {
    }
}

```

```

        return "redirect:/dashboard";
    }
}
}

import org.springframework.stereotype.Controller;
import org.springframework.ui.Model;
import org.springframework.web.bind.annotation.GetMapping;
import javax.servlet.http.HttpServletRequest;
import javax.servlet.http.HttpSession;
import java.sql.Connection;
import java.sql.PreparedStatement;
import java.sql.ResultSet;
import java.sql.SQLException;
import java.util.ArrayList;
import java.util.List;

@Controller
public class DriveController {

    @GetMapping("/enrolled_students")
    public String enrolledStudents(HttpServletRequest request, HttpSession session, Model model) {

        if(session.getAttribute("name") != null && session.getAttribute("email") != null) {
            return "redirect:/profile";
        }

        int get_id;
        try {
            get_id = Integer.parseInt(request.getParameter("id"));
        } catch (NumberFormatException | NullPointerException e) {
            return "redirect:/home";
        }

        List<User> enrolledStudents = new ArrayList<>();
        try (Connection connection = DatabaseConnection.getConnection()) {
            String sql = "SELECT * FROM users, enrolled_students " +
                    "WHERE enrolled_students.drive_id = ? AND enrolled_students.user_id = " +
                    "users.user_id";
            try (PreparedStatement statement = connection.prepareStatement(sql)) {

```

```

        statement.setInt(1, get_id);
        try (ResultSet resultSet = statement.executeQuery()) {
            while (resultSet.next()) {
                int id = resultSet.getInt("user_id");
                String name = resultSet.getString("user_name");
                String email = resultSet.getString("user_email");
                enrolledStudents.add(new User(id, name, email));
            }
        }
    }
} catch (SQLException e) {
    e.printStackTrace();
    return "error";
}

model.addAttribute("enrolledStudents", enrolledStudents);
return "enrolled_students";
}

@GetMapping("/drive_detail")
public String driveDetail(HttpServletRequest request, HttpSession session, Model model) {

    if (session.getAttribute("admin") == null) {
        return "redirect:/login";
    }

    int drive_id, total = 0;
    try {
        drive_id = Integer.parseInt(request.getParameter("id"));
    } catch (NumberFormatException | NullPointerException e) {
        return "redirect:/dashboard";
    }

    Drive drive = null;
    try (Connection connection = DatabaseConnection.getConnection()) {
        String sql = "SELECT * FROM drive, company WHERE drive.company_id = "
                    + "company.company_id AND drive_id = ?";
        try (PreparedStatement statement = connection.prepareStatement(sql)) {
            statement.setInt(1, drive_id);
            try (ResultSet resultSet = statement.executeQuery()) {

```

```

if (resultSet.next()) {
    String drive_title = resultSet.getString("drive_title");
    String company_name = resultSet.getString("company_name");
    String company_branch = resultSet.getString("company_branch");
    String company_url = resultSet.getString("company_url");
    String job_position = resultSet.getString("job_position");
    String job_profile = resultSet.getString("job_profile");
    String dod = resultSet.getString("dod");
    String salary = resultSet.getString("salary");
    String ssc_result = resultSet.getString("ssc_result");
    String hsc_result = resultSet.getString("hsc_result");
    String graduation_result = resultSet.getString("graduation_result");

    sql = "SELECT count(user_id) as total FROM enrolled_students WHERE drive_id = ?";
    try (PreparedStatement statement2 = connection.prepareStatement(sql)) {
        statement2.setInt(1, drive_id);
        try (ResultSet resultSet2 = statement2.executeQuery()) {
            if (resultSet2.next()) {
                total = resultSet2.getInt("total");
            }
        }
    }
}

drive = new Drive(drive_id, drive_title, company_name, company_branch,
company_url,
        job_position, job_profile, dod, salary, ssc_result, hsc_result, graduation_result);
}
}
}
}

@Controller
public class EnrolledStudentsController {

    @GetMapping("/enrolled-students")
    public String enrolledStudents(Model model, HttpSession session, @RequestParam(required = false) Integer id) {
        if (session.getAttribute("name") != null && session.getAttribute("email") != null) {
            return "redirect:/profile";
        }
    }
}

```

```

    }

    if (id == null) {
        return "redirect:/home";
    }

    String sql = "SELECT * FROM users, enrolled_students WHERE enrolled_students.drive_id = ?
AND enrolled_students.user_id = users.user_id";
    try (PreparedStatement ps = connection.prepareStatement(sql)) {
        ps.setInt(1, id);
        ResultSet rs = ps.executeQuery();

        List<Map<String, Object>> enrolledStudents = new ArrayList<>();
        while (rs.next()) {
            Map<String, Object> student = new HashMap<>();
            student.put("id", rs.getInt("user_id"));
            student.put("name", rs.getString("user_name"));
            student.put("email", rs.getString("user_email"));
            enrolledStudents.add(student);
        }

        model.addAttribute("enrolledStudents", enrolledStudents);
    } catch (SQLException e) {
        // handle exception
    }

    return "enrolled_students";
}

}

@RestController
@RequestMapping("/apply-now")
public class ApplyNowController {

    private final DriveRepository driveRepository;
    private final EnrolledStudentsRepository enrolledStudentsRepository;

    public ApplyNowController(DriveRepository driveRepository, EnrolledStudentsRepository

```

```

enrolledStudentsRepository) {
    this.driveRepository = driveRepository;
    this.enrolledStudentsRepository = enrolledStudentsRepository;
}

@GetMapping("/{id}")
public String applyNow(@PathVariable Long id, HttpSession session, Model model) {
    if (session.getAttribute("name") == null && session.getAttribute("email") == null) {
        return "redirect:/profile";
    }
    boolean isDone = true;
    Optional<Drive> optionalDrive = driveRepository.findById(id);
    if (optionalDrive.isPresent()) {
        Drive drive = optionalDrive.get();
        model.addAttribute("drive", drive);
        Optional<EnrolledStudents> optionalEnrolledStudents =
enrolledStudentsRepository.findByUserIdAndDriveId((Long) session.getAttribute("id"), id);
        if (optionalEnrolledStudents.isPresent()) {
            isDone = false;
        }
        model.addAttribute("isDone", isDone);
        return "apply-now";
    } else {
        return "redirect:/dashboard";
    }
}

import org.springframework.stereotype.Controller;
import org.springframework.ui.Model;
import org.springframework.web.bind.annotation.GetMapping;
import javax.servlet.http.HttpServletRequest;
import javax.servlet.http.HttpSession;
import java.sql.Connection;
import java.sql.PreparedStatement;
import java.sql.ResultSet;
import java.sql.SQLException;
import java.util.ArrayList;
import java.util.List;

```

```

@Controller
public class DriveController {

    @GetMapping("/enrolled_students")
    public String enrolledStudents(HttpServletRequest request, HttpSession session, Model model) {

        if(session.getAttribute("name") != null && session.getAttribute("email") != null) {
            return "redirect:/profile";
        }

        int get_id;
        try {
            get_id = Integer.parseInt(request.getParameter("id"));
        } catch (NumberFormatException | NullPointerException e) {
            return "redirect:/home";
        }

        List<User> enrolledStudents = new ArrayList<>();
        try (Connection connection = DatabaseConnection.getConnection()) {
            String sql = "SELECT * FROM users, enrolled_students " +
                    "WHERE enrolled_students.drive_id = ? AND enrolled_students.user_id = "
                    + users.user_id";
            try (PreparedStatement statement = connection.prepareStatement(sql)) {
                statement.setInt(1, get_id);
                try (ResultSet resultSet = statement.executeQuery()) {
                    while (resultSet.next()) {
                        int id = resultSet.getInt("user_id");
                        String name = resultSet.getString("user_name");
                        String email = resultSet.getString("user_email");
                        enrolledStudents.add(new User(id, name, email));
                    }
                }
            }
        } catch (SQLException e) {
            e.printStackTrace();
            return "error";
        }

        model.addAttribute("enrolledStudents", enrolledStudents);
        return "enrolled_students";
    }
}

```

```

}

@GetMapping("/drive_detail")
public String driveDetail(HttpServletRequest request, HttpSession session, Model model) {

    if (session.getAttribute("admin") == null) {
        return "redirect:/login";
    }

    int drive_id, total = 0;
    try {
        drive_id = Integer.parseInt(request.getParameter("id"));
    } catch (NumberFormatException | NullPointerException e) {
        return "redirect:/dashboard";
    }

    Drive drive = null;
    try (Connection connection = DatabaseConnection.getConnection()) {
        String sql = "SELECT * FROM drive, company WHERE drive.company_id = company.company_id AND drive_id = ?";
        try (PreparedStatement statement = connection.prepareStatement(sql)) {
            statement.setInt(1, drive_id);
            try (ResultSet resultSet = statement.executeQuery()) {
                if (resultSet.next()) {
                    String drive_title = resultSet.getString("drive_title");
                    String company_name = resultSet.getString("company_name");
                    String company_branch = resultSet.getString("company_branch");
                    String company_url = resultSet.getString("company_url");
                    String job_position = resultSet.getString("job_position");
                    String job_profile = resultSet.getString("job_profile");
                    String dod = resultSet.getString("dod");
                    String salary = resultSet.getString("salary");
                    String ssc_result = resultSet.getString("ssc_result");
                    String hsc_result = resultSet.getString("hsc_result");
                    String graduation_result = resultSet.getString("graduation_result");

                    sql = "SELECT count(user_id) as total FROM enrolled_students WHERE drive_id = ?";
                    try (PreparedStatement statement2 = connection.prepareStatement(sql)) {
                        statement2.setInt(1, drive_id);

```

```

try (ResultSet resultSet2 = statement2.executeQuery()) {
    if (resultSet2.next()) {
        total = resultSet2.getInt("total");
    }
}
}

drive = new Drive(drive_id, drive_title, company_name, company_branch,
company_url,
job_position, job_profile, dod, salary, ssc_result, hsc_result, graduation_result);
}
}
}
}

```

C. SAMPLE INPUT & OUTPUT DESIGN

ADMIN LOGIN PAGE:



REGISTRATION LOGIN ABOUT

ALL DRIVES ADD DRIVE ADD COMPANY ALL STUDENTS

TR..
2023-10-10

JOB OFFERS..
2023-03-17

REGISTRATION LOGIN ABOUT

ALL DRIVES **ADD DRIVE** ADD COMPANY ALL STUDENTS

General Information

Title	<input type="text"/>
Company	Select Company:
Position	<input type="text"/>
Job Profile	<input type="text"/>
Date Of Drive	DD-MM-YYYY <input type="button" value=""/>
Salary	<input type="text"/>

REGISTRATION LOGIN ABOUT

ALL DRIVES ADD DRIVE **ADD COMPANY** ALL STUDENTS

Company Detail

Name	<input type="text"/>
Branch	<input type="text"/>
URL	<input type="text"/>

Companies:

WIPRO	Branch: Chennai URL: www.wipro.com
TCS	Branch: Kochin URL: www.tcs.com

Save

All Students:

Gokul

VAISHNAVI

STUDENT REGISTRATION:**Registration**

Having hands on experience in creating innovative designs, do offer design solutions which harness

Personal Information

Full Name* :

Full Name

Email Address* :

Email Address

Login Information

Password* :

Create Password

Confirm Password* :

Confirm Password

SUBMIT

Already have an account?

**Personal Detail**

Name	VAISHNAVI
Email	vaishnavi@gmail.com
Mobile No.	9876543210
Date Of Birth	18/08/1994
Gender	Male

Educational Detail

BSC marks	75
HSC Marks	75
Graduation	75
Graduation Discipline	75
In Graduation (% or equal)	75
Post Graduation (Myscine)	75
Post Graduation Discipline	75
In Post Graduation (% or equal)	75

View Profile

← Apply Now

JOB OFFERS
On 2023-03-17

Eligibility Criteria:

Minimum SSC %: 70
Minimum HSC %: 70
Minimum graduation %: 70

Job Profile:
J0001

Company Detail:
Company Name: WIPRO
Company Branch %: Chennai
www.wipro.com
You are Enrolled

Top-Companies

TCS
Branch: Kochin www.tcs.com

WIPRO
Branch: Chennai www.wipro.com