Status	Finished
Started	Saturday, 17 October 2026, 12:11 PM
Completed	Saturday, 17 October 2026, 12:17 PM
Duration	6 mins 7 secs
Grade	**14.00** out of 15.00 (**93.33**%)

Question **1**

Correct

Mark 1.00 out of 1.00

In linear search, how is the element searched?

a. By dividing the list into halves
b. By sorting the list first
c. By comparing each element in the list sequentially ✓
d. By using a hash function

Question **2**

Correct

Mark 1.00 out of 1.00

Which of the following is a conventional searching technique?

a. Hashing
b. Binary search
c. Linear search ✓
d. Dynamic search

Question **3**

Correct

Mark 1.00 out of 1.00

_____ search takes a sorted/ordered list and divides it in the middle.

a. Linear
b. Binary ✓
c. Both (1) & (3)
d. Hash

Question **4**

Correct

Mark 1.00 out of 1.00

In binary search, what happens if the middle element does not match the target element?

- a. The search continues in the left or right sublist ✓
- b. The search stops
- c. The search continues from the beginning
- d. The list is sorted

Question **5**

Correct

Mark 1.00 out of 1.00

_____sort is the simplest sorting algorithm that works by repeatedly swapping the adjacent elements in case they are unordered in n-1 passes.

- a. Insertion
- b. Selection
- c. Complexity
- d. Bubble ✓

Question **6**

Correct

Mark 1.00 out of 1.00

During a linear search, what is the maximum number of comparisons needed to find an element in a list of size n?

- a. n-1
- b. n/2
- c. n ✓
- d. log n

Question **7**

Incorrect

Mark 0.00 out of 1.00

What happens in a binary search if the list has an even number of elements?

- a. The search stops
- b. The middle element is chosen randomly
- c. The higher middle element is chosen as the middle element
- d. The lower middle element is chosen as the middle element ✗

Question **8**

Correct

Mark 1.00 out of 1.00

If the target element is greater than the middle element in binary search, where does the search continue?

a. At the beginning of the list
b. In the left sublist
c. In the middle of the list
d. In the right sublist ✓

Question **9**

Correct

Mark 1.00 out of 1.00

What happens when the element is found in linear search?

a. The search starts over from the beginning
b. The search continues until the end of the list
c. The search backtracks to find duplicate elements
d. The search stops immediately ✓

Question **10**

Correct

Mark 1.00 out of 1.00

Given an array arr = {45,77,89,90,94,99,100} and key = 99; what are the mid values(corresponding array elements) in the first and second levels of recursion?

a. 89 and 94
b. 90 and 99 ✓
c. 90 and 94
d. 89 and 99

Question **11**

Correct

Mark 1.00 out of 1.00

In linear search, if the target element is not found in the list, what is the result?

a. The first element is returned
b. The last element is returned
c. The search is considered unsuccessful ✓
d. An error is raised

Question **12**

Correct

Mark 1.00 out of 1.00

In binary search, if the target element is less than the middle element, where does the search continue?

a. In the right sublist
b. At the beginning of the list
c. In the left sublist ✓
d. In the entire list

Question **13**

Correct

Mark 1.00 out of 1.00

Which of the following is a type of searching method?

a. Linear search ✓
b. Bubble search
c. Quick search
d. Merge search

Question **14**

Correct

Mark 1.00 out of 1.00

If a list contains 1000 elements, how many comparisons would a binary search typically make in the worst case?

a. 500
b. 1000
c. 100
d. 10 ✓

Question **15**

Correct

Mark 1.00 out of 1.00

In which situation is linear search more efficient than binary search?

a. When the list is large and sorted
b. When the list is small and sorted
c. When the list is small and unsorted ✓
d. When the list is large and unsorted