

Inspection Report																	
Generated 2026-10-01 13:50:21 — 188 inspections																	
	Machine No	Serial No	Overall	Cam1 X (mm)	Cam1 Y (mm)	Cam1 Result	Cam2 X (mm)	Cam2 Y (mm)	Cam2 Result	Cam3 X (mm)	Cam3 Y (mm)	Cam3 Result	Cam4 X (mm)	Cam4 Y (mm)	Cam4 Result	Cycle (ms)	Detection
9	0	WM-000000	GOOD	-	-	SKIPPED	-	-	SKIPPED	-	-	SKIPPED	17.72	-0.04	GOOD	625	3
6	0	WM-000000	GOOD	-	-	SKIPPED	-	-	SKIPPED	-	-	SKIPPED	14.03	-0.23	GOOD	464	3
0	0	WM-000000	GOOD	-	-	SKIPPED	-	-	SKIPPED	-	-	SKIPPED	-9.87	-0.36	GOOD	948	3
1	0	WM-000000	GOOD	-	-	SKIPPED	-	-	SKIPPED	-	-	SKIPPED	-10.23	-0.36	GOOD	604	3
2	0	WM-000000	GOOD	-	-	SKIPPED	-	-	SKIPPED	-	-	SKIPPED	-25.32	4.43	GOOD	500	3
0	0	WM-000000	GOOD	-	-	SKIPPED	-	-	SKIPPED	-	-	SKIPPED	10.96	-0.13	GOOD	471	3
0	0	WM-000000	GOOD	-	-	SKIPPED	-	-	SKIPPED	-	-	SKIPPED	-8.75	-0.31	GOOD	495	3
3	0	WM-000000	NG	-	-	SKIPPED	-	-	SKIPPED	-	-	NG	-	-	SKIPPED	476	4
5	0	WM-000000	GOOD	-	-	SKIPPED	-	-	SKIPPED	2.14	0.26	GOOD	-	-	SKIPPED	494	4
8	9137	WM-000000	GOOD	-	-	SKIPPED	-	-	SKIPPED	2.14	0.37	GOOD	-	-	SKIPPED	533	4
0	9136	WM-000000	GOOD	-	-	SKIPPED	-	-	SKIPPED	2.14	0.41	GOOD	-	-	SKIPPED	519	4
6	0	WM-000000	NG	-	-	SKIPPED	-	-	SKIPPED	-	-	NG	-	-	SKIPPED	453	4
7	0	WM-000000	GOOD	-	-	SKIPPED	-	-	SKIPPED	-28.80	0.80	GOOD	-	-	SKIPPED	471	4
2	0	WM-000000	GOOD	-	-	SKIPPED	-	-	SKIPPED	8.52	0.49	GOOD	-	-	SKIPPED	507	4
2	0	WM-000000	GOOD	-	-	SKIPPED	-	-	SKIPPED	7.40	0.40	GOOD	-	-	SKIPPED	520	4
7	0	WM-000000	GOOD	-	-	SKIPPED	-	-	SKIPPED	7.96	0.37	GOOD	-	-	SKIPPED	497	4
9	0	WM-000000	GOOD	-	-	SKIPPED	22.33	1.32	GOOD	-	-	SKIPPED	-	-	SKIPPED	595	4
0	0	WM-000000	GOOD	-	-	SKIPPED	32.98	1.29	GOOD	-	-	SKIPPED	-	-	SKIPPED	601	4
8	9135	WM-000000	GOOD	-	-	SKIPPED	-13.23	0.19	GOOD	-	-	SKIPPED	-	-	SKIPPED	586	4
3	9134	WM-000000	GOOD				-13.22	0.27	GOOD							553	4
9	0	WM-000000	GOOD	-	-	SKIPPED	-13.18	0.25	GOOD	-	-	SKIPPED	-	-	SKIPPED	559	4
2	9133	WM-000000	GOOD				-16.23	-0.84	GOOD							502	4
3	9132	WM-000000	GOOD				11.86	0.31	GOOD							593	4
1	9131	WM-000000	NG				-	-	NG							514	4

Machine Inspection Data - Q3 2023																	
	Machine No	Serial No	Overall	Cam1 X (mm)	Cam1 Y (mm)	Cam1 Result	Cam2 X (mm)	Cam2 Y (mm)	Cam2 Result	Cam3 X (mm)	Cam3 Y (mm)	Cam3 Result	Cam4 X (mm)	Cam4 Y (mm)	Cam4 Result	Cycle (ms)	Detection
9	9130	WM-000000	GOOD				37.71	-8.38	GOOD							507	4
8	9129	WM-000000	GOOD				38.55	7.97	GOOD							507	4
7	9128	WM-000000	GOOD				38.76	-4.31	GOOD							506	4
6	9127	WM-000000	GOOD				38.24	8.25	GOOD							548	4
4	9126	WM-000000	GOOD				38.35	8.12	GOOD							536	4
2	9125	WM-000000	NG				-	-	NG							518	3
1	9124	WM-000000	GOOD				38.23	-8.33	GOOD							502	4
0	9123	WM-000000	GOOD				38.81	-1.61	GOOD							531	4
9	9122	WM-000000	GOOD				-38.51	-9.88	GOOD							506	4
8	9121	WM-000000	GOOD				-36.53	-12.40	GOOD							528	4
7	9120	WM-000000	GOOD				38.77	-10.45	GOOD							555	4
6	9119	WM-000000	GOOD				38.66	-3.38	GOOD							523	4
5	9118	WM-000000	GOOD				38.75	-3.79	GOOD							533	4
4	9117	WM-000000	GOOD				38.75	-3.79	GOOD							523	4
3	9116	WM-000000	GOOD				38.75	-3.79	GOOD							562	4
2	9115	WM-000000	GOOD				38.75	-3.79	GOOD							503	4
0	9114	WM-000000	GOOD				38.74	-2.89	GOOD							532	4
4	0	WM-000000	GOOD	-	-	SKIPPED	38.76	-2.81	GOOD	-	-	SKIPPED	-	-	SKIPPED	563	4
3	9113	WM-000000	GOOD				38.76	-2.81	GOOD							510	4
8	0	WM-000000	GOOD	-	-	SKIPPED	38.74	5.16	GOOD	-	-	SKIPPED	-	-	SKIPPED	647	4
1	0	WM-000000	GOOD	-	-	SKIPPED	36.06	1.84	GOOD	-	-	SKIPPED	-	-	SKIPPED	673	4
7	0	WM-000000	GOOD	-	-	SKIPPED	27.11	1.61	GOOD	-	-	SKIPPED	-	-	SKIPPED	645	4
1	0	WM-000000	GOOD	-	-	SKIPPED	18.76	1.44	GOOD	-	-	SKIPPED	-	-	SKIPPED	635	4
7	0	WM-000000	GOOD	-	-	SKIPPED	-12.10	0.41	GOOD	-	-	SKIPPED	-	-	SKIPPED	595	4
2	0	WM-000000	GOOD	-	-	SKIPPED	10.72	1.29	GOOD	-	-	SKIPPED	-	-	SKIPPED	632	4
2	0	WM-000000	GOOD	-	-	SKIPPED	18.07	1.74	GOOD	-	-	SKIPPED	-	-	SKIPPED	654	4
6	0	WM-000000	GOOD	-	-	SKIPPED	-2.59	0.58	GOOD	-	-	SKIPPED	-	-	SKIPPED	586	4

Machine Performance Data - Q3 2023																	
	Machine No	Serial No	Overall	Cam1 X (mm)	Cam1 Y (mm)	Cam1 Result	Cam2 X (mm)	Cam2 Y (mm)	Cam2 Result	Cam3 X (mm)	Cam3 Y (mm)	Cam3 Result	Cam4 X (mm)	Cam4 Y (mm)	Cam4 Result	Cycle (ms)	Detection
8	9101	WM-000000	GOOD	35.26	-0.42	GOOD	-34.92	-0.17	GOOD	33.27	0.09	GOOD	-	-	SKIPPED	736	5
6	0	WM-000000	GOOD	-4.08	-1.06	GOOD	6.05	1.00	GOOD	-6.54	0.88	GOOD	5.30	0.14	GOOD	872	13
9	0	WM-000000	GOOD	10.66	-1.21	GOOD	-10.51	-0.06	GOOD	8.31	0.63	GOOD	-10.19	0.12	GOOD	881	8
8	0	WM-000000	GOOD	11.14	-1.71	GOOD	-11.99	-1.26	GOOD	8.82	1.08	GOOD	-10.86	0.49	GOOD	781	7
8	9100	WM-000000	GOOD	13.51	-3.84	GOOD	-14.64	-2.26	GOOD	10.29	3.32	GOOD	-12.41	1.28	GOOD	678	8
4	9099	WM-000000	GOOD	-1.02	-2.34	GOOD	1.06	-0.66	GOOD	-3.41	1.84	GOOD	1.94	1.74	GOOD	703	13
0	9098	WM-000000	NG	-1.08	-2.30	GOOD	1.08	-0.65	GOOD	-	-	NG	32.87	4.95	GOOD	701	13
3	9097	WM-000000	NG	-1.71	-2.44	GOOD	1.87	-0.66	GOOD	-	-	NG	2.71	1.80	GOOD	702	13
9	9096	WM-000000	GOOD	13.13	-2.47	GOOD	-13.62	-1.36	GOOD	10.46	2.08	GOOD	-12.50	1.60	GOOD	720	13
3	9095	WM-000000	GOOD	-27.85	-2.87	GOOD	28.54	-0.25	GOOD	-29.52	2.47	GOOD	29.09	2.99	GOOD	733	13
8	9094	WM-000000	GOOD	-23.84	-2.75	GOOD	24.35	-0.37	GOOD	-25.51	2.35	GOOD	24.92	2.86	GOOD	846	13
2	9093	WM-000000	GOOD	-1.30	-2.40	GOOD	1.01	-1.11	GOOD	-3.48	1.93	GOOD	2.00	2.05	GOOD	858	13
4	9092	WM-000000	NG	-1.31	-2.41	GOOD	1.01	-1.11	GOOD	-	-	NG	2.00	2.05	GOOD	835	13
3	9091	WM-000000	GOOD	-1.32	-2.41	GOOD	1.29	-0.94	GOOD	-3.49	1.94	GOOD	2.01	2.06	GOOD	729	13
8	9090	WM-000000	NG	-1.32	-2.42	GOOD	1.30	-0.94	GOOD	-	-	NG	2.01	2.07	GOOD	709	13
8	9089	WM-000000	GOOD	-1.33	-2.41	GOOD	1.30	-0.95	GOOD	-3.49	1.94	GOOD	2.01	2.07	GOOD	713	13
0	9088	WM-000000	GOOD	-1.33	-2.41	GOOD	1.30	-0.95	GOOD	-3.49	1.94	GOOD	2.01	2.07	GOOD	729	13
0	9087	WM-000000	NG	-1.34	-2.43	GOOD	1.34	-0.96	GOOD	-	-	NG	2.03	2.10	GOOD	698	13
6	9086	WM-000000	GOOD	-11.66	-2.55	GOOD	11.88	-0.61	GOOD	-13.61	2.11	GOOD	12.49	2.44	GOOD	720	13
8	9085	WM-000000	NG	-5.93	-2.56	GOOD	6.03	-0.79	GOOD	-	-	NG	6.70	2.30	GOOD	705	13
1	9084	WM-000000	GOOD	11.84	-2.55	GOOD	-12.24	-1.63	GOOD	9.46	2.06	GOOD	-11.43	2.02	GOOD	731	13
5	9083	WM-000000	GOOD	-23.14	-2.89	GOOD	23.66	-0.65	GOOD	-24.72	2.47	GOOD	24.12	3.13	GOOD	727	13
3	9082	WM-000000	GOOD	-23.08	-2.95	GOOD	23.66	-0.65	GOOD	-24.72	2.47	GOOD	24.11	3.15	GOOD	713	13
2	9081	WM-000000	GOOD	-23.08	-2.95	GOOD	23.66	-0.66	GOOD	-24.72	2.47	GOOD	24.11	3.14	GOOD	717	13
9	9080	WM-000000	NG	-23.03	-2.74	GOOD	23.83	-0.98	GOOD	-	-	NG	24.15	3.24	GOOD	663	8
6	9079	WM-000000	GOOD	-33.66	-3.07	GOOD	34.65	-0.53	GOOD	-34.35	2.65	GOOD	34.62	3.31	GOOD	691	8
1	9078	WM-000000	GOOD	5.46	-1.13	GOOD	-5.81	-3.20	GOOD	-31.10	11.29	GOOD	-7.85	-0.84	GOOD	699	8

Machine Performance Data - Q3 2023																	
	Machine No	Serial No	Overall	Cam1 X (mm)	Cam1 Y (mm)	Cam1 Result	Cam2 X (mm)	Cam2 Y (mm)	Cam2 Result	Cam3 X (mm)	Cam3 Y (mm)	Cam3 Result	Cam4 X (mm)	Cam4 Y (mm)	Cam4 Result	Cycle (ms)	Detection
0	9077	WM-000000	GOOD	-37.43	-10.61	GOOD	-5.27	-0.28	GOOD	-31.16	11.30	GOOD	-5.32	1.31	GOOD	765	7
5	0	WM-000000	NG	5.56	-0.82	GOOD	-5.25	-0.31	GOOD	-	-	NG	-5.32	1.34	GOOD	835	8
6	9076	WM-000000	GOOD	6.21	-2.05	GOOD	-5.86	-1.76	GOOD	4.17	1.90	GOOD	-6.02	2.85	GOOD	771	7
0	9075	WM-000000	NG	6.07	-2.12	GOOD	-5.75	-1.84	GOOD	-	-	NG	-5.95	2.97	GOOD	894	8
1	9074	WM-000000	NG	6.73	-2.11	GOOD	-6.50	-1.99	GOOD	-	-	NG	-6.81	2.86	GOOD	815	8
2	9073	WM-000000	GOOD	-13.36	-2.54	GOOD	13.02	-0.65	GOOD	-15.68	2.14	GOOD	14.90	1.25	GOOD	782	8
3	9072	WM-000000	GOOD	-13.95	-3.15	GOOD	14.27	-0.77	GOOD	-16.02	2.17	GOOD	15.47	1.58	GOOD	788	8
5	9071	WM-000000	GOOD	-13.96	-3.06	GOOD	14.28	-0.77	GOOD	-16.01	2.15	GOOD	15.47	1.55	GOOD	1032	8
7	9070	WM-000000	NG	-	-	NG	-	-	NG	-16.01	2.17	GOOD	15.46	1.60	GOOD	799	8
1	9069	WM-000000	NG	-	-	NG	-	-	NG	-16.02	2.19	GOOD	15.47	1.57	GOOD	768	8
5	9068	WM-000000	GOOD	-12.95	-2.94	GOOD	12.45	-0.97	GOOD	-15.47	2.43	GOOD	14.53	1.40	GOOD	793	8
1	9067	WM-000000	NG	-	-	NG	12.45	-0.97	GOOD	-15.48	2.43	GOOD	14.42	1.43	GOOD	892	8
7	9066	WM-000000	GOOD	-13.60	-2.28	GOOD	13.49	-0.36	GOOD	-15.95	2.10	GOOD	15.13	1.23	GOOD	801	8
4	9065	WM-000000	GOOD	13.35	-2.37	GOOD	-13.85	-1.32	GOOD	10.49	2.08	GOOD	-12.42	0.77	GOOD	839	8
2	9064	WM-000000	NG	13.36	-2.37	GOOD	-13.86	-1.32	GOOD	-	-	NG	-12.44	0.77	GOOD	824	8
1	9063	WM-000000	GOOD	-6.19	-2.35	GOOD	5.95	-0.66	GOOD	-8.67	2.15	GOOD	7.58	1.11	GOOD	818	8
9	9062	WM-000000	GOOD	-6.19	-2.34	GOOD	5.94	-0.67	GOOD	-8.73	2.26	GOOD	7.60	1.11	GOOD	809	7
6	9061	WM-000000	GOOD	-6.20	-2.35	GOOD	5.93	-0.67	GOOD	-8.68	2.14	GOOD	7.60	1.11	GOOD	792	8
4	9060	WM-000000	GOOD	-6.19	-2.34	GOOD	5.93	-0.67	GOOD	-8.68	2.14	GOOD	7.60	1.10	GOOD	820	8
1	9059	WM-000000	NG	-6.21	-2.33	GOOD	5.93	-0.67	GOOD	-	-	NG	7.60	1.11	GOOD	774	8
9	9058	WM-000000	NG	-6.21	-2.33	GOOD	5.94	-0.67	GOOD	-	-	NG	7.60	1.11	GOOD	807	7
8	9057	WM-000000	NG	-6.17	-2.34	GOOD	5.93	-0.67	GOOD	-	-	NG	7.60	1.11	GOOD	802	7
6	9056	WM-000000	GOOD	-6.21	-2.34	GOOD	5.95	-0.67	GOOD	-8.61	2.48	GOOD	7.56	1.12	GOOD	800	7
5	9055	WM-000000	NG										-	-	NG	419	2
5	9054	WM-000000	GOOD										7.35	0.88	GOOD	422	2
4	9053	WM-000000	GOOD										7.35	0.87	GOOD	479	2
3	9052	WM-000000	GOOD										7.35	0.88	GOOD	432	2

Comprehensive Machine Performance Report - Q3 2023																	
	Machine No	Serial No	Overall	Cam1 X (mm)	Cam1 Y (mm)	Cam1 Result	Cam2 X (mm)	Cam2 Y (mm)	Cam2 Result	Cam3 X (mm)	Cam3 Y (mm)	Cam3 Result	Cam4 X (mm)	Cam4 Y (mm)	Cam4 Result	Cycle (ms)	Detection Status
2	9051	WM-000000	GOOD										7.34	0.86	GOOD	439	2023-10-27
2	9050	WM-000000	GOOD										7.35	0.87	GOOD	429	2023-10-27
9	9049	WM-000000	GOOD										7.35	0.87	GOOD	424	2023-10-27
0	9048	WM-000000	NG										-	-	NG	399	2023-10-27
6	9047	WM-000000	NG										-	-	NG	420	2023-10-27
2	9046	WM-000000	GOOD										7.55	1.16	GOOD	603	2023-10-27
4	9045	WM-000000	GOOD							-8.76	2.25	GOOD				445	2023-10-27
7	9044	WM-000000	GOOD							-8.66	2.28	GOOD				424	2023-10-27
9	9043	WM-000000	NG	-5.29	-2.38	GOOD	5.00	-0.71	GOOD	-	-	NG	6.61	1.15	GOOD	786	2023-10-27
5	9042	WM-000000	NG	-5.24	-2.39	GOOD	4.97	-0.72	GOOD	-	-	NG	-	-	NG	876	2023-10-27
3	9041	WM-000000	NG	-5.22	-2.39	GOOD	4.94	-0.72	GOOD	-	-	NG	-	-	NG	769	2023-10-28
2	9040	WM-000000	NG	-9.27	-2.97	GOOD	10.51	-0.56	GOOD	-12.92	2.11	GOOD	-	-	NG	904	2023-10-28
2	9039	WM-000000	NG	-29.88	-2.78	GOOD	30.04	-0.17	GOOD	-	-	NG	-31.71	5.46	GOOD	879	2023-10-28
2	9038	WM-000000	NG	-	-	NG	-	-	NG	-	-	NG	-12.19	6.29	GOOD	910	2023-10-28
7	9037	WM-000000	NG	-	-	NG	-	-	NG	-	-	NG	-12.18	6.29	GOOD	762	2023-10-28
1	9036	WM-000000	NG	10.40	-2.36	GOOD	-10.94	-1.31	GOOD	7.81	2.15	GOOD	-	-	NG	793	2023-10-28
7	9035	WM-000000	NG	10.41	-2.36	GOOD	-10.96	-1.31	GOOD	7.81	2.15	GOOD	-	-	NG	789	2023-10-28
5	9034	WM-000000	GOOD				-10.94	-1.35	GOOD							535	2023-10-28
4	9033	WM-000000	GOOD				-10.94	-1.36	GOOD							564	2023-10-28
3	9032	WM-000000	GOOD				-10.94	-1.36	GOOD							586	2023-10-28
2	9031	WM-000000	GOOD				-10.94	-1.36	GOOD							529	2023-10-28
0	9030	WM-000000	GOOD				-10.94	-1.36	GOOD							532	2023-10-28
5	9029	WM-000000	GOOD	-1.43	-2.36	GOOD	1.15	-0.90	GOOD	-3.89	2.26	GOOD	2.57	1.17	GOOD	816	2023-10-28
3	9028	WM-000000	GOOD	-1.42	-2.36	GOOD	1.14	-0.89	GOOD	-3.89	2.26	GOOD	2.58	1.17	GOOD	794	2023-10-28
9	9027	WM-000000	GOOD	-1.43	-2.36	GOOD	1.15	-0.89	GOOD	-3.89	2.25	GOOD	2.58	1.17	GOOD	799	2023-10-28
6	9026	WM-000000	GOOD	-1.42	-2.36	GOOD	1.15	-0.90	GOOD	-3.89	2.26	GOOD	2.59	1.17	GOOD	804	2023-10-28
5	9025	WM-000000	GOOD	-1.42	-2.36	GOOD	1.15	-0.90	GOOD	-3.89	2.26	GOOD	2.61	1.17	GOOD	796	2023-10-28

Machine No. 9024																	
	Machine No	Serial No	Overall	Cam1 X (mm)	Cam1 Y (mm)	Cam1 Result	Cam2 X (mm)	Cam2 Y (mm)	Cam2 Result	Cam3 X (mm)	Cam3 Y (mm)	Cam3 Result	Cam4 X (mm)	Cam4 Y (mm)	Cam4 Result	Cycle (ms)	Detection
2	9024	WM-000000	GOOD	-1.42	-2.36	GOOD	1.16	-0.91	GOOD	-3.89	2.26	GOOD	2.60	1.18	GOOD	799	7
0	9023	WM-000000	NG	-1.42	-2.36	GOOD	1.14	-0.89	GOOD	-3.89	2.26	GOOD	-	-	NG	804	8
9	9022	WM-000000	GOOD	-1.42	-2.36	GOOD	1.16	-0.91	GOOD	-3.89	2.25	GOOD	2.63	1.17	GOOD	797	8
9	9021	WM-000000	NG	-	-	NG										753	2
8	9020	WM-000000	NG	-	-	NG										698	2
5	9019	WM-000000	GOOD				1.10	-0.93	GOOD							608	4
0	9018	WM-000000	NG	-	-	NG	7.50	-2.84	GOOD	-4.07	2.42	GOOD	2.83	1.18	GOOD	789	7
1	9017	WM-000000	NG				-	-	NG							550	2
5	9016	WM-000000	NG	-1.38	-2.80	GOOD	-	-	NG	-	-	NG	2.84	1.18	GOOD	868	7
3	9015	WM-000000	NG	-1.37	-2.80	GOOD	-	-	NG	-	-	NG	2.84	1.18	GOOD	791	6
3	9014	WM-000000	GOOD	-1.37	-2.80	GOOD	1.59	-0.80	GOOD	-3.84	2.08	GOOD	2.79	1.20	GOOD	763	6
9	9013	WM-000000	GOOD	-1.37	-2.80	GOOD	1.59	-0.80	GOOD	-3.84	2.07	GOOD	2.79	1.20	GOOD	792	7
5	9012	WM-000000	NG	-	-	NG	1.59	-0.80	GOOD	-	-	NG	2.79	1.20	GOOD	762	6
8	9011	WM-000000	NG	-	-	NG	-	-	SKIPPED	-	-	SKIPPED	-	-	SKIPPED	543	2
5	9010	WM-000000	GOOD	-1.64	-1.52	GOOD	-	-	SKIPPED	-	-	SKIPPED	-	-	SKIPPED	568	2
6	0	WM-000000	GOOD	-1.62	-1.56	GOOD	-	-	SKIPPED	-	-	SKIPPED	-	-	SKIPPED	517	2
0	9009	WM-000000	NG	-	-	NG	0.83	-0.96	GOOD	-3.86	2.27	GOOD	2.27	1.17	GOOD	647	7
5	9008	WM-000000	NG	-	-	NG	-	-	SKIPPED	-	-	SKIPPED	-	-	SKIPPED	557	2
8	9007	WM-000000	NG	-	-	NG	-	-	SKIPPED	-	-	SKIPPED	-	-	SKIPPED	1013	1
4	9006	WM-000000	NG	-	-	NG	-	-	SKIPPED	-	-	SKIPPED	-	-	SKIPPED	529	2
7	9005	WM-000000	NG	-	-	NG	-	-	SKIPPED	-	-	SKIPPED	-	-	SKIPPED	930	2
6	9004	WM-000000	GOOD	-2.97	-1.47	GOOD	-	-	SKIPPED	-	-	SKIPPED	-	-	SKIPPED	575	2
8	9003	WM-000000	GOOD	-2.96	-1.47	GOOD	-	-	SKIPPED	-	-	SKIPPED	-	-	SKIPPED	549	2
5	0	WM-000000	NG	-	-	NG	-	-	SKIPPED	-	-	SKIPPED	-	-	SKIPPED	676	2
7	9002	WM-000000	GOOD	12.69	-1.17	GOOD	-12.98	-0.58	GOOD	10.48	0.90	GOOD	-12.63	0.54	GOOD	998	7
6	9001	WM-000000	NG	12.70	-1.19	GOOD	-12.99	-0.61	GOOD	10.47	0.92	GOOD	-	-	NG	1005	7
6	0	WM-000000	NG	12.69	-1.25	GOOD	-12.97	-0.67	GOOD	10.50	0.97	GOOD	-	-	NG	639	6

	Machine No	Serial No	Overall	Cam1 X (mm)	Cam1 Y (mm)	Cam1 Result	Cam2 X (mm)	Cam2 Y (mm)	Cam2 Result	Cam3 X (mm)	Cam3 Y (mm)	Cam3 Result	Cam4 X (mm)	Cam4 Y (mm)	Cam4 Result	Cycle (ms)	Detect
8	9002	WM-000000	NG	-	-	NG	-	-	NG	-	-	NG	-	-	NG	758	9
7	9001	WM-000000	ERROR	-	-	SKIPPED	-	-	SKIPPED	-	-	SKIPPED	-	-	SKIPPED	120	0