

TEST

1. CSS stands for [Cascading style sheet] is used to control the appearance and layout of the HTML element.

2. Cascading means flowing down according to priority. When multiple CSS rules target the same element, the last rule will be applied.

Eg:

```
P {  
  background color: white  
}
```

```
P {  
  background color: red  
}
```

OUTPUT:

Red

3. Cascading

The browser decides which rule should be applied based on the

Specificity

Specificity decides which CSS rule will win when multiple rules target the same element.

6. The types of CSS:

*

* inline CSS

* internal CSS

* External CSS

External CSS is recommended in real-time project because easy to handle.

5. CSS selectors

Universal Selector:

Select every element

Eg: *

Element Selector:

Target HTML tags:

Eg: p

Class Selector:

Eg: .p

ID Selector

Eg: #h1

Group Selector:

Multiple Selectors.

Eg:

`h1, div, p {`
`}`

descendant Selector:

Target children inside another element.

Eg: `div p {`
`}`

Child Selector:

Direct child.

Eg: `div > p {`
`}`

B.

Class Selector

ID Selector

use `[.]` can

use `[#]`

be use multiple

Can be use

time

only one time

it is an unique

7. Descendent Selector

Selects all matching element inside another element even if they are deeply nested.

Select only direct children

8. Every HTML element is considered a rectangular box.

- * Content

- * padding

- * border

- * Margin

9. Padding

Space inside the Border

Increase background area

Margin

Space outside the Border

Transparent space

10.

box-sizing = border-box

padding and border are include inside the width.

it is recommended because

* Easier layouts

* Width remains Fixed

* Responsive design becomes easier

* prevent overflow problems.

11.

Block

- Start at new line
- Takes full width
- Width and height work

inline

- Stay on same line
- Takes only required width
- Width and height do not work

inline-block

- Stay on same line
- Width and height work

12. div

Yes, because it is a block element.

span

No, because it is an inline element

button

Yes, because browsers treat button as inline-block.

13.

display: none;

- * Completely removes the element

- * No space is reserved.

Visibility: hidden;

- * hides the element

- * Space remains reserved

14. Flexbox:

Flexbox is a CSS layout system used to arrange elements in rows or columns easily.

flex container:

The parent element.

Flex item:

The child element inside the flex container.

Main Axis:

The direction in which items are arranged.

Cross Axis:

perpendicular to the main axis.

15.

: Container {

display: flex;

justify-content: center;

align-items: center;

height: 100vh;

}

.box {

width: 200px;

height: 100px;

background-color: red;

<html>

<head>

<title> flex box </title>

</head> <link rel="stylesheet" href="style.css">

<body>

<div class="cont">

<div class="box">

Centred Box

</div>

</div>