PingFederate Proxy JSP

Hans Zandbelt

Technical Architect - Ping Identity

hzandbelt@pingidentity.com

PingFederate Proxy: Architecture

Standard IDP integration

Standard SP integration

PingFederate

Proxy JSP

SP Connection

IDP Connection

RefID IDP Adapter

RefID SP Adapter

PingFederate Proxy: SP-Initiated Flow

SP	PingFed[1] IDP	JSP	PingFed[2] SP	IDP
SAML 2.0	agentless	agentless	SAML 2.0	

AuthnRequest →

idp-sso&resumePath →

/sp/{sp,cdc}startSSO →

AuthnRequest →

← AuthnResponse

← idp-sso-resume&REF

backchannel: pickup?REF ↔

backchannel: dropoff ↔

← resumePath?REF

← AuthnResponse

PingFederate Proxy: IDP-Initiated Flow

SP	PingFed[1] IDP	JSP	PingFed[2] SP	IDP
SAML 2.0	agentless	agentless	SAML 2.0	

AuthnResponse&
RelayState=/proxy?TargetResource=

?REF=

backchannel: pickup?REF

/idp/startSSO?TargetResource

Idp-sso?resumePath

backchannel: dropoff

resumePath?REF

AuthnResponse

Ping Identity®