



Maps

Favorites

History

Workspaces

Admin

UI Policy - High Impact Control ☆

Search



Advanced



Conditions

Add Filter Condition

Add OR Clause

Impact



is



1 - High



AND

OR



to all form views; otherwise the UI Policy is view-specific

Apply the UI policy actions when the form is loaded and when the user changes values on the

Global



On load



Policy actions when the **Conditions** evaluate to false

Tables that extend the specified **Table** inherit this UI Policy

Use if false



Inherit



Related List Actions

ch

at incident.

Number

INC0010003

Caller

Abel Tuter

🔍

🗨️

ℹ️

Category

Inquiry / Help

▼

Sub-category

-- None --

▼

Service

🔍

Routing

🔍

System

🔍

Channel

-- None --

▼

State

New

▼

Impact

1 - High

▼

Urgency

1 - High

▼

Priority

1 - Critical

▼

\* Assignment group

CAB Approval

🔍

Assigned to

🔍

Assigned To is mandatory for High impact incidents.

Location

Hii

Description

Related Search Results ▼

🔍 Hii

Knowledge & Catalog (All) ▼

No matching results found for Hii

with direct DOM access disabled. Access to jQuery, prototype and the window object are likewise disabled. To disable this on a per-script basis, configure this form and add the "Isolate" side scripts set the system property "glide.script.block.client.globals" to false.

Prevent state change via list edit

Incident [incident] ▼

Desktop ▼

onCellEdit ▼


State ▼

Application Global

Active ☒

Inherited ☐

Global ☒



```
1 function onCellEdit(sysIDs, table, oldValues, newValue, callback) {  
2  
3     alert('State cannot be updated using list editing. Please open the Incident.');
```

YOUR ORGANIZATION'S SECURITY POLICY MAY RESTRICT THE USE OF CERTAIN FEATURES. CONTACT YOUR SYSTEM ADMINISTRATOR FOR MORE INFORMATION.



Scripts set the system property "glide.script.block.client.globals" to false.

Auto set urgency for high impact

Incident [incident]

Desktop

onChange


Impact

Application Global

Active ☒

Inherited ☐

Global ☒



```
1 function onChange(control, oldValue, newValue, isLoading) {  
5  
6     if (newValue == '1') {  
7         g_form.setValue('urgency', '1');  
8         g_form.addInfoMessage('Urgency set to High for High impact incident.');9     }  
10 }  
11
```



Admin

UI Policy - High Impact Control

UI policies change fields on a form based on a set of conditions. Use UI policies to show or hide fields, or to make fields mandatory or read-only based on these conditions. A UI policy specifies one or more actions to take when the policy is triggered. First, create the policy. Then add as many actions as necessary. UI policy actions are applied only if all of the following conditions are met:

The UI Policy is **Active**

The items in the **Conditions** field evaluate to true

The field specified in the UI policy action is present on the specified form

[info](#)

TableIncident [incident]

ApplicationGlobal

Active☒

\* Short descriptionHigh Impact Control

Conditions

Add Filter Condition

Add OR Clause

Impact

is

1 - High

AND

OR

Delete

Related Links

[Link to Data Policy](#)

[Link to view](#)

[Link to Scan](#)

Policy Actions (2)

UI Policy Related List Actions

for text

Search

Actions on selected rows...

Policy = High Impact Control

| Field name                             | Mandatory   | Visible     | Read only |
|----------------------------------------|-------------|-------------|-----------|
| <div><div></div>urgency</div>          | Leave alone | Leave alone | True      |
| <div><div></div>assignment_group</div> | True        | Leave alone | False     |

<<

<

1 to 2 of 2

>

>>

UI policies change fields on a form based on a set of conditions. Use UI policies to show or hide fields, or to make fields mandatory or read-only based on these conditions. For policy specified one or more actions to take when the policy is triggered. First, create the policy. Then add as many actions as necessary. UI policy actions are applied only if all of the following conditions are met:

- The UI Policy is **Active**
- The items in the **Conditions** field evaluate to true
- The field specified in the UI policy action is present on the specified form

[More info](#)

Table Incident [incident] ▼

Application Global

Active ☒

\* Short description High Impact Control

Order

100

When to Apply

Script

Conditions

Add Filter Condition

Add OR Clause

Impact ▼

is



1 - High ▼

AND

OR



If selected, the UI Policy applies to all form views; otherwise the UI Policy is view-specific

Global ☒

Apply the UI policy actions when the form is loaded and when the user changes values on the form

On load ☒

Reverse the effects of the UI policy actions when the **Conditions** evaluate to false

Reverse if false ☒

Tables that extend the specified **Table** inherit this UI Policy

Inherit ☐

Update

Delete

Related Links

[Convert this to Data Policy](#)[Full view](#)[Point Scan](#)

Policy Actions (1)

UI Policy Related List Actions

for text ▼ Search



Actions on selected rows... ▼

New

policy = High Impact Control

| Field name       | Mandatory | Visible     | Read only |
|------------------|-----------|-------------|-----------|
| assignment_group | True      | Leave alone | False     |

er Condition

Add OR Clause



is



1 - High



AND

OR



otherwise the UI Policy is view-specific

Apply the UI policy actions when the form is loaded and when the user changes

On load ☒

e Conditions evaluate to false

Tables that extend the specified **Table** inherit this UI Policy

Inherit ☐