OUTPUT

```
Enter polynomial 1
Enter number of terms : 4
Term 1 | Coff and Exp : 4 3
Term 2 | Coff and Exp : 3 2
Term 3 | Coff and Exp : 12 1
Term 4 | Coff and Exp : 1 0
Enter Polynomial 2
Enter number of terms : 3
Term 1 | Coff and Exp : 6 3
Term 2 | Coff and Exp : 8 1
Term 3 | Coff and Exp : 9 0
Poly 1
+4x^3 + 3x^2 + 12x^1 + 10x^0
Poly 2
+6x^3 + 8x^1 + 9x^0
Polynomial Sum
+10x^3 + 3x^2 + 20x^1 + 10x^0
```

Q. Implement polynomial addition using a singly linked list

ALGORITHM

1. Declare structure Term, with coff, exp and pointer to next Term.

P. polyAdder(poly1, poly2)

1. res = lastNode = NULL
2. i = poly1 ; j = poly2
3. while (i not NULL OR j not NULL):
    1. Create newTerm, newNode
    2. if (exp at i == exp at j):
        1. newNode → coff = i → coff + j → coff
        2. newNode → exp = i → exp
        3. i = i → next
        4. j = j → next
    3. else if (exp of i > exp of j OR j == NULL):
        1. newNode → coff = i → coff
        2. newNode → exp = i → exp
        3. i = i → next
    4. else:
        1. newNode → coff = j → coff
        2. newNode → exp = j → exp
        3. j = j → next
    5. if (lastNode == NULL):
        res = newNode
    6. else:
        lastNode → next = newNode
    7. lastNode = newNode
    8. newNode → next = NULL
4. return res.

II. polyRead()

1. INPUT length as len
2. i = 0 ; res = NULL
3. while(i < len):
    1. Create new Term, newNode
    2. INPUT coff, exp into newNode
    3. if (prev == NULL):
        res = newNode
    4. else:
        prev → next = newNode
        prev = newNode
    5. newNode → next = NULL
    6. i = i+1
4. return res.

III. polyShow(poly)

1. p = poly
2. while(p ≠ NULL):
    1. DISPLAY coff, exp
    2. p = p → next

IV. main

1. Start
2. Using polyRead, get poly1 and poly2
3. Call polyAddn using poly1 and poly2 as parameters, store return value in polySum.
4. DISPLAY poly1, poly2, polySum using polyShow.
5. End.

RESULT

The program is executed successfully and output is obtained.