Status	Finished
Started	Wednesday, 21 October 2026, 9:32 PM
Completed	Wednesday, 21 October 2026, 9:38 PM
Duration	5 mins 29 secs
Grade	**15.00** out of 15.00 (**100**%)

Question **1**

Correct

Mark 1.00 out of 1.00

What happens if you try to open a file in read mode ('r') that does not exist?

a. A new file is created
b. An error is raised ✓
c. An empty file object is returned
d. The operation is ignored

The correct answer is: An error is raised

Question **2**

Correct

Mark 1.00 out of 1.00

Which function is used to open a file in Python?

a. open_file()
b. openfile()
c. open() ✓
d. file()

The correct answer is: open()

Question **3**

Correct

Mark 1.00 out of 1.00

What is the output of the following code?

```
f = open("test.txt", "w")
f.write("Hello, world!")
f.close()
f = open("test.txt", "r")
print(f.read())
f.close()
```

a. world

b. Hello

c. An error is raised

d. Hello, world! ✓

The correct answer is: Hello, world!

Question **4**

Correct

Mark 1.00 out of 1.00

Which method is used to get the current file position?

a. tell() ✓

b. position()

c. current()

d. locate()

The correct answer is: tell()

Question **5**

Correct

Mark 1.00 out of 1.00

If the file is opened in write mode and already exists, it truncates the existing content and places the filehandle at the beginning of the file.

Select one:

- True ✓
- False

The correct answer is 'True'.

Question **6**

Correct

Mark 1.00 out of 1.00

What does the following code do?

fo = open("foo.txt", "w")

- a. Opens an existing file in read mode
- b. Opens a file in binary mode
- c. Creates a new file for writing ✓
- d. Appends to an existing file

The correct answer is: Creates a new file for writing

Question **7**

Correct

Mark 1.00 out of 1.00

Which method is used to truncate a file to a specific size?

- a. reduce()
- b. truncate() ✓
- c. shrink()
- d. resize()

The correct answer is: truncate()

Question **8**

Correct

Mark 1.00 out of 1.00

What will be the output of the following code if the file "example.txt" contains "Python Programming"?

```
f = open("example.txt", "r")
print(f.read(6))
f.close()
```

a. An error is raised

b. Program

c. Python Programming

d. Python ✓

The correct answer is: Python

Question **9**

Correct

Mark 1.00 out of 1.00

Select the correct method to write a list of lines to a file

a. writelines(list) ✓

b. None of the mentioned

c. writelist(list)

d. write(list)

The correct answer is: writelines(list)

Question **10**

Correct

Mark 1.00 out of 1.00

What will the read() method return if used on an empty file?

a. EOFError

b. An empty string ✓

c. None

d. 0

The correct answer is: An empty string

Question **11**

Correct

Mark 1.00 out of 1.00

Which of the following is true about the readlines() method?

a. It reads a single line from the file
b. It reads the entire file and returns it as a string
c. It reads the entire file and returns it as a list of lines ✓
d. It reads the file and returns it as a dictionary

The correct answer is: It reads the entire file and returns it as a list of lines

Question **12**

Correct

Mark 1.00 out of 1.00

What does the buffering parameter in the open() function control?

a. The access mode of the file
b. The encoding of the file
c. The file's read/write position
d. The buffer size for the file operations ✓

The correct answer is: The buffer size for the file operations

Question **13**

Correct

Mark 1.00 out of 1.00

Which of the following modes opens a file for both reading and writing?

a. a
b. r+ ✓
c. w
d. r

The correct answer is: r+

Question **14**

Correct

Mark 1.00 out of 1.00

What is the use of tell() method in python?

a. tells you the end position within the file

b. tells you the current position within the file ✓

c. tells you the file is opened or not

d. none of the mentioned

The correct answer is:
tells you the current position within the file

Question **15**

Correct

Mark 1.00 out of 1.00

To open a file c:\scores.txt for writing, we use ____

a. outfile = open(file = "c:\scores.txt", "w")

b. outfile = open("c:\\scores.txt", "w") ✓

c. outfile = open("c:\scores.txt", "w")

d. outfile = open(file = "c:\\scores.txt", "w")

The correct answer is:
outfile = open("c:\\scores.txt", "w")