

HOSPITAL DISCHARGE SUMMARY

Patient: Sam Nguyen, MRN: 005-90122, Date of Birth: 1955-05-30

Admission Date: 2026-04-21, Discharge Date: 2026-04-24

DIAGNOSES

The patient was diagnosed with heart failure with reduced ejection fraction (HFrEF) and atrial fibrillation.

ECHO RESULTS

Left ventricular ejection fraction (LVEF) was measured at 30%.

DISCHARGE MEDICATIONS

The patient was prescribed furosemide 40 mg orally once daily, metoprolol succinate 50 mg orally once daily, and apixaban 5 mg orally twice daily.

OBSERVATIONS

The patient's B-type natriuretic peptide (BNP) level was 820 pg/mL, and the heart rate was 110 beats per minute with an irregular rhythm.

PROCEDURES PERFORMED

Electrical cardioversion was performed on 2026-04-22.

DISCHARGE INSTRUCTIONS

The patient is to monitor daily weights, follow a low-sodium diet, and attend a cardiology follow-up appointment in one week.

HOSPITAL DISCHARGE SUMMARY

Patient: Sam Nguyen, MRN: 005-90122, Date of Birth: 1955-05-30

Admission Date: 2026-04-21, Discharge Date: 2026-04-24

DIAGNOSES

The patient was diagnosed with heart failure with reduced ejection fraction (HFrEF) and atrial fibrillation.

ECHO RESULTS

The left ventricular ejection fraction (LVEF) was measured at 30%.

DISCHARGE MEDICATIONS

The patient was prescribed furosemide 40 mg orally once daily, metoprolol succinate 50 mg orally once daily, and apixaban 5 mg orally twice daily.

OBSERVATIONS

The patient's B-type natriuretic peptide (BNP) level was 820 pg/mL, and the heart rate was 110 beats per minute with an irregular rhythm.

PROCEDURES

Electrical cardioversion was performed on 2026-04-22.

DISCHARGE INSTRUCTIONS

The patient is to monitor daily weights, follow a low-sodium diet, and schedule a follow-up appointment with cardiology in one week.

HOSPITAL DISCHARGE SUMMARY

Patient: Sam Nguyen, MRN: 005-90122, Date of Birth: 1955-05-30

Admission Date: 2026-04-21, Discharge Date: 2026-04-24

DIAGNOSES

The patient was diagnosed with heart failure with reduced ejection fraction (HFrEF) and atrial fibrillation.

ECHO RESULTS

Left ventricular ejection fraction (LVEF) was measured at 30%.

DISCHARGE MEDICATIONS

The patient was prescribed furosemide 40 mg orally once daily, metoprolol succinate 50 mg orally once daily, and apixaban 5 mg orally twice daily.

OBSERVATIONS

The patient's B-type natriuretic peptide (BNP) level was 820 pg/mL, and heart rate (HR) was 110 beats per minute with an irregular rhythm.

PROCEDURES PERFORMED

Electrical cardioversion was performed on 2026-04-22.

DISCHARGE INSTRUCTIONS

The patient is to monitor daily weights, follow a low-sodium diet, and schedule a follow-up appointment with cardiology in one week.

HOSPITAL DISCHARGE SUMMARY

Patient: Sam Nguyen, MRN: 005-90122, Date of Birth: 1955-05-30

Admission Date: 2026-04-21, Discharge Date: 2026-04-24

DIAGNOSES

The patient was diagnosed with heart failure with reduced ejection fraction (HFrEF) and atrial fibrillation.

ECHO RESULTS

Left ventricular ejection fraction (LVEF) was measured at 30%.

DISCHARGE MEDICATIONS

The patient was prescribed furosemide 40 mg orally once daily, metoprolol succinate 50 mg orally once daily, and apixaban 5 mg orally twice daily.

OBSERVATIONS

The patient's B-type natriuretic peptide (BNP) level was 820 pg/mL, and heart rate (HR) was 110 beats per minute with an irregular rhythm.

PROCEDURES

Electrical cardioversion was performed on 2026-04-22.

DISCHARGE INSTRUCTIONS

The patient is to monitor daily weights, follow a low-sodium diet, and schedule a follow-up appointment with cardiology in one week.

HOSPITAL DISCHARGE SUMMARY

Patient: Sam Nguyen, MRN: 005-90122, Date of Birth: 1955-05-30

Admission Date: 2026-04-21, Discharge Date: 2026-04-24

DIAGNOSES

The patient was diagnosed with heart failure with reduced ejection fraction (HFrEF) and atrial fibrillation.

ECHO RESULTS

Left ventricular ejection fraction (LVEF) was measured at 30%.

DISCHARGE MEDICATIONS

The patient was prescribed furosemide 40 mg orally once daily, metoprolol succinate 50 mg orally once daily, and apixaban 5 mg orally twice daily.

OBSERVATIONS

The patient's B-type natriuretic peptide (BNP) level was 820 pg/mL, and the heart rate was 110 beats per minute with an irregular rhythm.

PROCEDURES PERFORMED

Electrical cardioversion was performed on 2026-04-22.

DISCHARGE INSTRUCTIONS

The patient is to monitor daily weights, follow a low-sodium diet, and attend a cardiology follow-up appointment in one week.

HOSPITAL DISCHARGE SUMMARY

Patient: Sam Nguyen, MRN: 005-90122, Date of Birth: 1955-05-30

Admission Date: 2026-04-21, Discharge Date: 2026-04-24

DIAGNOSES

The patient was diagnosed with heart failure with reduced ejection fraction (HFrEF) and atrial fibrillation.

ECHO RESULTS

The left ventricular ejection fraction (LVEF) was measured at 30%.

DISCHARGE MEDICATIONS

The patient was prescribed furosemide 40 mg orally once daily, metoprolol succinate 50 mg orally once daily, and apixaban 5 mg orally twice daily.

OBSERVATIONS

The patient's B-type natriuretic peptide (BNP) level was 820 pg/mL, and the heart rate was 110 beats per minute with an irregular rhythm.

PROCEDURES

Electrical cardioversion was performed on 2026-04-22.

DISCHARGE INSTRUCTIONS

The patient is to monitor daily weights, follow a low-sodium diet, and schedule a follow-up appointment with cardiology in one week.

HOSPITAL DISCHARGE SUMMARY

Patient: Sam Nguyen, MRN: 005-90122, Date of Birth: 1955-05-30

Admission Date: 2026-04-21, Discharge Date: 2026-04-24

DIAGNOSES

The patient was diagnosed with heart failure with reduced ejection fraction (HFrEF) and atrial fibrillation.

ECHO RESULTS

Left ventricular ejection fraction (LVEF) was measured at 30%.

DISCHARGE MEDICATIONS

The patient was prescribed furosemide 40 mg orally once daily, metoprolol succinate 50 mg orally once daily, and apixaban 5 mg orally twice daily.

OBSERVATIONS

The patient's B-type natriuretic peptide (BNP) level was 820 pg/mL, and heart rate (HR) was 110 beats per minute with an irregular rhythm.

PROCEDURES PERFORMED

Electrical cardioversion was performed on 2026-04-22.

DISCHARGE INSTRUCTIONS

The patient is to monitor daily weights, follow a low-sodium diet, and schedule a follow-up appointment with cardiology in one week.

HOSPITAL DISCHARGE SUMMARY

Patient: Sam Nguyen, MRN: 005-90122, Date of Birth: 1955-05-30

Admission Date: 2026-04-21, Discharge Date: 2026-04-24

DIAGNOSES

The patient was diagnosed with heart failure with reduced ejection fraction (HFrEF) and atrial fibrillation.

ECHO RESULTS

Left ventricular ejection fraction (LVEF) was measured at 30%.

DISCHARGE MEDICATIONS

The patient was prescribed furosemide 40 mg orally once daily, metoprolol succinate 50 mg orally once daily, and apixaban 5 mg orally twice daily.

OBSERVATIONS

The patient's B-type natriuretic peptide (BNP) level was 820 pg/mL, and heart rate (HR) was 110 beats per minute with an irregular rhythm.

PROCEDURES

Electrical cardioversion was performed on 2026-04-22.

DISCHARGE INSTRUCTIONS

The patient is to monitor daily weights, follow a low-sodium diet, and schedule a follow-up appointment with cardiology in one week.

HOSPITAL DISCHARGE SUMMARY

Patient: Sam Nguyen, MRN: 005-90122, Date of Birth: 1955-05-30

Admission Date: 2026-04-21, Discharge Date: 2026-04-24

DIAGNOSES

The patient was diagnosed with heart failure with reduced ejection fraction (HFrEF) and atrial fibrillation.

ECHO RESULTS

Left ventricular ejection fraction (LVEF) was measured at 30%.

DISCHARGE MEDICATIONS

The patient was prescribed furosemide 40 mg orally once daily, metoprolol succinate 50 mg orally once daily, and apixaban 5 mg orally twice daily.

OBSERVATIONS

The patient's B-type natriuretic peptide (BNP) level was 820 pg/mL, and the heart rate was 110 beats per minute with an irregular rhythm.

PROCEDURES PERFORMED

Electrical cardioversion was performed on 2026-04-22.

DISCHARGE INSTRUCTIONS

The patient is to monitor daily weights, follow a low-sodium diet, and attend a cardiology follow-up appointment in one week.

HOSPITAL DISCHARGE SUMMARY

Patient: Sam Nguyen, MRN: 005-90122, Date of Birth: 1955-05-30

Admission Date: 2026-04-21, Discharge Date: 2026-04-24

DIAGNOSES

The patient was diagnosed with heart failure with reduced ejection fraction (HFrEF) and atrial fibrillation.

ECHO RESULTS

The left ventricular ejection fraction (LVEF) was measured at 30%.

DISCHARGE MEDICATIONS

The patient was prescribed furosemide 40 mg orally once daily, metoprolol succinate 50 mg orally once daily, and apixaban 5 mg orally twice daily.

OBSERVATIONS

The patient's B-type natriuretic peptide (BNP) level was 820 pg/mL, and the heart rate was 110 beats per minute with an irregular rhythm.

PROCEDURES

Electrical cardioversion was performed on 2026-04-22.

DISCHARGE INSTRUCTIONS

The patient is to monitor daily weights, follow a low-sodium diet, and schedule a follow-up appointment with cardiology in one week.

HOSPITAL DISCHARGE SUMMARY

Patient: Sam Nguyen, MRN: 005-90122, Date of Birth: 1955-05-30

Admission Date: 2026-04-21, Discharge Date: 2026-04-24

DIAGNOSES

The patient was diagnosed with heart failure with reduced ejection fraction (HFrEF) and atrial fibrillation.

ECHO RESULTS

Left ventricular ejection fraction (LVEF) was measured at 30%.

DISCHARGE MEDICATIONS

The patient was prescribed furosemide 40 mg orally once daily, metoprolol succinate 50 mg orally once daily, and apixaban 5 mg orally twice daily.

OBSERVATIONS

The patient's B-type natriuretic peptide (BNP) level was 820 pg/mL, and heart rate (HR) was 110 beats per minute with an irregular rhythm.

PROCEDURES PERFORMED

Electrical cardioversion was performed on 2026-04-22.

DISCHARGE INSTRUCTIONS

The patient is to monitor daily weights, follow a low-sodium diet, and schedule a follow-up appointment with cardiology in one week.

HOSPITAL DISCHARGE SUMMARY

Patient: Sam Nguyen, MRN: 005-90122, Date of Birth: 1955-05-30

Admission Date: 2026-04-21, Discharge Date: 2026-04-24

DIAGNOSES

The patient was diagnosed with heart failure with reduced ejection fraction (HFrEF) and atrial fibrillation.

ECHO RESULTS

Left ventricular ejection fraction (LVEF) was measured at 30%.

DISCHARGE MEDICATIONS

The patient was prescribed furosemide 40 mg orally once daily, metoprolol succinate 50 mg orally once daily, and apixaban 5 mg orally twice daily.

OBSERVATIONS

The patient's B-type natriuretic peptide (BNP) level was 820 pg/mL, and heart rate (HR) was 110 beats per minute with an irregular rhythm.

PROCEDURES

Electrical cardioversion was performed on 2026-04-22.

DISCHARGE INSTRUCTIONS

The patient is to monitor daily weights, follow a low-sodium diet, and schedule a follow-up appointment with cardiology in one week.

HOSPITAL DISCHARGE SUMMARY

Patient: Sam Nguyen, MRN: 005-90122, Date of Birth: 1955-05-30

Admission Date: 2026-04-21, Discharge Date: 2026-04-24

DIAGNOSES

The patient was diagnosed with heart failure with reduced ejection fraction (HFrEF) and atrial fibrillation.

ECHO RESULTS

Left ventricular ejection fraction (LVEF) was measured at 30%.

DISCHARGE MEDICATIONS

The patient was prescribed furosemide 40 mg orally once daily, metoprolol succinate 50 mg orally once daily, and apixaban 5 mg orally twice daily.

OBSERVATIONS

The patient's B-type natriuretic peptide (BNP) level was 820 pg/mL, and the heart rate was 110 beats per minute with an irregular rhythm.

PROCEDURES PERFORMED

Electrical cardioversion was performed on 2026-04-22.

DISCHARGE INSTRUCTIONS

The patient is to monitor daily weights, follow a low-sodium diet, and attend a cardiology follow-up appointment in one week.

HOSPITAL DISCHARGE SUMMARY

Patient: Sam Nguyen, MRN: 005-90122, Date of Birth: 1955-05-30

Admission Date: 2026-04-21, Discharge Date: 2026-04-24

DIAGNOSES

The patient was diagnosed with heart failure with reduced ejection fraction (HFrEF) and atrial fibrillation.

ECHO RESULTS

The left ventricular ejection fraction (LVEF) was measured at 30%.

DISCHARGE MEDICATIONS

The patient was prescribed furosemide 40 mg orally once daily, metoprolol succinate 50 mg orally once daily, and apixaban 5 mg orally twice daily.

OBSERVATIONS

The patient's B-type natriuretic peptide (BNP) level was 820 pg/mL, and the heart rate was 110 beats per minute with an irregular rhythm.

PROCEDURES

Electrical cardioversion was performed on 2026-04-22.

DISCHARGE INSTRUCTIONS

The patient is to monitor daily weights, follow a low-sodium diet, and schedule a follow-up appointment with cardiology in one week.

HOSPITAL DISCHARGE SUMMARY

Patient: Sam Nguyen, MRN: 005-90122, Date of Birth: 1955-05-30

Admission Date: 2026-04-21, Discharge Date: 2026-04-24

DIAGNOSES

The patient was diagnosed with heart failure with reduced ejection fraction (HFrEF) and atrial fibrillation.

ECHO RESULTS

Left ventricular ejection fraction (LVEF) was measured at 30%.

DISCHARGE MEDICATIONS

The patient was prescribed furosemide 40 mg orally once daily, metoprolol succinate 50 mg orally once daily, and apixaban 5 mg orally twice daily.

OBSERVATIONS

The patient's B-type natriuretic peptide (BNP) level was 820 pg/mL, and heart rate (HR) was 110 beats per minute with an irregular rhythm.

PROCEDURES PERFORMED

Electrical cardioversion was performed on 2026-04-22.

DISCHARGE INSTRUCTIONS

The patient is to monitor daily weights, follow a low-sodium diet, and schedule a follow-up appointment with cardiology in one week.

HOSPITAL DISCHARGE SUMMARY

Patient: Sam Nguyen, MRN: 005-90122, Date of Birth: 1955-05-30

Admission Date: 2026-04-21, Discharge Date: 2026-04-24

DIAGNOSES

The patient was diagnosed with heart failure with reduced ejection fraction (HFrEF) and atrial fibrillation.

ECHO RESULTS

Left ventricular ejection fraction (LVEF) was measured at 30%.

DISCHARGE MEDICATIONS

The patient was prescribed furosemide 40 mg orally once daily, metoprolol succinate 50 mg orally once daily, and apixaban 5 mg orally twice daily.

OBSERVATIONS

The patient's B-type natriuretic peptide (BNP) level was 820 pg/mL, and heart rate (HR) was 110 beats per minute with an irregular rhythm.

PROCEDURES

Electrical cardioversion was performed on 2026-04-22.

DISCHARGE INSTRUCTIONS

The patient is to monitor daily weights, follow a low-sodium diet, and schedule a follow-up appointment with cardiology in one week.