

DISCHARGE INSTRUCTIONS

Name: Maria Gomez MRN: 003-77211 DOB: 1962-02-22

Admit: 2026-02-10 Discharge: 2026-02-12

DIAGNOSES

- Type 2 diabetes mellitus
- Hypertension
- Diabetic foot ulcer (left)

HOSPITAL COURSE

Treated for infected diabetic foot ulcer with IV antibiotics; improved.

MEDICATIONS

- Metformin 1000 mg PO BID with meals
- Lisinopril 10 mg PO daily
- Amoxicillin-clavulanate 875/125 mg PO BID x 7 days

OBSERVATIONS

- A1c 8.7%
- BP 152/92 mmHg

PROCEDURES

- Wound debridement (left foot) 2026-02-11

PLAN

Wound care follow up, glucose monitoring, PCP follow up in 1 week.

MEDICATIONS

- Metformin 1000 mg PO BID with meals
- Lisinopril 10 mg PO daily
- Amoxicillin-clavulanate 875/125 mg PO BID x 7 days

DIAGNOSES

- Type 2 diabetes mellitus
- Hypertension
- Diabetic foot ulcer (left)

MEDICATIONS

- Metformin 1000 mg PO BID with meals
- Lisinopril 10 mg PO daily
- Amoxicillin-clavulanate 875/125 mg PO BID x 7 days

DIAGNOSES

- Type 2 diabetes mellitus
- Hypertension
- Diabetic foot ulcer (left)

MEDICATIONS

- Metformin 1000 mg PO BID with meals
- Lisinopril 10 mg PO daily
- Amoxicillin-clavulanate 875/125 mg PO BID x 7 days

DIAGNOSES

- Type 2 diabetes mellitus
- Hypertension
- Diabetic foot ulcer (left)

MEDICATIONS

- Metformin 1000 mg PO BID with meals
- Lisinopril 10 mg PO daily
- Amoxicillin-clavulanate 875/125 mg PO BID x 7 days

DIAGNOSES

- Type 2 diabetes mellitus
- Hypertension
- Diabetic foot ulcer (left)

MEDICATIONS

- Metformin 1000 mg PO BID with meals
- Lisinopril 10 mg PO daily
- Amoxicillin-clavulanate 875/125 mg PO BID x 7 days

DIAGNOSES

- Type 2 diabetes mellitus
- Hypertension
- Diabetic foot ulcer (left)

MEDICATIONS

- Metformin 1000 mg PO BID with meals
- Lisinopril 10 mg PO daily
- Amoxicillin-clavulanate 875/125 mg PO BID x 7 days

DIAGNOSES

- Type 2 diabetes mellitus
- Hypertension
- Diabetic foot ulcer (left)

MEDICATIONS

- Metformin 1000 mg PO BID with meals
- Lisinopril 10 mg PO daily
- Amoxicillin-clavulanate 875/125 mg PO BID x 7 days

DIAGNOSES

- Type 2 diabetes mellitus
- Hypertension
- Diabetic foot ulcer (left)

MEDICATIONS

- Metformin 1000 mg PO BID with meals
- Lisinopril 10 mg PO daily
- Amoxicillin-clavulanate 875/125 mg PO BID x 7 days

DIAGNOSES

- Type 2 diabetes mellitus
- Hypertension
- Diabetic foot ulcer (left)

MEDICATIONS

- Metformin 1000 mg PO BID with meals
- Lisinopril 10 mg PO daily
- Amoxicillin-clavulanate 875/125 mg PO BID x 7 days

DIAGNOSES

- Type 2 diabetes mellitus

- Hypertension
- Diabetic foot ulcer (left)

MEDICATIONS

- Metformin 1000 mg PO BID with meals
- Lisinopril 10 mg PO daily
- Amoxicillin-clavulanate 875/125 mg PO BID x 7 days

DIAGNOSES

- Type 2 diabetes mellitus
- Hypertension
- Diabetic foot ulcer (left)

MEDICATIONS

- Metformin 1000 mg PO BID with meals
- Lisinopril 10 mg PO daily
- Amoxicillin-clavulanate 875/125 mg PO BID x 7 days

DIAGNOSES

- Type 2 diabetes mellitus
- Hypertension
- Diabetic foot ulcer (left)

MEDICATIONS

- Metformin 1000 mg PO BID with meals
- Lisinopril 10 mg PO daily
- Amoxicillin-clavulanate 875/125 mg PO BID x 7 days

DIAGNOSES

- Type 2 diabetes mellitus
- Hypertension
- Diabetic foot ulcer (left)

MEDICATIONS

- Metformin 1000 mg PO BID with meals
- Lisinopril 10 mg PO daily
- Amoxicillin-clavulanate 875/125 mg PO BID x 7 days

DIAGNOSES

- Type 2 diabetes mellitus
- Hypertension
- Diabetic foot ulcer (left)

MEDICATIONS

- Metformin 1000 mg PO BID with meals
- Lisinopril 10 mg PO daily
- Amoxicillin-clavulanate 875/125 mg PO BID x 7 days

DIAGNOSES

- Type 2 diabetes mellitus
- Hypertension
- Diabetic foot ulcer (left)

MEDICATIONS

- Metformin 1000 mg PO BID with meals
- Lisinopril 10 mg PO daily
- Amoxicillin-clavulanate 875/125 mg PO BID x 7 days

DIAGNOSES

- Type 2 diabetes mellitus
- Hypertension
- Diabetic foot ulcer (left)