Deeparture V2 - Phase 2B Acceptance Checklist

Admin Automation & Management Enhancements - Revision 1.3

Architecture-aligned + implementation guardrails. Run this checklist against the deployed Render staging build.

Admin V2 URL	_____
Frontend Render staging URL	_____
Backend/API Render URL	_____
MongoDB Atlas staging DB/environment	_____
Git branch	_____
Exact deployed commit	_____
Test date	_____
Tested by	_____

1. Import History & Versioning

Test	Verify	Pass	Fail	Notes
Import batches are stored.	Timestamp/user/source/type/results available.	[ ]	[ ]	
Import adapter/source type is recorded.	History identifies the source adapter/contract.	[ ]	[ ]	
Import schema/template version is recorded.	Later format versions can be traced.	[ ]	[ ]	
Row-level errors are visible.	Admin can understand failures.	[ ]	[ ]	
Affected records can be opened.	History is operational.	[ ]	[ ]	
Partial failures are clearly reported.	No hidden state.	[ ]	[ ]	
Retry/reprocess uses the normalized import pipeline.	No second importer/direct MongoDB write path.	[ ]	[ ]	

2. Duplicate Reconciliation

Test	Verify	Pass	Fail	Notes
Ambiguous matches enter review.	No silent merge.	[ ]	[ ]	
Admin can choose existing/new.	Manual resolution works.	[ ]	[ ]	
Resolved decision persists.	Future matching can reuse the decision/mapping where appropriate.	[ ]	[ ]	
Reconciliation does not replace permanent Deeparture IDs.	External/source IDs remain mappings only.	[ ]	[ ]	

3. Reusable Notifications

Test	Verify	Pass	Fail	Notes
In-app notification records are created.	Import/claim/enquiry/etc.	[ ]	[ ]	
Notification is recipient/audience aware.	Supports recipient user/organisation or audience such as admin/operator.	[ ]	[ ]	
Unread count works.	Header/badge updates.	[ ]	[ ]	
Notification links to correct record/action.	Actionable.	[ ]	[ ]	
Notification service is reusable for Phase 3.	No Admin-only data model that would require an Operator notification subsystem later.	[ ]	[ ]	
Email remains a channel/service, not controller-coupled business logic.	New notification types do not require duplicating workflow rules in email controllers.	[ ]	[ ]	

4. Audit, Provenance & External Source Mapping

Test	Verify	Pass	Fail	Notes
Important Admin actions create audit entries.	Actor/action/entity/time.	[ ]	[ ]	
Bulk actions and verification changes create audit entries.	Same audit path as individual actions.	[ ]	[ ]	
Sensitive secrets are excluded.	No passwords/raw tokens/API credentials in payloads.	[ ]	[ ]	
Source type/URL/reference can be viewed.	Provenance visible.	[ ]	[ ]	
Last checked/updated dates can be stored.	Future automation readiness.	[ ]	[ ]	
Reusable external source/provider mappings exist.	Internal entity can map to provider/source external IDs without changing its Deeparture ID.	[ ]	[ ]	
Mapping foundation is not availability-only.	Suitable for catalogue imports and later Phase 5 connectors as well.	[ ]	[ ]	

5. Verification & Claim History

Test	Verify	Pass	Fail	Notes
Admin can verify organisation/listing.	Separate from publication state.	[ ]	[ ]	
Verification records who and when.	verifiedBy + verifiedAt or equivalent.	[ ]	[ ]	
Verification records source/scope where relevant.	Not a provenance-free permanent boolean.	[ ]	[ ]	
Verification can be revoked/marked stale.	History/audit remains visible.	[ ]	[ ]	
Claim invitation history is visible.	Sent/expiry/resend/revoke/claimed.	[ ]	[ ]	
Existing Phase 2A claim service is reused.	No second claim-token mechanism.	[ ]	[ ]	

6. Completeness & Website Queue

Test	Verify	Pass	Fail	Notes
Listing completeness indicator works.	Shows missing categories.	[ ]	[ ]	
Completeness comes from shared/configurable rules.	Not frontend-only hard-coded checks.	[ ]	[ ]	
Completeness supports different product types.	Liveaboard/resort rules can differ without duplicating UI logic.	[ ]	[ ]	
Completeness does not block basic publication.	Informational only.	[ ]	[ ]	
Website source queue accepts URL/product/operator.	Ready for Phase 5 extractor.	[ ]	[ ]	
Website queue statuses work.	queued/draft_created/needs_review/etc.	[ ]	[ ]	
Future website extraction is designed to feed normalized import service.	No direct catalogue-model write path is introduced.	[ ]	[ ]	

7. Availability Source Management

Test	Verify	Pass	Fail	Notes
Admin can see availability source and timestamps.	Effective availability displays source, sourceUpdatedAt and/or receivedAt.	[ ]	[ ]	
Freshness state is calculated/configurable.	Test data can become fresh/aging/stale/unknown based on configured rule.	[ ]	[ ]	
Stale does not mean sold out.	Aging beyond threshold does not change inventory to sold_out automatically.	[ ]	[ ]	
Source priority can be configured.	Priority is data/configuration, not hard-coded universal provider ranking.	[ ]	[ ]	
Conflicting source updates are detectable.	Admin can see two sources disagreeing for the same inventory.	[ ]	[ ]	
Older/lower-priority data cannot silently replace accepted effective value.	Resolution is deterministic and reviewable.	[ ]	[ ]	
Manual override works.	Admin can set value/status with reason and optional expiry.	[ ]	[ ]	
Manual override is visibly identified.	Effective availability clearly shows override state.	[ ]	[ ]	
Expired override stops controlling effective availability.	Resolution returns to applicable source value.	[ ]	[ ]	
Availability history is traceable.	Source updates/effective changes/overrides can be reviewed.	[ ]	[ ]	
Availability source configuration exists.	Provider/source, enabled state, priority, freshness threshold and sync metadata can be stored.	[ ]	[ ]	
Provider/entity IDs reuse shared source mapping foundation where appropriate.	No isolated availability-only identity system.	[ ]	[ ]	
No external provider connection is required to pass Phase 2B.	Connector-ready architecture only.	[ ]	[ ]	
Future connectors write through Phase 2A Availability Service.	No second availability subsystem.	[ ]	[ ]	

8. Shared Search & Typed Attribute Filtering

Test	Verify	Pass	Fail	Notes
Advanced structured filters use the shared Search Service.	Country/destination/port/status/price/availability filtering is not page-only browser filtering.	[ ]	[ ]	
Boolean filterable attributes work.	Example such as nitrox/rebreather support.	[ ]	[ ]	
Numeric filterable attributes work.	Example such as vegan grade/minimum dives/rating threshold.	[ ]	[ ]	
Controlled single-select/enum attributes work.	Exact controlled-value matching.	[ ]	[ ]	
Controlled multi-select attributes work.	Appropriate contains/any/all semantics documented.	[ ]	[ ]	
Structured fields and typed attributes combine in one query.	Canonical geography + price/availability + at least two attributes produce correct results.	[ ]	[ ]	
Adding a new filterable attribute does not require a new product schema field.	Attribute-definition-driven extension remains intact.	[ ]	[ ]	
Final customer filter UI is not required in Phase 2B.	Backend/search capability is proven; polished UI remains Phase 4.	[ ]	[ ]	

9. Advanced Admin Tools & Bulk Actions

Test	Verify	Pass	Fail	Notes
Advanced dashboard flags operational issues.	Stale/error/unclaimed/conflict/etc.	[ ]	[ ]	
Safe bulk Admin actions work.	Confirm + result reporting.	[ ]	[ ]	
Bulk actions enforce permissions/state rules.	Same domain/service methods as individual actions.	[ ]	[ ]	
Bulk actions create audit records.	No direct DB mass update bypass.	[ ]	[ ]	
Advanced catalogue filters work.	Status/source/completeness/location/availability/filterable attributes as designed.	[ ]	[ ]	
Operational reporting is available.	Catalogue/import/claim/enquiry/availability summaries.	[ ]	[ ]	

10. Event / Background-Job Readiness

Test	Verify	Pass	Fail	Notes
Important side effects are behind service/event boundaries.	Controllers do not directly contain all notification/audit/background logic.	[ ]	[ ]	
Key internal events can be represented.	e.g. import.completed, claim.completed, enquiry.approved, availability.updated.	[ ]	[ ]	
A distributed event bus is not required.	Lightweight implementation is acceptable if boundaries are clear.	[ ]	[ ]	
Future background workers can be added without rewriting domain workflows.	Sync/retry/staleness/email/indexing can attach to existing boundaries.	[ ]	[ ]	

11. Engineering Guardrails - Migrations, Scale & Safety

Test	Verify	Pass	Fail	Notes
Phase 2B schema/index/data changes have documented migration steps.	Forward change, affected models/collections and any backfill are documented.	[ ]	[ ]	
Migration rollback/recovery approach is documented.	No destructive staging/production change relies on undocumented manual recovery.	[ ]	[ ]	
Important Phase 2B query patterns have an indexing plan.	Notifications/audit/import history/source mappings/availability history/search fields have justified indexes where needed.	[ ]	[ ]	
Growing operational datasets use server-side pagination/cursors.	Audit, notifications, import history/errors, claim history and availability/source history do not fetch entire datasets to the browser.	[ ]	[ ]	
List APIs enforce bounded page sizes.	Client cannot request an unbounded result set.	[ ]	[ ]	
Sorting is server-side and stable for paginated datasets.	Repeated paging does not reorder unpredictably.	[ ]	[ ]	
Concurrency/lost-update protection exists where material.	Older Admin/import/source writes cannot silently overwrite newer accepted data in a demonstrated conflict case.	[ ]	[ ]	
Conflict is returned/reported explicitly.	Conflict is visible rather than silently "last write wins" where data loss is possible.	[ ]	[ ]	
New Phase 2B APIs use a consistent error contract.	Validation, permission, not-found, conflict and internal errors have predictable codes/shapes.	[ ]	[ ]	
Client errors do not expose stack traces or secrets.	Safe API responses.	[ ]	[ ]	
Multi-step operations have operation/correlation IDs.	Import/bulk/source operation can be traced across response, UI/history, audit/logs.	[ ]	[ ]	
Bulk actions have sensible batch limits/chunking.	No unbounded mass operation.	[ ]	[ ]	
Bulk actions expose per-record or partial outcomes.	Mixed success/failure is not hidden behind one opaque result.	[ ]	[ ]	
Retention/archival readiness is documented.	Audit/business records can be distinguished from purgeable operational/technical records without damaging core state.	[ ]	[ ]	
Realistic seeded-data performance check is completed.	Dataset size recorded; common Admin/search/history paths remain responsive and bounded.	[ ]	[ ]	
No obvious N+1/full-collection query pattern is introduced.	Review main Phase 2B list/search/detail paths.	[ ]	[ ]	
No unnecessary heavy infrastructure is introduced.	Redis/search engine/Kafka/Kubernetes/microservices are not added without a demonstrated requirement.	[ ]	[ ]	

12. Regression, Mobile & Data Safety

Test	Verify	Pass	Fail	Notes
Phase 2A import workflow still works.	Preview/confirm/commit remains intact.	[ ]	[ ]	
Phase 2A claim workflow still works.	No duplicate organisation/listing created.	[ ]	[ ]	
Phase 2A enquiry workflow still works.	Admin receives before operator.	[ ]	[ ]	
Phase 2A pricing/search/public-page regressions remain green.	No regression.	[ ]	[ ]	
Phase 2A Availability Service remains authoritative.	All new availability features extend it rather than replacing it.	[ ]	[ ]	
Phase 1 + Phase 2A automated/regression verification remains green.	Accepted earlier-phase tests are rerun after Phase 2B changes.	[ ]	[ ]	
Canonical locations and typed attributes regressions remain green.	Phase 2B changes do not break the filter/search foundations.	[ ]	[ ]	
Phase 2B screens usable on desktop/tablet/mobile.	No critical layout break.	[ ]	[ ]	
No V1 production data is modified.	Mandatory.	[ ]	[ ]	

13. Deployment Identity

Test	Verify	Pass	Fail	Notes
Frontend is deployed to the intended Render staging environment.	URL recorded above.	[ ]	[ ]	
Backend/API is deployed to the intended Render staging environment.	URL recorded above.	[ ]	[ ]	
Dedicated V2 Atlas staging database is confirmed.	Database/environment recorded above.	[ ]	[ ]	
Exact Git branch and commit hash are recorded.	No local-only/uncommitted baseline ambiguity.	[ ]	[ ]	
Developer confirms deployed commit identity in writing.	"This commit is the version currently deployed to the Deeparture V2 Render staging environment."	[ ]	[ ]	
Acceptance tests are run against the deployed staging build.	Not local-only.	[ ]	[ ]	
Deployment-specific changes and known issues are documented.	Clean handoff to Phase 3.	[ ]	[ ]	

14. End-to-End Phase 2B Demonstration

Test	Verify	Pass	Fail	Notes
Run import with valid/error/duplicate rows.		[ ]	[ ]	
Show import source/adapter/schema version in history.		[ ]	[ ]	
Resolve an ambiguous duplicate.		[ ]	[ ]	
Confirm audit + notification are produced.		[ ]	[ ]	
Demonstrate verification metadata.		[ ]	[ ]	
Demonstrate reusable external source/provider mapping.		[ ]	[ ]	
Demonstrate completeness via shared rules.		[ ]	[ ]	
Demonstrate website source queue.		[ ]	[ ]	
Demonstrate availability freshness/conflict/priority.		[ ]	[ ]	
Demonstrate temporary manual availability override and expiry behavior.		[ ]	[ ]	
Demonstrate availability history.		[ ]	[ ]	
Run safe bulk action and show audit/state-rule preservation.		[ ]	[ ]	
Run combined canonical-location + price/availability + typed-attribute search.		[ ]	[ ]	
Confirm Phase 2A regression suite remains green.		[ ]	[ ]	
Confirm Render + Atlas + branch + exact commit deployment identity.		[ ]	[ ]	
Demonstrate server-side pagination/sorting on a growing dataset.		[ ]	[ ]	
Show/document important Phase 2B indexes and their query use-cases.		[ ]	[ ]	
Demonstrate one concurrency/conflict protection case.		[ ]	[ ]	
Demonstrate consistent validation/conflict API error shape.		[ ]	[ ]	
Show an operation/correlation ID across one multi-step operation.		[ ]	[ ]	
Run a bounded bulk action with mixed per-record outcomes.		[ ]	[ ]	
Run realistic seeded-data search/performance check and record dataset size.		[ ]	[ ]	
Confirm full Phase 1 + Phase 2A regression/verification suite remains green.		[ ]	[ ]	
PASS - Phase 2B - Admin Automation & Management Enhancements accepted		[ ]	[ ]	
PASS WITH ISSUES - non-critical issues documented		[ ]	[ ]	
FAIL - Phase 2B - Admin Automation & Management Enhancements not ready for Phase 3		[ ]	[ ]	

Final Result

[ ]	PASS - Phase 2B accepted
[ ]	PASS WITH ISSUES - non-critical issues documented
[ ]	FAIL - Phase 2B not ready for Phase 3

Outstanding issues

1. _____
2. _____
3. _____
4. _____

Next phase: Phase 3 - Operator Portal V2.