FULL PAPER

Procedural Content Generation in Digital Narratives

John Smith[1], **Alice Jones**[2]

[1]Department of Computer Science, State University, USA
[2]School of Digital Media, Tech Institute, UK
Corresponding: john.smith@stateuniv.edu

DOI: 10.1234/ludus.2026.demo

Abstract

This paper demonstrates the Ludus Academik journal template within the Inkwell extension. We present computational examples that generate figures directly from markdown, combining mathematical analysis with reproducible output. The two-column layout, themed headers, and bibliography are all produced from YAML frontmatter and Pandoc compilation.

Keywords: literate programming; reproducible research; Pandoc; LaTeX

1. Introduction

Academic publishing requires precise formatting that varies by journal. Inkwell addresses this by compiling markdown to journal-specific LaTeX classes through Pandoc (MacFarlane 2023). This document uses the Ludus Academik template, producing a two-column layout with themed section headers.

The literate programming paradigm (Knuth 1984) allows code and prose to coexist. Inkwell extends this to compiled PDF output: code blocks execute, and their results (figures, tables, text) appear in the final document.

2. Computational Example

We demonstrate with a Fourier series visualization (Fourier 1822). The partial sum approximating a square wave is given by equation 1.

$$f_n(x) = \sum_{k=1}^{n} \frac{4}{(2k-1)\pi} \sin\big((2k-1)x\big) \tag{1}$$

Figure 1 shows the partial sums converging to the square wave as n increases. The overshoot at the discontinuity is the Gibbs phenomenon.

3. Data Visualization

Figure 2 shows a simulated scatter plot with linear regression, generated inline by Python.

4. Results

Table 1 shows the convergence behavior of the Fourier partial sums at the midpoint $x = \pi/2$, where the true value is $f(x) = 1$.



Figure 1. Fourier partial sums converging to a square wave.



Figure 2. Simulated regression with n = 150 data points.

The peak overshoot column quantifies the Gibbs phenomenon: regardless of n, the maximum value overshoots by approximately 9% of the jump magnitude.

Table 1. Convergence of Fourier partial sums at x = pi/2.

Terms (n)	Value at x=pi/2	Abs. Error	Peak Overshoot
1	1.2732	0.2732	1.2732
3	1.1035	0.1035	1.1884
5	1.0631	0.0631	1.1823
9	1.0353	0.0353	1.1800
25	1.0127	0.0127	1.1791
50	0.9936	0.0064	1.1790

5. Conclusion

As shown in Figure 1 and Figure 2, Inkwell produces publication-quality figures from Python scripts. Table 1 demonstrates CSV-to-table rendering, and Equation 1 confirms that LaTeX math compiles correctly. The Ludus template handles all of these in a two-column layout with themed headers and bibliography.

References

Fourier, Joseph. 1822. *Théorie Analytique de La Chaleur*. Firmin Didot.

Knuth, Donald E. 1984. "Literate Programming." *The Computer Journal* 27 (2): 97–111. https://doi.org/10.1093/comjnl/27.2.97.

MacFarlane, John. 2023. *Pandoc: A Universal Document Converter*. Released. https://pandoc.org.

Acknowledgments

The authors thank the Inkwell contributors for the template system.