



FOR MEN 35+ WITH STUBBORN BELLY FAT

THE 14-DAY BELLY RESET

A one-page-a-day plan to measure your waist, eat from a simple list, move for 15 minutes, and build proof that the belly can move.



FIRST 24 HOURS	14 DAILY ORDERS	10 MEALS + GROCERY LIST	WAIST TRACKER
Start tonight instead of waiting for Monday.	One page per day. No guessing.	Normal food. Repeatable meals.	Measure Day 1, Day 7, and Day 14.

Read this once. Then print the daily pages or keep the PDF open on your phone. The plan works because it removes decisions.

Start Here: Your First 24 Hours

You do not need a perfect week. You need one clean day that proves you can follow orders after work, with real food, without a gym.

The Tonight Setup

Step	Do This	Why It Matters
1	Find a tape measure and write down your waist at belly-button height.	The waist is the scoreboard. The scale can wait.
2	Pick tomorrow's breakfast, lunch, and dinner from the meal list.	No decisions when you are hungry.
3	Put a 15-minute walk on the calendar.	Movement is a daily appointment, not a mood.
4	Clear the obvious tripwires: chips, sweets, second-beer snacks.	You are not testing willpower at 9:30 PM.

How to Measure Your Waist

- Stand tall, relax your stomach, and breathe out normally.
- Wrap the tape around your middle at belly-button height.
- Keep the tape snug but not digging into your skin.
- Measure first thing in the morning on Day 1, Day 7, and Day 14.
- Use the same tape, same spot, and same time of day.

Safety Rules

- This is education, not medical advice. Talk to your doctor before starting if you have a health condition, take medication, have chest pain, or have been told to limit activity.
- Stop exercise if you feel chest pain, faintness, unusual shortness of breath, or sharp pain.
- Do not crash diet. Eat the meals. The Reset is built around consistency, protein, vegetables, walking, and sleep.
- If you have been advised not to drink alcohol, do not drink. If you drink, keep it planned and moderate.

Your First Day Checklist

Done	Order
☐	Measure waist and write it on the tracker.
☐	Eat a protein breakfast.
☐	Walk briskly for 15 minutes.
☐	Eat from the meal list at lunch and dinner.
☐	Close the kitchen 2 hours before bed.

Waist Tracker

Measure your waist at belly-button height, first thing in the morning. The goal is not to bully yourself with numbers. The goal is to finally track the thing you actually care about.

Day	Date	Waist	Change vs. Day 1	Notes
1				Starting line
7				Halfway trend
14				Final check

Photo Check

- Take a front and side photo on Day 1 and Day 14.
- Use the same lighting, same distance, and same shorts.
- Do not overanalyze daily mirror changes. Compare the endpoints.

What Counts As Progress

Signal	What It Means
Waist down	The belly is moving. Keep going.
Waist flat, bloating down	Food quality and digestion are improving. Stay with the plan.
Scale up, waist down	The waist wins. The scale is secondary.
No movement	Review alcohol, snacks, portions, and sleep. Repeat the cleanest 3 days.

Day 15: Keep the Inch Moving

You are not done because the PDF is done. You now know which meals you can repeat, which habits expose you, and what your waist does when you stop improvising.

Pick Your Next 14 Days

Keep	Upgrade
The 15-minute walk	Add a second walk after dinner twice per week
Protein breakfast	Prep 3 breakfasts at once
Waist measurement weekly	Add a belt-notch photo every 2 weeks
Planned drinks only	Keep 3 alcohol-free days per week

References and Guardrails

This program is built around widely accepted basics: regular moderate activity, simple strength work, waist tracking, protein-forward meals, vegetables, sleep support, and planned alcohol rather than random alcohol.

- CDC adult physical activity guidance: <https://www.cdc.gov/physical-activity-basics/guidelines/adults.html>
- CDC moderate alcohol guidance: <https://www.cdc.gov/alcohol/about-alcohol-use/moderate-alcohol-use.html>
- AHA waist measurement quick guide: https://professional.heart.org/en/-/media/PHD-Files/Education/CKMH-Obesity-Measuring-Waist-Circumference_030226.pdf
- Pontzer et al., Daily energy expenditure through the human life course: <https://pmc.ncbi.nlm.nih.gov/articles/PMC8370708/>

Important: this program is for educational purposes only and is not medical advice. Results vary by starting point, consistency, sleep, stress, medical history, and total food intake.