

ZETDC EASTERN REGION		
REVISION: 0	DOCUMENT TYPE: PROCEDURE TITLE WASTE MANAGEMENT	DOCUMENT NO: SHE 11
ISSUE DATE: 25/10/13 STATUS: CONTROLLED COPY	COMPILED BY: SAFETY & HEALTH OFFICER REVIEWED BY: CHIEF RISK OFFICER AUTHORISED BY: GENERAL MANAGER	SIGN: SIGN: SIGN:

1. PURPOSE

This procedure describes how waste shall be handled.

2. SCOPE

This procedure applies to waste generated at ZETDC Eastern Region.

3. RESPONSIBILITIES

- 3.1 The Engineering Manager shall ensure that waste is properly segregated, collected on time and send for disposal at designated areas.
- 3.2 The Chief Risk Officer shall be responsible for advising on proper handling and disposal of waste.

4. DEFINITIONS

- 4.1 EM – Engineering Manager.
- 4.2 CRO- Chief Risk Officer
- 4.3 SHEMS –Safety, Health and Environmental Management System.
- 4.4 SHE – Safety, Health & Environment.
- 4.5 SAZS – Standards Association of Zimbabwe Standard.
- 4.6 ISO – International Organisation for Standardisation.
- 4.7 P - Procedure.
- 4.8 HOD – Head of department.
- 4.9 Solid waste – Any unwanted or discarded material that is not a liquid or gas. Includes organic wastes, paper products, metals, plastics, cloth, brick, and yard wastes, wood and canteen waste.

5. ACTIVITY DESCRIPTION

5.1 Scrap metal

TITLE: WASTE MANAGEMENT		DOCUMENT NO: SHE 11
ISSUE DATE: 25/10/13	REVISION: 0	
STATUS: CONTROLLED COPY		

Scrap metal shall be collected and kept at the scrap yard and will be reused and if not, it will be sold to employees and other customers approved by the Engineering Manager.

5.2 General solid waste

All the solid waste not indicated in this procedure shall be collected into bins waiting to be transported to a designated site for disposal.

5.3 Transformers

Non functional transformers shall be temporary stored at the depot and sent to ZENT for recycling.

5.4 Used oil

Used oil from transformers and equipment shall be kept in containers and then recycled.

5.5 Fluorescent tubes

5.5.1 All fluorescent tubes shall be collected in special drums where they will be crushed inside.

5.5.2 When the drum is full it shall be sealed with concrete on the top, weighed and collected for disposal at designated site.

5.6 Used vehicle tyres

Used vehicle tyres shall be stored at the Garage and auctioned.

5.7 Where practical waste measurements shall be done within the Depot/ Garage and records maintained.

5.8 A hazardous waste management plan shall be compiled and updated by the CRO.

TITLE: WASTE MANAGEMENT		DOCUMENT NO: SHE 11
ISSUE DATE: 25/10/13	REVISION: 0	
STATUS: CONTROLLED COPY		

6. RECORDS

The following documents shall be generated from implementation of this procedure.

Document No	Name of record:	Custodian/ location:	Retention period:
EMS P 11 (a)	Waste Records	Depot Forepersons	3 years
EMS P 11 (b)	Hazardous Waste Management plan	CRO Manager	3 years

7. REFERENCES

- 7.1 SAZS ISO 14001:2004 Clause 4.4.6