

~~DECLASSIFIED~~
~~CONFIDENTIAL~~

Register N^o 1704

BUREAU OF SHIPS
NAVY DEPARTMENT

SHIPS' DATA
U. S. NAVAL VESSELS

VOL. I

BB, CA, CB, CL, CV, CVL, CVB
CVE, DD, DE, SS, CM, DM

SHIPS-8 (A) I



April 15, 1945

UNITED STATES
GOVERNMENT PRINTING OFFICE
WASHINGTON : 1945

TABLE OF CONTENTS

	Page
Definitions, notes, and abbreviations.....	VII
Standard Nomenclature.....	X
Naval Vessels, list of ¹	1
Naval Vessels, tabulated data.....	18
Battleships (BB).....	18
Heavy Cruisers (CA).....	26
Large Cruisers (CB).....	42
Light Cruisers (CL).....	44
Aircraft Carriers (CV).....	68
Aircraft Carriers, Large (CVB).....	76
Aircraft Carriers, Small (CVL).....	78
Aircraft Carriers, Escort (CVE).....	82
Destroyers (DD).....	114
Destroyer, Escort Vessels (DE).....	234
Submarines (SS).....	266
Mine Vessels—Mine Layers (CM).....	338
Mine Vessels—Light Mine Layers (DM).....	340
List of stricken vessels, since Feb 1, 1944 ¹	346
List of vessels transferred under Lend Lease ¹	349
Index (ship data).....	353

¹ Lists given include only vessels of the types covered by this volume.

15. DIESEL OIL CAPACITY is given as 95% of the total capacity of all tanks on the vessel which carry diesel oil.

16. GASOLINE CAPACITY is given as the total gasoline capacity of all tanks on the vessel which carry this liquid. This is approximately 95% of tank capacity.

17. ARMAMENT.—In a number of instances, as will be noted from footnotes, the ultimate approved armament has been given rather than that installed on the vessel. In these cases, where information as to the armament installed on a vessel is desired, the latest edition of the Armament Summary issued by the Bureau of Ordnance should be consulted.

Data regarding 20 mm mounts and smaller guns which have not been included in this edition, may be obtained from the Bureau of Ordnance Armament Summary.

18. DESIGN SHAFT HORSEPOWER is the total power installed in the vessel which can be delivered continuously to the shaft or shafts under designed operating conditions.

19. STEAM PRESSURES and TEMPERATURES given are under full power conditions at boiler (or superheater) outlet. Pressures are given in lbs./sq. in. G.; for boilers with superheat, temperatures are given in degrees F.; for boilers without superheat, temperatures are given as saturated.

20. TRIAL SPEED.—The speeds included are obtained from the standardization trials of certain vessels of the class at the designed shaft horsepower, unless otherwise specified. In cases where no trials have been run or where model tests were not made, speeds given are designed or maximum as indicated.

21. SHIP'S SERVICE GENERATORS.—The data given includes only those generators, exclusive of motor-generators, which are installed for the purpose of normally supplying general power and lighting. The following are therefore not included: Emergency generators, casualty generators, minesweeping generators, alongside power generators, submarine battery charging generators, and other generators used for special appliances.

22. SHIP'S SERVICE GENERATORS-VOLTAGE.—Where expressed "120/240 volt. D. C." or other similar combination, voltages of 120 volts D. C. and 240 volts D. C. are generated and not voltages ranging from 120 to 240.

23. TRIAL DISPLACEMENT.—Figure given is the average displacement of the ship during the standardization trials.

24. CONTRACT PRICE OF HULL AND MACHINERY.—For vessels built under cost plus fixed fee type of contract, the price shown represents return cost as reported with fee and bonus added or is the estimate for fee purposes with fee and bonus added. In the case of Navy Yard built vessels, the price shown represents return cost reported by the Yard or is the Bureau of Ships estimate as used in negotiations for similar type of vessels with private shipbuilders. In all such cases figures are rounded to the nearest ten dollars. Contract price as given for all other vessels except as otherwise specifically noted is for a fixed price contract based on either the original contract or the latest amended price available. For all Destroyer Escort Vessels, Submarines, and Aircraft Carriers 9 to 12, cost of main propulsion machinery is not included.

25. CONTRACT SIGNED.—The date given in the case of Navy Yard built vessels is that of the order except where otherwise noted.

26. DATE OF PRELIMINARY ACCEPTANCE is the date the vessel was delivered by the contractor and preliminarily accepted by the Navy. No dates are therefore given in this column for Navy Yard built vessels.

27. CONTRACT DATE OF COMPLETION, in the case of Navy Yard built vessels, is the date established by the Bureau for completion of the vessel.

28. All vessels are steel hulls, except as otherwise indicated.

ABBREVIATIONS

ENGINES, MAIN MOTORS, AND REDUC- TION GEAR

A-C=Allis Chalmers.
Alco=American Locomotive Co.
Beth=Bethlehem.
Bos.=Navy Yard, Boston.
B. S.=Busch Sulzer.
C. B.=Cooper Bessemer.
Char.=Navy Yard, Charleston.
Cra. Cramp S. B. Co.
Cur. Curtis design.
Dbl., Sgl. or S&D=Double, Single, or
Single and Double Reduction Gears.
E. B. Co.=Electric Boat Co.
E. D.=Electric Dynamic.
E. M.=Electro-Motive Corp.
F. B.=Farrel-Birmingham.
F. M.=Fairbanks, Morse & Co.
G. E.=General Electric Co.
G. M.=General Motors Corp.
H. & H.=Harlan E. Hollingsworth.
H. O. R.=Hooven, Owens, Rentschler
Co.
Horiz., 3-exp.=Horizontal, triple ex-
pansion.
M. I.=Navy Yard, Mare Island.
Nat. Sup.=National Supply Co.
N. N.=Newport News S. B. & D. D.
Co.
NYk=Navy Yard, New York.
N. Y. S.=New York S. B. Co.
Par. Parsons design.
Phil Navy Yard Philadelphia.
P. S. Navy Yard Puget Sound.
S. & K.=Snow & Knobstedt.
Turb.=Turbines.
Turb. Elec.=Turbine Electric.
Vert. 2-exp.=Vertical double expansion.
Vert., 3-exp.=Vertical triple expansion.
Vert., 4-exp.=Vertical quadruple ex-
pansion.
Westgh.=Westinghouse.

TYPE OF DRIVE

Composite=Combination Diesel elec-
tric and Diesel geared drive (2 engines
gear drive and 2 engines electric
drive).
DDD=Diesel direct drive.
DEDD=Diesel electric direct drive.
DERD=Diesel electric reduction drive.

DGD=Diesel geared drive.
DG-MG=Diesel geared—Motor
geared.

BOILERS

"A"=3-drum, express type.
Aux.=Auxiliary.
Bu. exp.=Bureau express.
B. & W.=Babcock & Wilcox.
C. E.=Combustion engineering.
CFC=Controlled forced circulation.
"D", "K", or "P" for D, K, or P type
boiler.
D. E.=Double-ended, cylindrical.
Exp.=Express.
F. W.=Foster Wheeler.
Hdr=Header type.
Nor=Normand.
Sat.=Saturated.
Scotch=Fire tube (all others are "water-
tube").
S. E.=Single-ended, cylindrical.
SHC=Superheat Control.
Sm=Steamotive.
Su or Du=Single or double uptake.
SX=Sectional express.
Thorny=Thorny or Thorny-Craft.
W-F=White-Forster.
Yar=Yarrow.

ARMAMENT

A. A.=Antiaircraft.
Cal.=Caliber.
D. P.=Double purpose gun.
Pdr.=Pounder.
S. A.=Semiautomatic.
S. P.=Single purpose gun.
Subm.=Submerged.
Y-gun=Y-type depth-charge projector.

MISCELLANEOUS

Id. No.=Identification No.
M. S.=Mine sweeper.
R. S.=Receiving ship.
S. B. Co.=Shipbuilding Co.
S. B. Corp.=Shipbuilding Corporation.
S. B. & D. D. Co.=Shipbuilding and
Drydock Co.
S. P.=Section patrol.
T.=Tug.
2 mil.=Two military masts.

HEAVY CRUISERS (CA).

	Name and official number	Length over all		Length on water line		Extreme beam		Standard displacement	Trial speed
		<i>Ft.</i>	<i>In.</i>	<i>Ft.</i>	<i>In.</i>	<i>Ft.</i>	<i>In.</i>		
1	ALBANY ² CA123	673	5	664	0	70	10	¹ 13,700	32.6
2	AUGUSTA ² CA31	600	3	582	0	66	1	¹ 9,050	32.2
3	BALTIMORE ² CA68	673	5	664	0	70	10	13,600	32.6
4	BOSTON ² CA69	673	5	664	0	70	10	13,600	32.6
5	BREMERTON..... CA130	673	5	664	0	70	10	13,600	32.6
6	BRIDGEPORT ² CA127	673	5	664	0	70	10	13,700	32.6
7	CAMBRIDGE ² CA126	673	5	664	0	70	10	13,700	32.6
8	CANBERRA (<i>Ex-Pittsburgh</i>) ² CA70	673	5	664	0	70	10	13,600	32.6
9	CHESTER ² CA27	600	3	582	0	66	1	¹ 9,200	33.0
10	CHICAGO..... CA136	673	5	664	0	70	10	13,600	32.6
11	COLUMBUS ² CA74	673	5	664	0	70	10	13,600	32.6
12	DES MOINES ² CA134	716	6	700	0	76	4	17,000	⁴ 33.0
13	FALL RIVER..... CA131	673	5	664	0	70	10	13,600	32.6
14	HELENA (<i>Ex-Des Moines</i>) ² CA75	673	5	664	0	70	10	13,600	32.6
15	INDIANAPOLIS ² CA35	610	4	592	0	66	1	¹ 9,950	32.6
16	KANSAS CITY ² CA128	673	5	664	0	70	10	13,700	32.6
17	LOS ANGELES..... CA135	673	5	664	0	70	10	13,600	32.6
18	LOUISVILLE ² CA28	600	3	582	0	66	1	¹ 9,050	32.7
19	MACON..... CA132	673	5	664	0	70	10	13,600	32.6
20	MINNEAPOLIS ² CA36	588	0	578	0	61	9	¹ 9,950	³ 32.0
21	NEW ORLEANS..... CA32	588	0	578	0	61	9	¹ 9,950	³ 32.0
22	NORFOLK ² CA137	673	5	664	0	70	10	13,700	32.6
23	NORTHAMPTON ² CA125	673	5	664	0	70	10	13,700	32.6
24	OREGON CITY ² CA122	673	5	664	0	70	10	13,700	32.6
25	PENSACOLA..... CA24	585	8	570	0	65	3	¹ 9,100	32.8

¹ As built.² Fitted as flagship.³ Estimated, based on Model Basin tests.⁴ Trial Board requirement at trial displacement.

CONFIDENTIAL

HEAVY CRUISERS (CA).

Trial displacement	Full load displacement	Tons per inch immersion	Limiting draft	Maximum navigational draft ¹	Total accommodations		Name	
					Officers	En-listed		
<i>Tons</i>	<i>Tons</i>	<i>Tons</i>	<i>Ft. In.</i>	<i>Ft. In.</i>				
16,570	² 17,070	82	26	4	129	1,840	ALBANY.....	1
10,322	³ 13,900	63	22	9	72	1,083	AUGUSTA.....	2
16,570	³ 17,200	82	24	2	105	1,667	BALTIMORE.....	3
16,570	³ 17,200	82	24	2	108	1,720	BOSTON.....	4
16,570	² 17,070	82	26	4	129	1,840	BREMERTON.....	5
16,570	² 17,070	82	26	4	129	1,840	BRIDGEPORT.....	6
16,570	² 17,070	82	26	4	129	1,840	CAMBRIDGE.....	7
16,570	³ 17,200	82	24	2	104	1,690	CANBERRA.....	8
10,707	³ 13,700	63	22	6	83	947	CHESTER.....	9
16,570	17,333	82	27	9	129	1,840	CHICAGO.....	10
16,570	² 16,820	82	26	5	122	1,780	COLUMBUS.....	11
⁴ 19,930	² 20,950	94	25	6	169	1,719	DES MOINES.....	12
16,570	² 17,070	82	26	4	129	1,840	FALL RIVER.....	13
16,570	² 16,820	82	26	5	122	1,780	HELENA.....	14
11,063	³ 14,150	65	22	10	100	1,282	INDIANAPOLIS.....	15
16,570	² 17,070	82	26	4	129	1,840	KANSAS CITY.....	16
16,570	² 17,070	82	26	4	129	1,840	LOS ANGELES.....	17
10,781	³ 13,700	63	22	6	68	1,061	LOUISVILLE.....	18
16,570	² 17,070	82	26	4	129	1,840	MACON.....	19
12,500	³ 13,500	61	24	4	74	1,045	MINNEAPOLIS.....	20
12,500	³ 13,500	61	24	4	81	1,040	NEW ORLEANS.....	21
16,570	² 17,070	82	26	4	129	1,840	NORFOLK.....	22
16,570	² 17,070	82	26	4	129	1,840	NORTHAMPTON.....	23
16,570	² 17,070	82	26	4	129	1,840	OREGON CITY.....	24
10,528	³ 13,700	62	22	5	85	1,108	PENSACOLA.....	25

¹ Includes projection below keel, if any.² Designed.³ Displacement at limiting draft.⁴ From Bureau weight estimate.

CONFIDENTIAL

HEAVY CRUISERS (CA).

	Name and official number	Number of propellers	Manufacturer and type of engines	Shaft horse-power	Boilers		Steam conditions for full power	
					Number	Type	Pressure	Temperature
1	ALBANY.....CA123	4	G. E. turb.....	120,000	4	B. & W.....	p. s. i. 565	Deg. F 850
2	AUGUSTA.....CA31	4	N. N. Par. turb..	107,000	8	W. F.....	300	422
3	BALTIMORE.....CA68	4	G. E. turb.....	120,000	4	B. & W.....	565	850
4	BOSTON.....CA69	4	do.....	120,000	4	do.....	565	850
5	BREMERTON.....CA130	4	do.....	120,000	4	do.....	565	850
6	BRIDGEPORT.....CA127	4	do.....	120,000	4	do.....	565	850
7	CAMBRIDGE.....CA126	4	do.....	120,000	4	do.....	565	850
8	CANBERRA.....CA70	4	do.....	120,000	4	do.....	565	850
9	CHESTER.....CA27	4	NYS Par. turb..	107,000	8	W. F.....	300	422
10	CHICAGO.....CA136	4	G. E. turb.....	120,000	4	B. & W.....	565	850
11	COLUMBUS.....CA74	4	do.....	120,000	4	do.....	565	850
12	DES MOINES.....CA134	4	do.....	120,000	4	do.....	565	850
13	FALL RIVER.....CA131	4	do.....	120,000	4	do.....	565	850
14	HELENA.....CA75	4	do.....	120,000	4	do.....	565	850
15	INDIANAPOLIS.....CA35	4	NYS Par. turb..	107,000	8	W. F.....	300	572
16	KANSAS CITY.....CA128	4	G. E. turb.....	120,000	4	B. & W.....	565	850
17	LOS ANGELES.....CA135	4	do.....	120,000	4	do.....	565	850
18	LOUISVILLE.....CA28	4	P. S. Par. turb..	107,000	8	W. F.....	300	422
19	MACON.....CA132	4	G. E. turb.....	120,000	4	do.....	565	850
20	MINNEAPOLIS.....CA36	4	Westgh. turb....	107,000	8	B & W.....	300	572
21	NEW ORLEANS.....CA32	4	do.....	107,000	8	do.....	300	572
22	NORFOLK.....CA137	4	G. E. turb.....	120,000	4	do.....	565	850
23	NORTHAMPTON.....CA125	4	do.....	120,000	4	do.....	565	850
24	OREGON CITY.....CA122	4	do.....	120,000	4	do.....	565	850
25	PENSACOLA.....CA24	4	NYk Par. turb..	107,000	8	W. F.....	300	422

HEAVY CRUISERS (CA).

Main reduction gears		Ship's service generators				Fuel capacities			Official number
Type	Manufacturer	Number	Type of drive	Capacity each	Voltage	Fuel oil	Diesel oil	Gasoline	
Dbl	Falk	4	Turbo	Kw. 750	450 A. C.	Barrels 16,837	Barrels 539	Gallons 13,195	CA123... 1
Sgl	DeLaval	4	do	250	240/120 D. C.	19,086	228	7,200	CA31... 2
Dbl	Falk	4	do	750	450 A. C.	16,420	569	9,000	CA68... 3
do	do	4	do	750	450 A. C.	16,420	569	9,000	CA69... 4
do	do	4	do	750	450 A. C.	16,420	569	13,195	CA130... 5
do	do	4	do	750	450 A. C.	16,420	569	13,195	CA127... 6
do	do	4	do	750	450 A. C.	16,420	569	13,195	CA126... 7
do	do	4	do	750	450 A. C.	16,420	569	9,000	CA70... 8
Sgl	DeLaval	4	do	250	240/120 D. C.	19,219	143	7,700	CA27... 9
Dbl	Falk	4	do	750	450 A. C.	16,420	569	13,195	CA136... 10
do	do	4	do	750	450 A. C.	16,420	569	9,000	CA74... 11
do	do	4	do	1,500	450 A. C.	18,236	916	8,800	CA134... 12
do	do	4	do	750	450 A. C.	16,420	569	13,195	CA131... 13
do	do	4	do	750	450 A. C.	16,420	569	9,000	CA75... 14
Sgl	do	4	do	250	240/120 D. C.	19,973	167	7,200	CA35... 15
Dbl	do	4	do	750	450 A. C.	16,420	569	13,195	CA128... 16
do	do	4	do	750	450 A. C.	16,420	569	13,195	CA135... 17
Sgl	DeLaval	4	do	250	240/120 D. C.	19,219	113	7,800	CA28... 18
Dbl	Falk	4	do	750	450 A. C.	16,420	569	13,195	CA132... 19
Sgl	Westgh	4	do	250	240/120 D. C.	14,706	153	7,800	CA36... 20
do	do	4	do	250	240/120 D. C.	14,558	198	3,400	CA32... 21
Dbl	Falk	4	do	750	450 A. C.	16,420	569	13,195	CA137... 22
do	do	4	do	750	450 A. C.	16,420	569	13,195	CA125... 23
do	do	4	do	750	450 A. C.	16,420	569	13,195	CA122... 24
Sgl	DeLaval	4	do	250	240/120 D. C.	19,846	174	7,200	CA24... 25

HEAVY CRUISERS (CA).

	Name	Armament	
		Main	Secondary
1	ALBANY ²	9 8", 55 cal. ¹	12 5", 38 cal. (twin D. P.)
2	AUGUSTA	do. ¹	8 5", 25 cal. (D. P.)
3	BALTIMORE	do. ¹	12 5", 38 cal. (twin D. P.)
4	BOSTON	do. ¹	do
5	BREMERTON ³	do. ¹	do
6	BRIDGEPORT ³	do. ¹	do
7	CAMBRIDGE ³	do. ¹	do
8	CANBERRA	do. ¹	do
9	CHESTER	do. ¹	8 5", 25 cal. (single D. P.)
10	CHICAGO ³	do. ¹	12 5", 38 cal. (twin D. P.)
11	COLUMBUS ³	do. ¹	do
12	DES MOINES ³	do. ¹	do
13	FALL RIVER ³	do. ¹	do
14	HELENA ³	do. ¹	do
15	INDIANAPOLIS	do. ¹	8 5", 25 cal. (single D. P.)
16	KANSAS CITY ³	do. ¹	12 5", 38 cal. (twin D. P.)
17	LOS ANGELES ³	do. ¹	do
18	LOUISVILLE	do. ¹	8 5", 25 cal. (single D. P.)
19	MACON ³	do. ¹	12 5", 38 cal. (twin D. P.)
20	MINNEAPOLIS	do. ¹	8 5", 25 cal. (single D. P.)
21	NEW ORLEANS	do. ¹	do
22	NORFOLK ³	do. ¹	12 5", 38 cal. (twin D. P.)
23	NORTHAMPTON ³	do. ¹	do
24	OREGON CITY ³	do. ¹	12 5", 38 cal. (twin D. P.)
25	PENSACOLA	10 8", 55 cal. ²	8 5", 25 cal. (single D. P.)

¹ In 3 turrets.² Nos. 1 and 4 twin mounts, Nos. 2 and 3 triple mounts.³ Ultimate approved armament.

CONFIDENTIAL

HEAVY CRUISERS (CA).

40-mm AA mounts	Catapults			Name and official number	
	Number	Type	Location		
11 quad., 2 twin ¹	2	Powder	Aft	ALBANY	CA123 1
4 quad., 4 twin	2	do	Amidships	AUGUSTA	CA31 2
12 quad	2	do	Aft	BALTIMORE	CA68 3
12 quad	2	do	do	BOSTON	CA69 4
11 quad., 2 twin ¹	2	do	do	BREMERTON	CA130 5
11 quad., 2 twin ¹	2	do	do	BRIDGEPORT	CA127 6
11 quad., 2 twin ¹	2	do	do	CAMBRIDGE	CA126 7
12 quad ¹	2	do	do	CANBERRA	CA70 8
5 quad., 4 twin	2	do	Amidships	CHESTER	CA27 9
11 quad., 2 twin ¹	2	do	Aft	CHICAGO	CA136 10
11 quad., 2 twin ¹	2	do	do	COLUMBUS	CA74 11
12 quad ¹	2	do	do	DES MOINES	CA134 12
11 quad., 2 twin ¹	2	do	do	FALL RIVER	CA131 13
11 quad., 2 twin ¹	2	do	do	HELENA	CA75 14
6 quad	2	do	Amidships	INDIANAPOLIS	CA35 15
11 quad., 2 twin ¹	2	do	Aft	KANSAS CITY	CA128 16
11 quad., 2 twin ¹	2	do	do	LOS ANGELES	CA135 17
5 quad., 4 twin	2	do	Amidships	LOUISVILLE	CA28 18
11 quad., 2 twin ¹	2	do	Aft	MACON	CA132 19
6 quad	2	do	Amidships	MINNEAPOLIS	CA36 20
6 quad	1	do	do	NEW ORLEANS	CA32 21
11 quad., 2 twin ¹	2	do	Aft	NORFOLK	CA137 22
11 quad., 2 twin ¹	2	do	do	NORTHAMPTON	CA125 23
11 quad., 2 twin ¹	2	do	do	OREGON CITY	CA122 24
6 quad	2	do	Amidships	PENSACOLA	CA24 25

¹ Ultimate approved armament.

CONFIDENTIAL