800 000 pieces



Indication

Treatment for chemotherapy-induced thrombocytopenia (CIT);

Treatment for immune thrombocytope

Treatment for immune thrombocytopenia (ITP).

Manufacturing base

Shenyang manufacturing base

Dosage form & Dosage

7500 U/1 ml; 15000 U/1 ml

200 000 pieces



Indication

Treatment for advanced breast cancer in postmenopausal women;
Treatment for early-stage breast cancer in postmenopausal women with positive hormone receptor.

Manufacturing base Zhejiang manufacturing base

Dosage form & Dosage

12.5 mg/bottle; 25 mg/bottle

1 500 000 pieces



Wanwei is a 5-HT3 receptor antagonist antiemetic drug used for vomiting caused by cytotoxic chemotherapy. Wanwei is the first listed generic product among the products of the same type after the original product was approved for import and marketed in China. Compared with other traditional medicines, Wanwei is highly efficient and selective, and can more effectively control delayed vomiting.

Indication

Treatment for vomiting caused by cytotoxic chemotherapy;

Manufacturing base Zhejiang manufacturing

base

Dosage form & Dosage

î

400 000 pieces



Indication

Treatment for anemia caused by chronic kidney disease;

Erythrocyte mobilization of peripheral operation; Treatment for anemia caused by chemotherapy.

Manufacturing base

Shenyang manufacturing base

Dosage form & Dosage

Penicillin bottle - 2,000 IU/piece, 3,000 IU/piece, 4,000 IU/piece, 10,000 IU/piece; Pre-filled syringe - 2,000 IU/piece, 3,000 IU/piece, 4,000 IU/piece, 10,000 IU/piece.

300 000 pieces



In April 1995, Intefen was approved to be manufactured by CFDA.In December 1995, Intefen was launched and is included in the National Medical Insurance Catalogue as a Category B drug.



Indication

Treatment of lymphatic or hematopoietic malignancies and viral infections: adult chronic hepatitis B, acute and chronic hepatitis C and condyloma acuminata.

Manufacturing base Shenyang manufacturing

base

Dosage form & Dosage

Injection - 1,000,000 IU/ml, 3,000,000 IU/ml, 5,000,000 IU/ml; Freeze-dried powder - 1,000,000 IU/ml, 3,000,000 IU/ml, 5,000,000 IU/ml.

300 000 pieces



In June 1995, CFDA production approval documents were obtained for Inleusin. This product was launched in March 1996 and is included in the National Medical Insurance Catalogue as a Category B drug.



Indication

Treatment of renal cell carcinoma, melanoma, thoracic fluid build-up caused by cancer, and tuberculosis.

Manufacturing base

Shenyang manufacturing base

Dosage form & Dosage

100,000 IU/bottle; 200,000 IU/bottle; 500,000 IU/bottle; 1,000,000 IU/bottle

800 000 pieces



Indication

Treatment for anemia caused by chronic kidney disease;

Treatment for anemia caused by chemotherapy.

Manufacturing base

Shenzhen manufacturing base

Dosage form & Dosage

Penicillin bottle - 2000IU/1.0ml/piece, 2500IU/1.0ml/piece, 3000IU/1.0ml/piece, 3000IU/1.0ml/piece, 4000IU/1.0ml/piece, 5000IU/1.0ml/piece, 10000IU/1.0ml/piece; Pre-filled syringe - 2000IU/0.5ml/piece, 2500IU/0.5ml/piece, 3000IU/0.5ml/piece, 4000IU/0.5ml/piece, 500IU/0.5ml/piece, 5000IU/0.5ml/piece, 10000IU/0.5ml/piece, 10000IU/0.5ml/piece, 10000IU/0.5ml/piece, 10000IU/0.5ml/piece, 10000IU/0.5ml/piece (PFS).

2 000 000 pieces



Disu is a new and efficient bidirectional immunomodulator, mainly used for the prevention and treatment of chronic bronchitis, colds and asthma. Disu was included in the National Essential Medicines List.



Indication

For the prevention and treatment of chronic bronchitis, colds and asthma. Disu was included in the National Essential Medicines List.

Manufacturing base Zhejiang manufacturing base Dosage form & Dosage

1

3 000 000 pieces



Treatment of iron-deficiency anemia

Indication

Treatment of iron-deficiency anemia.

Manufacturing base Shenyang manufacturing base Dosage form & Dosage

1

5 000 000 pieces



Mandi is the first domestically-listed drug among the products of the same type and the first brand the products of the same type at home.



Indication

Mandi is used for the treatment of male-pattern alopecia and alopecia areata, and is the first non-prescription drug for hair loss

Manufacturing base Zhejiang manufacturing Dosage form & Dosage

1



Jiannipai is suitable for prevention of acute rejection after renal transplantation, which can be combined with the routine immunosuppression regime to significantly improve the survival rate of transplanted organs and the quality of life of patients.



Indication

The product is suitable for prevention of acute rejection after renal transplantation, which can be combined with the immunosuppression regime containing calcineurin inhibitors and corticosteroid hormone.

Manufacturing base Shanghai manufacturing base Dosage form & Dosage

25mg/5ml/vial

I have a huge market for these, what approvals have these received? Will you be interested in a distributorship, rebranding?