

**gold**  
Soluções e Serviços

**TAG CLIENTE: ME - 631514**

**TIPO: REDUTOR**

**L 4388726**




4388726























6309-2Z-C3  
8209-2Z-C3

6309-2Z-C3

8209-2Z-C3

NY 100-107100 3-ABNT-NBR17094

THE

IP 55

A 33-54716-80

卷之六

A 1953

V 360 YY

CL Ter. 155(F)

i 27.99

Nm 1350

IMM4A

9.  $\delta$ CLP 220 Óleo mineral 11,00

kg 175.273 AMB °C -23.40 ML B3 188 670 3 PT



SEW-EURODRIVE

13347 Indaiatuba /-Piaç II

KH87/T DRN

708545976902

60 Hz 1/min 1771/54 V

kw 9.251

A 11 16.80

A 19 50

V 380 Y

Ci 16c.155/F


1.2.88 - No 1380

IM M4A

80CLP 220 Ciso miner/11001

kg 175.273 AMB °C 20-40 ML 133 182 8/0 3 PT

Made in Brazil



3308-2Z-C3

3309-2Z-C3

by PWM 3-ABNT-NBR17094-1

IP 55

92.4 IR3



SEW-EURODRIVE

13347 Indalatuba / P...

KH87/T DRN...

708545976901

60 Hz 1/min 177/51 V 2

kw 9.2 S1

A 3

A18 NG

N 380 Y


C. Té: 155/F

12 H3 N 1380 IM M4A

80CLP 220 C las miner / 11.00

kg 175 273 AMB °C 20 40 MI B3 189 870 2 PT

Made in Brazil



8305-22-C3

630-22-C3

TPWM

3-ABNT-NBR17094-1

IP 55

92.4 IR3



SEW-EURODRIVE

6309-2Z-C3  
6309-2Z-C3

1334-100-10-10-10

K187/1 D

70/85/100/100/100

VEWM

3~ABNT-NBR1709-1

60 Hz 1/min 1/1/61

IP 55

kw 9.2 S1

A 33.50 13.50

40.92 4 IR3

A 19.50

V 382 YY

C1 T6r.155(F)

127.88

Nm 1380

IM M4A

80CLP 220°C len timer/11.001

kg 175.273

AMB °C 20.40

ML B3

189.870 JPT

Made in Brazil



SEW-EUROPE

13347 1100 1100 1100

KH87/T 1100 1100

70854597 1100 1100

60 Hz 1/min 177/64

KN 92.51

A 2.5

A 19.50

V. 1100

CI T61.155(F)

12 188 Nm 3380

IMM4A

ΔCIP 220 Dies mm61/11 001

kg 175.273 AMB °C 20 40 ML B3 188 670 3PT

Made in Brazil

8308-22-03

6213-22-03

3~ABNT-NBR17094

IP 55

AMB 92.4 IR3



SEW-EURODRIVE

13347 Indalatuba / B. 2. 1. 1.

KH87/T DBN132M

70 8545976901 0001

60 Hz 1/min 1771/64

W 92 S1

A 33.50/18.80

A 19.50

V 380 YY

0176155(7)

12 55 Nm 1380

IMM4A

201 P 220 01er minner/11 001

1/13.273 AMB 20.49 ML B3 182 670 3PT

Made in Brazil

SEW-EURODRIVE

13347 Indaratuha / Brazil

ZHB7/T DBNT 132

70 8545976901.000

60 Hz 1/min 1781/64

kw 9.381

A 11.70/10.80

A 11.50

V 380 YY

1309-22-C3  
1304-22-C3

WWM

ABNT-NBR17094-1

IP 55

92.4 IR3

C. Ter. 155(7)

12/88

NBR 150

DA 1045

302P 250

kg 175.273

AAB

ML B3

188 670 3PT

Made in Brazil





6309-2Z-C3  
6209-2Z-C3

13547 *Junonia* sp. (1954)

KH87/F DRN1371

70 854597690100

60 Hz 1/min 1771/64

kW 9.251

A 33.50/16 80

A 19.50

V 380 YY

C. Tex. 155(F)

i 27.88

Nit 1380

IM M4A

CLP 220 Oleo miner / T1 00

kg 175.273

AMB °C -20.40

ML B3

















# V-EURODRIVE

ndaiatuba / Brasil

/T DRN132MP4

33027501.0001.25.08 Inverter duty VPWM

r/min 1771/64

V 220/440  $\Delta\Delta/\Delta$

2 S1

A 33,50/16,80

F.P. 0,78

A 19,50

V 380 YY

55(F)

Nm 1380

IM M4A

LP 220 Óleo miner./11,00 l

273 AMB °C -20.,40

ML B3. 188 670 3 PT



6309-2Z-C3

6209-2Z-C3

3~ABN

IP 55

eff% 92

S.F

M