

115 Corporate Boulevard South Plainfield, NJ 07080 p (877) GENEWIZ (436-3949) f (908) 333-4511 www.genewiz.com

GWCN-Ⅲ-03-DR01-R2


Certificate of Analysis

Project Tracking # Quote # **GENEWIZ Clone ID #** 40-525651339 40-525651339_R2 HB9619-6/Q516445 Sequence Name **Cloning Vector** Tb927.11.6600-MU10 in pUC-GW-Kan pUC-GW-Kan **Cloning Sites** Insert Length 1605

QC Item	Specification	Results
Insert Sequence	Insert sequence results consistent with target	√ Pass
Vector Sequence	Flanking sequence consistent with expected	√ Pass
Open Reading Frame across junction	Correct and consistent with target	n/a
Restriction Digest	Expected fragment sizes observed	√ Pass
PCR amplification	Correct without non-specific bands	n/a
DNA Quantity and Quality	Actual yield (by A ₂₆₀)	4 ug
	Concentration (n/a if lyophilized)	n/a
	Purity (A _{260/A280} = 1.8 - 2.0)	√ Pass
	# of tubes	1
	Matrix	TE (lyophilized)
Endotoxin Test	Verified, <0.1 EU/ug(endo-free preps only)	n/a
Appearance	Clear, no visible particles	√ Pass
Label	Correct and clear	√ Pass

Restriction Digest Test Results

NA





Date 06/26/2021