Palatial Pools Technology Suite
Engineering Technical Documentation
Version 1.0 – April 2025
Confidential & Proprietary
Palatial Pool Services Pty Ltd
ABN: [To be confirmed]
Registered in Victoria, Australia

Table of Contents

1. [Introduction](#1-introduction)
2. [System Overview and Architecture](#2-system-overview-and-architecture)
3. [Technology Product Deep Dive](#3-technology-product-deep-dive)
    - 3.1 Pool Area Shield
    - 3.2 AquaVision AI
    - 3.3 Palatial Nexus
    - 3.4 HydroCommand & AquaCommander
    - 3.5 OrbitalScan
    - 3.6 MarketPulse
    - 3.7 Psychological Insights Suite
    - 3.8 Secure Vault & Gods Eye Command Centre
    - 3.9 Comms Hub & Voice AI
    - 3.10 Knowledge and Calendar Systems
4. [Data Architecture and Flows](#4-data-architecture-and-flows)
5. [Security Architecture and Cryptographic Measures](#5-security-architecture-and-cryptographic-measures)
6. [Integration and Interoperability](#6-integration-and-interoperability)
7. [Compliance and Privacy Considerations](#7-compliance-and-privacy-considerations)
8. [Licensing, Support, and Maintenance Models](#8-licensing-support-and-maintenance-models)
9. [Appendices](#9-appendices)
    - A. Technical Specifications Summary
    - B. Data Formats and Protocols
    - C. Contact Information

---

1. Introduction

This document provides a comprehensive technical exposition of the Palatial Pools Technology Suite, designed to deliver advanced, integrated solutions for commercial and industrial pool management. Developed by Palatial Pool

```
Services Pty Ltd, it outlines the architecture, key algorithms, data flows,
security mechanisms, integration capabilities, and licensing frameworks
underpinning our proprietary systems.

Palatial Pools technology is engineered to optimize water quality
monitoring, operational automation, asset management, and customer
engagement for large-scale pool facilities. This document serves as a
reference for engineers, technical decision-makers, and investors evaluating
the technology’s capabilities, compliance posture, and architectural
robustness.

---

## 2. System Overview and Architecture

The Palatial Pools Technology Suite comprises modular, interoperable
components designed for real-time monitoring, control, and analytics of pool
environments. The system architecture is based on a hybrid distributed-cloud
paradigm, combining edge devices with cloud-hosted services to optimize
latency, reliability, and data security.

### 2.1 Architectural Layers
```

+———————————————————-+ | Cloud Services Layer | | - Data Analytics & Reporting | | - Machine Learning Models | | - Centralized Command & Control | | - Secure Vault & Compliance Modules | +———————————————————-+ | Integration Layer | | - API Gateways (RESTful, MQTT) | | - Authentication & Authorization | +———————————————————-+ | Edge Device Layer | | - Sensors & Actuators | | - Local Processing Units | | - Real-time Control & Feedback Loop | +———————————————————-+ | Physical Pool Infrastructure | | - Water Treatment Systems | | - Filtration, Pumps, Valves | | - Environmental Sensors (pH, Temperature, Turbidity) | +———————————————————-+

```
### 2.2 Key Architectural Principles

- **Modularity:** Each product module can operate independently or as part of an integrated system.
- **Scalability:** Designed to support deployments from single-site pools to multi-site commercial enterprises.
- **Security-by-Design:** Incorporation of encryption, secure protocols, and strict access controls at all layers.
- **Compliance:** Full adherence to Australian consumer, privacy, and data protection laws, including the Privacy Act 1988 and APPs.

---

## 3. Technology Product Deep Dive

### 3.1 Pool Area Shield

**Purpose:** Real-time environmental and safety monitoring of pool vicinities.

**Components & Functionality:**
- Multi-sensor arrays including chemical (chlorine, pH), physical (temperature, humidity), and optical (UV, turbidity) sensors.
- Integrated edge microcontroller unit (MCU) running embedded firmware for sensor data aggregation and anomaly detection.

**Core Algorithms:**
- Sensor fusion using Kalman Filtering to improve measurement accuracy and reduce noise.
- Threshold-based alerting augmented with adaptive baseline recalibration to account for environmental variations.

---

### 3.2 AquaVision AI

**Purpose:** Computer vision system for automated pool condition analysis.

**System Architecture:**
- Edge-mounted high-definition RGB and IR cameras with onboard NVIDIA Jetson-class GPU for video preprocessing.
- Cloud-hosted convolutional neural networks (CNNs) trained for detecting water clarity, debris, algae growth, and swimmer safety events.
```

Algorithmic Details:
- CNN architecture inspired by ResNet-50 with transfer learning from ImageNet datasets.
- Object detection pipeline employing YOLOv5 for real-time swimmer and foreign object detection.
- Temporal smoothing via Long Short-Term Memory (LSTM) networks to reduce false positives.

3.3 Palatial Nexus

Purpose: Centralized data hub and orchestration platform.

Functional Overview:
- Aggregates telemetry from multiple pools and subsystems.
- Provides a unified REST API (OpenAPI 3.0 compliant) for external integrations.
- Implements role-based access control (RBAC) and OAuth 2.0 for secure authentication and authorization.

Data Handling:
- Utilizes a PostgreSQL 15 database cluster with TimescaleDB extension for time-series data management.
- Supports JSON and Protobuf data formats for efficient ingestion and export.

3.4 HydroCommand & AquaCommander

Purpose: Automated pool system control modules.

Features:
- HydroCommand manages water treatment cycles, dosing pumps, and filtration schedules.
- AquaCommander provides user-configurable automation via rule-based engine and scripting interface (Lua-based).

Control Logic:
- PID control loops for maintaining chemical balance and water parameters.
- Event-driven automation triggers based on sensor inputs and scheduling.

3.5 OrbitalScan

Purpose: Drone-assisted aerial inspection and mapping of large pool complexes.

Technical Components:
- Drone platform with multispectral imaging sensors (RGB, NIR, thermal).
- Flight planning software integrating GPS (NMEA 0183 protocol) and RTK correction for centimeter-level accuracy.

Data Processing Pipeline:
- Orthomosaic generation using Structure from Motion (SfM) techniques.
- Thermal anomaly detection via image segmentation algorithms (U-Net architecture).

3.6 MarketPulse

Purpose: Business intelligence suite analyzing customer usage patterns and market trends.

Data Sources:
- Aggregated anonymized usage data, subscription metrics, and external market feeds.

Analytical Techniques:
- Time-series forecasting using ARIMA and Prophet models.
- Cluster analysis (K-means) for customer segmentation.

3.7 Psychological Insights Suite

Purpose: Enhances customer engagement via sentiment and behavioral analytics.

Methodology:
- Natural language processing (NLP) applied to customer feedback and interaction logs.
- Sentiment classification using BERT transformers fine-tuned on pool industry datasets.

3.8 Secure Vault & Gods Eye Command Centre

```
**Purpose:** High-security data storage and centralized operational oversight.

**Security Features:**
- Data at rest encrypted with AES-256 in Galois/Counter Mode (GCM).
- Command Centre provides live dashboards, anomaly detection alerts, and audit logs.

---

### 3.9 Comms Hub & Voice AI

**Purpose:** Unified communications platform combining text, voice, and AI-driven assistance.

**Technical Details:**
- SIP-based VoIP integration with WebRTC support for browser-based access.
- Voice AI uses deterministic natural language understanding (NLU) engines to assist with routine queries.

---

### 3.10 Knowledge and Calendar Systems

**Purpose:** Internal and external knowledge bases plus scheduling systems.

**Implementation:**
- Content management with markdown-based knowledge articles, version-controlled via Git.
- Calendar system supports iCal and CalDAV protocols for interoperability.

---

## 4. Data Architecture and Flows

### 4.1 Data Flow Diagram

```mermaid
flowchart TD
    subgraph Edge Layer
        S[Sensor Array] --> MCU[Microcontroller Unit]
        C[Camera Unit] --> MCU
        MCU -->|Telemetry Data| GW[Gateway Device]
    end

    GW -->|Encrypted Data| Cloud[Cloud Services]
```
```

```
    subgraph Cloud Layer
        Cloud --> DB[(Database Cluster)]
        Cloud --> Analytics[Analytics & AI Modules]
        Cloud --> API[REST API / Integration Layer]
    end

    API -->|Client Access| Client[Clients / Integrations]
```

4.2 Data Formats and Protocols

- **Sensor telemetry:** JSON over MQTT 5.0 with QoS level 1.
- **Video streams:** H.264 encoded RTSP streams for live feeds.
- **Control commands:** RESTful POST/PUT with JWT authentication.
- **Integration APIs:** JSON and Protobuf payloads over HTTPS/TLS 1.3.

---

5. Security Architecture and Cryptographic Measures

5.1 Network Security

- All communications secured with **TLS 1.3** employing ephemeral key exchange (ECDHE) for forward secrecy.
- Edge devices authenticate with mutual TLS (mTLS) to cloud gateways.

5.2 Data Encryption

- **At rest:** AES-256-GCM encryption for sensitive data in databases and backups.
- **In transit:** TLS 1.3 with cipher suites like TLS_AES_256_GCM_SHA384.

5.3 Access Control

- Role-Based Access Control (RBAC) implemented via OAuth 2.0 and OpenID Connect.
- Multi-factor authentication (MFA) mandatory for administrative accounts.

5.4 Audit and Compliance

- Immutable audit logs stored with cryptographic hash chaining.
- Regular penetration testing and vulnerability assessments conducted per OWASP standards.

---

6. Integration and Interoperability

6.1 API Specifications

- **REST API:** Conforms to OpenAPI 3.0 specification; endpoints versioned to ensure backward compatibility.
- **Authentication:** OAuth 2.0 Bearer tokens with scopes finely grained per resource.
- **Webhooks:** Event-driven notifications via HTTPS POST with HMAC-SHA256 signatures for payload integrity.

6.2 Third-Party System Integration

- Supports integration with Building Management Systems (BMS) via BACnet/IP protocol.
- Compatible with SCADA systems over Modbus TCP for command and telemetry exchange.
- LDAP and Active Directory integration for enterprise user management.

6.3 Data Export and Import

- CSV, JSON, and XML export formats available for reporting and archival.
- Bulk data import via secure SFTP or API endpoints supporting batched JSON payloads.

---

7. Compliance and Privacy Considerations

7.1 Australian Privacy Act 1988 & Australian Privacy Principles (APPs)

- Data minimization enforced: only necessary personal data collected and processed.
- Data residency guaranteed on Australian infrastructure unless explicitly consented otherwise.
- Licensee responsible for obtaining lawful consents from individuals per APP 3 and APP 6.

7.2 Consumer Law Adherence

- All claims regarding technology capabilities are substantiated by empirical data and validated algorithms.
- No representations are made that technology replaces professional pool maintenance or regulatory compliance responsibilities.

7.3 Data Retention and Deletion

- Data retention policies configurable per Licensee requirements, with secure deletion protocols compliant with ISO/IEC 27040 guidelines.

---

8. Licensing, Support, and Maintenance Models

8.1 Licensing Models (Expanded)

License Type	Description	Support Level	Pricing Model
Per-Site License	Single location deployment with standard features and business-hours support	Business hours	Annual flat fee per location
Enterprise License	Multi-site deployments (≥10 sites) with volume discounts, priority support, and customization	$^{24}/_{7}$ priority support	Tiered pricing based on site count
OEM Integration	White-label licensing for embedding technology into third-party equipment or software	Joint support with OEM	Negotiated based on integration scope
Reseller License	Authorized partners reselling technology with commission structures and reseller training	End-user support by Licensor	Commission-based on sales volume

8.2 Maintenance and Updates

- Regular software updates delivered quarterly, including security patches, feature enhancements, and compliance updates.
- Critical patches deployed within 48 hours of vulnerability disclosure.
- Licensees receive detailed release notes and upgrade instructions.

---

9. Appendices

A. Technical Specifications Summary

Component	Specification
Edge MCU	ARM Cortex-M7 @ 600MHz, 1MB Flash, 512KB RAM
Sensors	pH (0-14), ORP (0-1000 mV), Chlorine (0-10 ppm)
Camera	1080p RGB + IR, 30 FPS, H.264 encoding
Network	IEEE 802.11ax (Wi-Fi 6), Ethernet 1Gbps
Cloud DB	PostgreSQL 15, TimescaleDB extension
Encryption	AES-256-GCM (data at rest), TLS 1.3 (in transit)
API	RESTful JSON/Protobuf, OAuth 2.0, OpenAPI 3.0

B. Data Formats and Protocols

- **MQTT 5.0:** Payload encapsulated as JSON with topic hierarchy: `palatialpools/{site_id}/{device_type}/{sensor_type}`
- **REST API Examples:**
  - GET `/api/v1/sites/{site_id}/sensors`
  - POST `/api/v1/control/hydrocommand` `{ "pump_id": "P1", "action": "start" }`
- **Video Streaming:** RTSP over UDP with H.264 baseline profile for compatibility.

C. Contact Information

Kieran Goldsmith
Director, Palatial Pool Services Pty Ltd
Melbourne & Queensland, Australia
Phone: +61 452 157 694
Email: service@palatialpools.com.au
Web: https://beta.palatialpools.com.au

This document is classified as Commercial-in-Confidence and contains proprietary technical information of Palatial Pool Services Pty Ltd. Unauthorized use or disclosure is prohibited.“`