Palatial Pools

OpenManus Technical Architecture

1. System Overview and Capabilities

OpenManus functions as an autonomous agent framework within the Palatial Pools technology stack. It is engineered to handle multi-step task planning and execution, operating independently to achieve complex objectives. The system possesses a robust set of capabilities, including web browsing, file operations, and code generation, making it a versatile tool for automation and development.

By integrating these capabilities, OpenManus can interpret high-level instructions and break them down into actionable steps. This allows it to autonomously navigate systems, retrieve information, modify files, and generate code to fulfill the assigned tasks.

2. Infrastructure and Deployment

The OpenManus instance is deployed as a containerized application on the primary Palatial Pools Virtual Private Server (VPS). This deployment model ensures that the framework operates within a defined environment, although it lacks built-in sandboxing for its execution tasks.

Server Configuration Details

The deployment relies on Docker, utilizing a custom-built image to ensure the specific requirements of the Palatial Pools environment are met.

Component	Configuration
Docker Image	`openmanus_fixed:latest` (Custom Build)
Internal Port	`8000`
Exposed Port	`3003` (Mapped as `3003:8000`)
Access URL	`openmanus.palatialpools.com.au`

Unlike other agent frameworks, OpenManus does not currently implement built-in sandboxing. Therefore, it executes its tasks directly within its containerized environment or on the host system, depending on the specific configurations and permissions granted during execution.

3. Integration and Security

OpenManus is integrated into the broader Palatial Pools infrastructure through a secure reverse proxy configuration. This setup is crucial for managing access and ensuring that the framework's powerful capabilities are protected.

Network and Authentication

The service is exposed via an Nginx reverse proxy, which handles SSL termination and routes incoming traffic from `openmanus.palatialpools.com.au` to the internal port 3003.

Security is enforced at the Nginx layer using Basic Authentication. This access control mechanism ensures that only authorized personnel can interact with the OpenManus interface and initiate autonomous tasks. Given the framework's ability to perform file operations and execute code, strict adherence to these security protocols is mandatory.

4. Known Limitations and Constraints

While OpenManus is a capable autonomous agent, its current iteration has several operational constraints that must be considered during deployment and use.

Maturity and Stability

The OpenManus framework is considered less mature than alternative solutions like OpenHands. This relative immaturity can manifest in stability issues during complex, multi-step tasks. Specifically, the agent can occasionally get stuck in execution loops, repeatedly attempting the same failing action without progressing toward the objective.

Execution Environment

A significant constraint is the lack of built-in sandboxing. Without sandboxed environments, the agent executes code and commands directly within its operational context. This requires careful consideration of the permissions granted to the OpenManus container and the potential impact of its actions on the host system or other services.

Prompt Engineering Requirements

Due to its autonomous nature and occasional stability issues, OpenManus requires careful prompt engineering. Instructions must be highly structured and explicit to guide the agent effectively and minimize the risk of execution loops or unintended actions.

5. Troubleshooting Guide

When encountering issues with the OpenManus deployment, the following steps can help identify and resolve common problems.

If the web interface is inaccessible, verify that the Nginx reverse proxy is running and correctly configured to route traffic to port 3003. Check the Nginx error logs for any authentication failures or routing errors.

If the agent gets stuck in an execution loop, it is often necessary to interrupt the current task and restart the process with a refined, more structured prompt. Break the objective down into smaller, explicit steps to guide the agent more effectively.

For issues related to file operations or code execution, verify the permissions granted to the OpenManus container. Ensure it has the necessary access to the required directories and resources, while maintaining the principle of least privilege to mitigate security risks.

© 2026 Palatial Pool Services Pty Ltd. Internal Technical Documentation.