
Cosmic Bell Test: Measurement Settings from Milky Way Stars

Joe Becker

Texas A&M Department of Physics and Astronomy jbecker@physics.tamu.edu

February 16, 2017



Local Realism

Quantum Mechanics


Classical Mechanics Electrodynamics Special Relativity General Relativity

Local Realist Theories

Definitions

- Realism: Physical properties are defined prior to and independent of measurement.
- **Local:** Physical influences cannot propagate faster than the speed of light.

Einstein-Podolsky-Rosen Paradox



ullet A measurement preformed by Alice with settings a affects the result of the measurement preformed by Bob with settings b

In 1935 EPR write:

"This makes the reality of P and Q depend upon the process of measurement carried out on the first system, which does, not disturb the second system in any way. No reasonable definition of reality could be expected to permit this." Einstein et al. [1935]

Bell's Inequality

EPR proposed the existence of *local hidden variables* to resolve the paradox. In 1971 Bell proposed a statical consequence of these variables $(\lambda \in \Lambda)$ through expectation values of an experiment

$$E(A) = \int_{\Lambda} A(\lambda)\rho(\lambda)d\lambda$$

Bell's Inequality

Enforcing the condition of local realism Bell used the following assumptions

Realism

$$A(a,b,\lambda)$$
 $B(a,b,\lambda)$

Random variables A and B represent measurements and depend on Alice's local settings (a), Bob's local settings (b), and hidden variable (λ) .

Locality

$$A_i(\lambda) \equiv A(a_i, b_1, \lambda) = A(a_i, b_2, \lambda)$$

$$B_i(\lambda) \equiv B(a_1, b_i, \lambda) = B(a_2, b_i, \lambda)$$

Measurement outcomes are independent of the remote setting

to find the inequality

$$|E(A_2B_1) - E(A_2B_2)| \le 1 + E(A_1B_2)$$

Clauser, Horne, Shimony, Holt (CHSH) Inequality


CHSH generalized the Bell inequality to by removing the assumption of perfect anticorrelation $(A_i = -B_i)$ and lessing the outcome restriction to $|A_i| \leq 1$ and $|B_i| \leq 1$. The resulting inequality

$$|E(A_1B_1) + E(A_1B_2)| + |E(A_2B_1) - E(A_2B_2)| \le 2$$

is experimentally realizable.

J. Becker (Texas A&M) OSA News February 16, 2017

Locality (Freedom of Choice) Loophole



In order to prove non-locality the experiment must be designed such that the measurement parameters a and b are set is such a way that there is no possibility of communication. This achieved by

- ullet Selecting a and b within a fast enough time interval so that Alice and Bob are spacelike separated
- ullet Randomizing a and b so that there is no "memory" effecting the measurement

Loophole

There could still be an event in the intersection of the past light cones of a and b that could cause a and b to "know" about each other.

Dealing with the Loophole: Stars!



Using the wavelength of light from stars in excess of 500 light years away from earth to set the measurement parameters.

9

Cosmic Bell Test: Measurement Settings from Milky Way Stars

Johannes Handsteiner,^{1,*} Andrew S. Friedman,^{2,†} Dominik Rauch,¹ Jason Gallicchio,³
Bo Liu,^{1,4} Hannes Hosp,¹ Johannes Kofler,⁵ David Bricher,¹ Matthias Fink,¹ Calvin Leung,³
Anthony Mark,² Hien T. Nguyen,⁶ Isabella Sanders,² Fabian Steinlechner,¹ Rupert Ursin,^{1,7}
Sören Wengerowsky,¹ Alan H. Guth,² David I. Kaiser,²

Thomas Scheidl, and Anton Zeilinger^{1,7,‡}

¹Institute for Quantum Optics and Quantum Information (IQOQI), Austrian Academy of Sciences, Boltzmanngasse 3, 1090 Vienna, Austria

²Department of Physics, Massachusetts Institute of Technology, Cambridge, Massachusetts 02139, USA
³Department of Physics, Harvey Mudd College, Claremont, California 91711, USA


⁴School of Computer, NUDT, 410073 Changsha, China

⁵Max Planck Institute of Quantum Optics, Hans-Kopfermann-Straße 1, 85748 Garching, Germany
⁶NASA Jet Propulsion Laboratory, Pasadena, California 91109, USA

Vienna Center for Quantum Science & Technology (VCQ), Faculty of Physics, University of Vienna, Boltzmanngasse 5, 1090 Vienna, Austria


(Received 21 November 2016; revised manuscript received 13 January 2017; published 7 February 2017)

Experimental Setup




Handsteiner et al. [2016]

Sagnac Interferometer Entangled Photon Generator




Experimental Space-Time Diagram




Handsteiner et al. [2016]

Experimental Past Light Cones



Handsteiner et al. [2016]

Results



J. Becker (Texas A&M)

Results

Run	Side	HIP ID	$\operatorname{az}_k^\circ$	$\operatorname{alt}_k^\circ$	$d_k \pm \sigma_{d_k}[ext{ly}]$	$\bar{ au}_{\mathrm{valid}}^{k}[\mu \mathrm{s}]$	$S_{\rm exp}$	p-value	ν
1	A	56127	199	37	604 ± 35	2.55	2.43	1.8×10^{-13}	7.3
	B	105259A	25	24	1930 ± 605	6.93			
2	A	80620	171	34	577 ± 40	2.58	2.50	4.0×10^{-33}	11.9
	B	2876	25	26	3624 ± 1370	6.85			

Handsteiner et al. [2016]

Over two runs each using a different pair of stars they found a violation of the CHSH inequality with a statistical significance bound by at least 7.31 and 11.93 standard deviations for runs 1 and 2 respectively.

J. Becker (Texas A&M) OSA News February 16, 2017

Conclusion

- This result forces any local realist model to have acted no more recently than 604 ± 35 and 577 ± 40 years ago
- And any common cause event must originate from the intersected past light cones at 2409 ± 598 and 4040 ± 1363 years ago.
- This dramatically limits the space-time region in which hidden variables can remain relevant.

"Therefore, any hidden variable mechanism exploiting the freedom of choice loophole would need to have been enacted prior to Gutenberg's invention of the printing press, which itself predates the publication of Newton's Principia by two and a half centuries." Handsteiner et al. [2016]

Further Reading

- A. Einstein, B. Podolsky, and N. Rosen. Can Quantum-Mechanical Description of Physical Reality Be Considered Complete? Physical Review, 47(10):777-780, may 1935, ISSN 0031-899X, doi: 10.1103/PhysRev.47.777, URL http://link.springer.com/10.1007/s10701-010-9411-9http://link.aps.org/doi/10.1103/PhysRev.47.777.
- J. Handsteiner, A. S. Friedman, D. Rauch, J. Gallicchio, B. Liu, H. Hosp, J. Kofler, D. Bricher, M. Fink, C. Leung, A. Mark, H. T. Nguyen, I. Sanders, F. Steinlechner, R. Ursin, S. Wengerowsky, A. H. Guth, D. I. Kaiser, T. Scheidl, and A. Zeilinger. Cosmic Bell Test: Measurement Settings from Milky Way Stars, pages 1-15, 2016, ISSN 0031-9007, doi: 10.1103/PhysRevLett.118.060401. URL http://arxiv.org/abs/1611.06985.
- T. Kim, M. Fiorentino, and F. N. C. Wong. Phase-stable source of polarization-entangled photons using a polarization sagnac interferometer. Conference on Lasers and Electro-Optics and 2006 Quantum Electronics and Laser Science Conference. CLEO/QELS 2006. (January):1-5, 2006. ISSN 10941622. doi: 10.1109/CLEO.2006.4628715.
- J.-Å. Larsson. Loopholes in Bell Inequality Tests of Local Realism. Journal of Physics A: Mathematical and Theoretical, 47: 424003, 2014, ISSN 17518121, doi: 10.1088/1751-8113/47/42/424003, URL http://arxiv.org/abs/1407.0363.

OSA News February 16, 2017