




Ranga Reddy Engineering Works



Manufacturers of Poultry Equipment

www.rangareddyengineeringworks.com



FEED TROLLY




EGG TROLLEY SYSTEM



CABEL RUNNING SYSTEM

FEED TROLLEY SYSTEM

- Auto and smi automatic feeding systems are used in the shed for feeding the feed for the birds.
- Feeding trolley contain high precesion rotors for uniform feeding.



FEED HOPPERS



ROTORS

- Precision rotors are made of SS material for low maintenance and high performance.
- Rotors speed can be controlled through motor drive panel or through pulleys.



FINISHED FEED STORAGE SILOS


- The finished feed storage silos are fabricated with GI corrugated sheets.
- The capacity of the silos ranges from 3ton to 30ton depending upon the requirement.
- The storage silos are placed at each shed and can be filled directly through augur system or through the feed transport vehicle.
- These silos are also used to store finished feed at the feed godown .

AUGUR FILLING SYSTEM

- The augur is used to fill the feeding trolley in the shed.
- The augur contain high quality imported spring and standard pvs pipe of high thickness for long life.
- It has standard quality intake system for easy maintaince and for long running .




AUTO BATCHING SYSTEM




- It is used for accurate weighing and dispensing the correct formula for grinding.
- It is totally controlled by plc.
- The different formulas can be entered through touch screen pannel or computer.
- Daily consumption of each material reports can be achieved.
- Fast and easy operation 10 -15 ton/hr can be done.
- 2 bin to 12 bin batching can be done.



FEED MILL



Ribbon Type



Paddle Type Mixer



FEED MIXER

- Capacity 500 kg to 2 ton
- Type : Ribbon, Blender & Paddle Mixer




SS Medicine Mixer

Capacity 200 kg to 2 ton
Type : Ribbon & Blendar

Vertical Mixer

Capacity 1 ton to 2 ton

1. Hammer mill feeder
2. Dumping Hopper
3. Medicine Hopper
4. Side stair platform



Grinder



Capacity 5 hp to 60 hp

Output : 3 ton to 12 ton per hour

Magnet shoot : Single Magnet Shoot & Double Magnet Shoot

**hammer mill is used for carrying out one of the most important function in feed preparation.
i.e. known as grinding or crushing for size reduction.**



HYDROSTATIC AUTO FEEDING



FINISHED FEED TRANSPORT SYSTEM

Finished feed is transported to each shed from the feed godown by different mode of transportation.

Depending upon the carrying capacity of feed and delivery at the shed the vehicles are pre-fabricated accordingly.



TRACTOR FEEDING



Ranga Reddy Engineering Works

H. No. 7-107/2, Survey No. 26/R, Manneguda Village, Abdullapurmet Mandal, Ranga Reddy Dist.
Hyderabad-501 101, Telangana.
Cell : 9440731988, 7382299715 / 18
e-mail : rangareddyengineeringworks_rre@yahoo.com
website : www.rangareddyengineeringworks.com