# CV Showcase Web Page

# Six Key Design Features and their Implementation

202115030121 Yang Hao UC CS211

## **Get form information from local Storage without duplication**

When accessing data in the localStorage, the length of access cannot start at 0 because tables may have been dynamically added to the "watch" page. Therefore, to find the number of rows that have been dynamically added, start with the first data that has not been accessed.

```
let sumObject = localStorage.length;
let _nowLength = $("tr").length -1;
```

The other page must start from zero, regardless of the current length.

```
let _nowLength_CV = 0;
```

# **Show visitor information in the visitor information bar**

Add a row of tables dynamically after the tbody, combining the length before it.

```
<thead>
< Company Name</th>
< Company Name
```

```
let addTable = (number) => {
    let dataset = localStorage.getItem(localStorage.key(number));
    dataset = JSON.parse(dataset);
    let table = document.querySelector(".watch_table");
    table.innerHTML += "\n\n" +
    "" + dataset.cmpname + "\n" +
    "" +
    "" + dataset.email + "\n" +
    "" +
    "" +
    "" +
    "" +
    "\n" +
    "\n";
}

let forEachLocalStorage = () => {
    for(; _nowLength < localStorage.length; ++_nowLength) {
        addTable(_nowLength);
    }
}</pre>
```

# **The navigation bar is unchanged, switch local pages**

Consider having a local page, clicking on the navigation bar should show the clicked local page. Given that visitors visit this page to see my resume, the "resume" page is set as the default display, while the other two pages, "submit" and "watch", are not shown initially.

When the mouse clicks on the contents of the list, set the local pages to not show, and set the click page to show.

```
let changeStart = () => {
    let lis = document.querySelectorAll('li')
   let page01 = document.getElementById('page01')
   let page02 = document.getElementById('page02')
   let page03 = document.getElementById('page03')
    for (let i = 0; i < lis.length; i++) {
        lis[i].onclick = function (event) {
            if (event.target.classList.contains('first')) {
                changePage();
                page01.style.display = 'block';
            } else if (event.target.classList.contains('second')) {
                changePage();
                page02.style.display = 'block';
            } else if (event.target.classList.contains('third')) {
                changePage();
                page03.style.display = 'block';
                forEachLocalStorage();
```

# Long and Short Resume Switching

Hide part of my resume content with jQuery's hide(), click the button "More", show it with the show(), and assign the button content to "Less".

More

```
let changeLongorShort = () => {
    let dipy = $(".displayer");
    let btn = $(".btn_itlong");
    let _cnt = 0;
    btn.on("click", () => {
        if(_cnt == 1) {
            btn.text("More");
            _cnt = 0;
            dipy.hide();
        } else {
            btn.text("Less");
            dipy.show();
            _cnt = 1;
        }
});
}
changeLongorShort();
```

### **Form Verification Feedback**

Prompt for malformed input.




t the same time, make more rigorous judgments about mailbox and mobile phone numbers using custom regular expressions.

# **4** Overall Layout

Layout as a whole with a layui framework

Get a beautiful layout.





### Reference

(N.d.). http://layui.winxapp.cn/doc/index.html

(N.d.). MDN. <a href="https://developer.mozilla.org/zh-CN/">https://developer.mozilla.org/zh-CN/</a>

# **Appendix**

### Html

#### Image map.html

```
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-</pre>
width, initial-scale=1.0">
    <link rel="stylesheet" href="./node_modules/layui/dist/css</pre>
/layui.css">
    <link rel="stylesheet" href="./css/image_map_index.css">
    <script src="./node_modules/jquery/dist/jquery.js"></scrip</pre>
t>
    <script src="./node_modules/layui/dist/layui.js"></script>
    <title>image_map</title>
</head>
<body>
    <div class="profile"></div>
```

```
<fieldset class="layui-elem-field layui-field-title">
        <le><leqend></leqend></le>
        <div class="layui-field-box">
            <div class="layui-container layui-font-</pre>
20 all_box layui-anim layui-anim-scale">
                <div class="layui-row">
                    <h1>Welcome to Golitter's Web page</h1>
                </div>
                <div class="layui-row content_box">
                  <div class="layui-col-md6 layui-col-md-</pre>
offset3">
                    This is golitter's resume, you can clic
k to see
                    >
                         <a href="./web_form.html">
                             <button type="button" class="layui</pre>
-btn layui-btn-lg layui-btn-radius layui-btn-
normal">click</button>
                         </a>
                    </div>
                </div>
                <div class="layui-row ">
                    <div class="layui-col-md2 layui-col-md-</pre>
offset5">
                         <hr class="layui-border-green">
                    </div>
                  </div>
                <div class="layui-row content_box">
                    <div class="layui-col-md4 layui-col-md-</pre>
offset4">
                         Click to view visitor information.
                         >
                             <a href="./view_CV_requested.html">
                                 <button type="button" class="l</pre>
ayui-btn layui-btn-radius">see it</button>
                             </a>
                         </div>
                </div>
```

```
<div class="layui-row">
                     <div class="layui-col-md4 layui-col-md-</pre>
offset4">
                         <hr class="layui-border-cyan">
                     </div>
                 </div>
                 <div class="layui-row content_box">
                     <div class="layui-col-md4 layui-col-md-</pre>
offset4">
                         this is golitter's pdf document, pl
ease watch.
                         >
                             <button type="button" class="layui</pre>
-btn layui-btn-primary layui-border-red">see it</button>
                         </div>
                </div>
              </div>
        </div>
      </fieldset>
</body>
</html>
Web form.html
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <meta name="viewport" content="width=device-width, initial-</pre>
scale=1.0">
  <link rel="stylesheet" href="./css/web_form_index.css">
  <link rel="stylesheet" href="./css/web_form_resume_index.css</pre>
  <link rel="stylesheet" href="./css/web_form_resume_watch.css</pre>
  <link rel="stylesheet" href="./css/web_form_resume_submit.cs</pre>
s">
```

```
<link rel="stylesheet" href="./node_modules/layui/dist/css/l</pre>
ayui.css">
  <script src="./node_modules/layui/dist/layui.js"></script>
  <script src="./node_modules/jquery/dist/jquery.js"></script>
  <title>web_form</title>
</head>
<body>
  <div class="layui-container">
    class="back"><a style="text-</li>
decoration:none; color:#1E9FFF;" href="image_map.html">
         <i class=" back_button layui-icon layui-icon-</pre>
return" style="font-size: 30px; color: #1E9FFF;"></i></i>
         back
       </a>
     class="first">
       resume
      submit
      class="third">watch
    </div>
  <!-- one -->
  <div id="page01" class="layui-</pre>
container page " style="display:block">
    <!-- <h1>resume</h1> -->
   <div class="layui-row " style="padding-top: 20px;">
      <div class="profile layui-col-md2 ">
       <img id="pfl" src="./images/pro.jpg" alt="profile">
      </div>
      <div class="layui-col-md10 layui-font-18">
       <div class="layui-row resume_header " style="text-</pre>
align:center;">
         <div class="layui-col-md3 shallowbord">
           Name: Golitter
          </div>
         <div class="layui-col-</pre>
md3 shallowbord clear_leftBorder">
           Gender: Male
         </div>
         <div class="layui-col-md3 shallowbord">
           Nationality: Chinese
```

```
</div>
          <div class="layui-col-md3 minz shallowbord">
            Date of birth: 2002/11/11
          </div>
          <div class="layui-col-md12">
            <div class="layui-col-</pre>
md5 shallowbord_long clear_leftBorder">
              Graduated from: Shaanxi University of Science an
d Technology
            </div>
            <div class="layui-col-md4 shallowbord">
              Major: Computer Science and Technology
            <div class="layui-col-md3 shallowbord">
              Salary expectation: --
            </div>
          </div>
        </div>
      </div>
    </div>
    <div class="layui-row separation_header layui-font-18">
      <div class="info header ">
        <span class="iconfont">&#xe624;</span> <span class="in</pre>
fo_title">Educational Information</span>
        <div class="layui-row">
          <div class="layui-col-md10 layui-col-md-</pre>
offset1 info_box ">
              Now, I am a sophomore majoring in c
omputer science and technology at Ulster College of Shaanxi Un
iversity of Science and Technology. Current GPA is 3.78/5.0 Ad
vanced MathematicsI: 5.0/5.0, Linear Algebra: 4.9/5.0,
              Advanced MathematicsII: 4.8/5.0, C language prog
ramming: 4.6/5.0 . 
              I participated in the "Innovation a
nd Entrepreneurship Plan for College Students" and
              got the national project. Second prize in the Pr
ogramming Competition.
          </div>
        </div>
      </div>
   </div>
    <div class="layui-row separation_header layui-font-18 ">
      <div class="info_header ">
```

```
<button type="button" class="layui-btn layui-btn-</pre>
primary layui-border-green btn_itlong">More</button>
      </div>
    </div>
    <div class="layui-row separation_header layui-font-</pre>
18 displayer">
      <div class="info_header ">
        <span class="iconfont">&#xe975;</span> <span class="in</pre>
fo_title">Work Experience</span>
        <div class="layui-row">
          <div class="layui-col-md10 layui-col-md-</pre>
offset1 info_box">
              Familiar with C/C++, Java, Know pyt
hon. Can use Linux.
              At present, I have completed severa
I course designs related to my major, and I have some small to
ols I usually make in <a href="https://github.com/golitter?tab">https://github.com/golitter?tab</a>
=repositories" style="color:#01AAED" target="_blank">https://g
ithub.com/golitter</a>.
          </div>
        </div>
      </div>
    </div>
    <div class="layui-row separation_header layui-font-</pre>
18 displayer">
      <div class="info_header ">
        <span class="iconfont">&#xe626;</span> <span class="in</pre>
fo_title">Self-evaluation</span>
        <div class="layui-row ">
          <div class="layui-col-md10 layui-col-md-</pre>
offset1 info_box">
              Have a strong self-
motivated, sense of responsibility.
              Have a strong self-
motivated, sense of responsibility. Have a strong curiosity ab
out things,
              passion for the software industry can be maintai
ned.
              Have strong learning ability.
          </div>
        </div>
      </div>
```

```
</div>
    <div class="layui-row separation_header layui-font-</pre>
18 displayer">
      <div class="info header ">
        <span class="iconfont">&#xe643;</span> <span class="in</pre>
fo_title">Other Description</span>
        <div class="layui-row ">
          <div class="layui-col-md10 layui-col-md-</pre>
offset1 info box">
              Willing to work overtime
          </div>
        </div>
      </div>
    </div>
    <br>
  </div>
  </div>
  <!-- Two -->
  <div id="page02" class="layui-</pre>
container page" style="display:none">
    <div>
      <form action="" class="layui-form layui-form-</pre>
pane top_lengthPer">
        <div class="layui-form-item justnt layui-col-</pre>
md4 layui-col-md-offset4">
          <label class="layui-form-label">Name</label>
          <div class="layui-input-block">
            <input type="text" name="cmpname" required lay-</pre>
verify="required" placeholder="company name or personal name"
lay-reqText="Can not be empty"
              autocomplete="off" class="layui-input">
          </div>
        </div>
        <div class="layui-form-item justnt layui-col-</pre>
md4 layui-col-md-offset4">
          <label class="layui-form-label">Email</label>
          <div class="layui-input-block">
            <input type="text" name="email" required lay-</pre>
verify="self_email" placeholder="username@domain.com" autocomp
```

```
lete="off" class="layui-input">
          </div>
        </div>
        <div class="layui-form-item justnt layui-col-</pre>
md4 layui-col-md-offset4">
          <label class="layui-form-label">Contact way</label>
          <div class="layui-input-block">
            <input type="text" name="phone" required lay-</pre>
verify="self_phone" placeholder="a valid phone number" autocom
plete="off" class="layui-input">
          </div>
        </div>
        <div class="layui-form-item justnt layui-col-</pre>
md4 layui-col-md-offset4">
          <label class="layui-form-label">0ther</label>
          <div class="layui-input-block">
            <input type="text" name="other_info" lay-</pre>
verify="other_info" placeholder="other Supplementary Informati
on" autocomplete="off"
              class="layui-input">
          </div>
        </div>
        <div class="layui-form-item layui-col-md4 layui-col-</pre>
md-offset4">
          <div class="layui-input-block">
            <button class="layui-btn" lay-submit lay-</pre>
filter="getInfo">submit</button>
            <button type="reset" class="layui-btn layui-btn-</pre>
primary">reset</button>
          </div>
        </div>
      </form>
    </div>
  </div>
  <div id="page03" class="layui-</pre>
container page" style="display:none">
    <h1>watch</h1>
    <table class="layui-table table_box " lay-even lay-
skin="line" lay-size="lg">
      <colgroup>
```

```
<col width="200">
       <col width="200">
       <col width="200">
     </colgroup>
     <thead>
       Company Name
         Email
         Cell-phone Number
         Other
       </thead>
     </div>
 <script type="module"></script>
 <script src="./javascript/web_form_index.js"></script>
 <script src="./javascript/web_form_resume.js"></script>
 <script src="./javascript/web_form_submit.js"></script>
</body>
</html>
View_CV_requested.html
<!DOCTYPE html>
<html lang="en">
<head>
   <meta charset="UTF-8">
   <meta http-equiv="X-UA-Compatible" content="IE=edge">
   <meta name="viewport" content="width=device-</pre>
width, initial-scale=1.0">
   <title>view_CV_requested</title>
   <link rel="stylesheet" href="./css/view_CV_requested.css">
   <link rel="stylesheet" href="./node_modules/layui/dist/css</pre>
/layui.css">
   <script src="./node_modules/layui/dist/layui.js"></script>
   <script src="./node_modules/jquery/dist/jquery.js"></scrip</pre>
t>
</head>
```

```
<body>
   <div class="placeDiv">
       <div class="btn_back">
          <a href="./image_map.html">
              <i class=" back_button layui-icon layui-icon-</pre>
return" style="font-size: 30px; color: #1E9FFF;">back</i>
          </a>
       </div>
   </div>
   <div class="layui-container">
       <table class="layui-table table_box " lay-even lay-
skin="line" lay-size="lg">
          <colgroup>
            <col width="200">
            <col width="200">
            <col width="200">
          </colgroup>
          <thead>
            Company Name
              Email
              Cell-phone Number
              Other
            </thead>
          </div>
   <script src="./javascript/view_CV_requested.js"></script>
</body>
</html>
Css
Image map index.css
```

background-image:url("../images/2.png");

body {

```
background-size: 100%;
    background-repeat: no-repeat;
    color:#1E9FFF;
}
h1 {
    color:#FF5722;
}
p {
    margin-bottom: 20px;
}
.profile {
    width: 50px;
    height: 50px;
    position: sticky;
    top:70px;
    left:95%;
    background-image: url("../images/pro.jpg");
    background-size: 100% 100%;
    background-repeat: no-repeat;
    border-radius:50%;
}
.content_box {
    height: 100px;
}
.all_box {
    margin-top: 5%;
    text-align: center;
}
Web_form_index.css
.nav{
    display: flex;
    list-style: none;
    margin-left: auto;
/* a {
   text-decoration: none;
   color:#fff;
} */
```

```
li{
    width: 1200px;
    height: 50px;
    line-height: 50px;
    text-align: center;
    margin: 0 50px;
    background-color:#393D49;
    font-size: 3em;
    color:#fff;
    cursor: pointer;
}
.page{
    width: 400px;
    border: 1px solid red;
}
.back {
    color:#1E9FFF;
}
Web_form_resume_index.css
    box-shadow: Opx Opx 10px 5px #aaa;
}
#pfl {
    width: 200px;
    height: 200px;
    display: inline-block;
}
.profile {
    text-align: center;
}
.back_button {
    margin-right: 5px;
}
```

```
.shallowbord {
    border: 1px solid #000;
    margin: 0px -1px -1px 0px;
    height: 100px;
    line-height: 100px;
}
.shallowbord_long {
    border: 1px solid #000;
    margin: 0px -1px -1px 0px;
    height: 100px;
    line-height: 50px;
}
.clear_leftBorder {
    border-right: 0px;
}
.minz {
    margin-left: 1px;
    border-left: 0;
}
.separation_header {
    margin-top: 10px;
}
@font-face {
    font-family: "iconfont";
    /* Project id */
    src: url('../font-
family/font_37ue05iz2df/iconfont.ttf') format('truetype');
}
.iconfont {
    font-family: "iconfont" !important;
    font-size: 50px;
    font-style: normal;
    -webkit-font-smoothing: antialiased;
    -moz-osx-font-smoothing: grayscale;
}
.icon-qita:before {
    content: "\e643";
```

```
}
.icon-xueli:before {
    content: "\e624";
}
.icon-ziwopingjia:before {
    content: "\e626";
}
.icon-a-gongzuotaigongzuozhuo-02:before {
    content: "\e975";
}
.info_header {
    height: 30px;
    line-height: 30px;
    text-align: center;
}
.info_box {
    height:170px;
    /* text-align: center; */
    text-align: left;
    border: 1px solid #000;
    margin: 0px -1px -1px 0px;
    padding: 10px;
}
.info_title {
    font-size: 2em;
}
.displayer {
    display: none;
}
Web_form_resume_submit.css
.justnt {
    text-align: center;
}
.layui-form-label{
```

```
width: 100px;
}
.layui-input-block {
    margin-left: 130px;
    min-height: 36px
}
#page02 {
    height:400px;
    background-color: rgba(234, 234, 234, 0.1);
}
.top_lengthPer {
    margin-top: 5%;
}
Web_form_resume_watch.css
.table_box {
    font-size: 30px;
}
View_CV_requested.css
body {
    background-image:url("../images/2.png");
    background-size: 100%;
    background-repeat: no-repeat;
}
tr>th {
    color:#FF5722;
}
tr>td {
    color:#1E9FFF;
}
.placeDiv {
    height:40px;
}
.btn_back {
    width: 100px;
    height:40px;
    font-size: 30px;
```

```
margin-top: 60px;
   margin-left: 100px;
}
javaScript
web form index.js
let _nowLength = $("tr").length -1;
let addTable = (number) => {
    let dataset = localStorage.getItem(localStorage.key(number
));
    dataset = JSON.parse(dataset);
    let table = document.querySelector(".watch_table");
    table.innerHTML += "\n\n" +
    "<td>" + dataset.cmpname + "</td>\n" +
    "<td>" + dataset.email + "</td>\n" +
    "<td>" + dataset.phone + "</td>\n" +
    "<td>" + dataset.other_info + "</td>\n" +
    "\n";
}
let forEachLocalStorage = () => {
    for(; _nowLength < localStorage.length; ++_nowLength) {</pre>
        addTable(_nowLength);
    }
}
let changeStart = () => {
    let lis = document.guerySelectorAll('li')
    let page01 = document.getElementById('page01')
    let page02 = document.getElementById('page02')
    let page03 = document.getElementById('page03')
    for (let i = 0; i < lis.length; <math>i++) {
        lis[i].onclick = function (event) {
            if (event.target.classList.contains('first')) {
                changePage();
                page01.style.display = 'block';
            } else if (event.target.classList.contains('second
```

```
')) {
                 changePage();
                page02.style.display = 'block';
            } else if (event.target.classList.contains('third'
)) {
                 changePage();
                 page03.style.display = 'block';
                 forEachLocalStorage();
            }
        }
    }
}
let changePage = () => {
    document.querySelectorAll('.page').forEach(el => {
        el.style.display = 'none'
    });
}
changeStart();
web_form_resume.js
let changeLongorShort = () => {
    let dipy = $(".displayer");
    let btn = $(".btn_itlong");
    let _{cnt} = 0;
    btn.on("click", () => {
        if(_cnt == 1) {
            btn.text("More");
            _{cnt} = 0;
            dipy.hide();
        } else {
            btn.text("Less");
            dipy.show();
         _{cnt} = 1;
});
}
changeLongorShort();
```

#### web form submit.js

```
let sumObject = localStorage.length;
let form_verify = layui.use('form', function () {
    var form = layui.form;
    form.verify({
        self_email: [
            /^\w+([-+.]\w+)*@\w+([-.]\w+)*\.\w+([-.]\w+)*$/
            , 'Please enter the correct email address!'
        ],
        self_phone: [
            /^[1][3-9][0-9]{9}$/
            , 'The format of the phone number is wrong!'
        1
    });
    form.on('submit(getInfo)', function (data) {
        layer.msg('Successful submission');
        let _objName = `key${sumObject++}`;
        localStorage.setItem(_objName, JSON.stringify(data.fie
1d));
        console.log(localStorage);
        // return false;
    });
});
view CV requested.js
let _nowLength_CV = 0;
let addTable = (number) => {
    let dataset = localStorage.getItem(localStorage.key(number
));
    dataset = JSON.parse(dataset);
    let table = document.querySelector(".watch_table");
    table.innerHTML += "\n\n" +
    "<td>" + dataset.cmpname + "</td>\n" +
```

```
"" + dataset.email + "\n" +
   "" + dataset.phone + "\n" +
   "" + dataset.other_info + "\n" +
   "\n";
}
let forEachLocalStorage_CV = () => {
   for(; _nowLength_CV < localStorage.length; ++_nowLength_CV
) {
     addTable(_nowLength_CV);
   }
}
forEachLocalStorage_CV();</pre>
```