# **ANCHORAGE (ANC/PANC)**

Elevation 151ft

#### **CATEGORY A**

AV brief availability

#### **GENERAL**

- Ted Stevens International Airport is located 5nm SW of downtown Anchorage
- No instrument approaches to westerly runways
- Large EASTERLY variation (16°E)

#### **Threats**

#### **CFIT**

- Terrain rises inland beyond the city of Anchorage
- Denali (Mt McKinley), the highest mountain in North America, rises to 20,310ft amsl 120 NM NNW
- Terrain in the Chugach Mountains to the East rises rapidly from 2,000ft amsl at 9 NM to 5,270ft amsl at 14 NM
- Terrain to the E rises to over 13,000ft

#### **Runway Excursion**

Do not mistake parallel taxiway north of 25R/07L for a runway

#### **Loss of Control**

• Turbulence and WINDSHEAR can be expected with strong S/SW winds

#### **Mid Air Collision**

- High levels of VFR traffic operating in the area, including underneath approaches to 07L/R
- Military traffic from Elmendorf AFB 7nm NE

#### **ARRIVAL**

Diversion Airports			
FAIRBANKS	FAI/PAFA	227 nm/015°T	CAT A
KENAI	ENA/PAEN	051 nm/222°T	CAT A

# **Approach**

- Preferred arrival runways are 7R/L or 15 with crosswind <15kt or tailwind <5kt</li>
- Severe turbulence and WINDSHEAR may be experienced up to 15,000ft amsl with strong low-level S/SW winds

#### **GROUND**

- · Taxiways and aprons are tight and caution is required
- Limitations for B747-400 aircraft parking at the North Terminal. The preference is for remote parking at R2-R14. Parking on a jetbridge stand may require tow-in see Lido



# Route Information Manual

**ANCHORAGE (ANC/PANC)** 

### **DEPARTURE**

- RNAV departures available from Rwy 25L/R and 33
- Most departures are radar vectored

## WEATHER

- Fog most common Nov-Feb
- Overcast ceilings and low cloud common throughout the year
- Snowfall mostly Sep-May.
- Average min/max temperatures -12°C/-5°C (Jan), 9°C/17°C (Jul)

## **OPERATIONAL INFORMATION**

Handling Agent	Swissport
Handling Agent VHF	
Potable Water	Uplift permitted

IF ONLY Electrical Power is required	Use ground power at all times
If BOTH electrical power and air conditioning is required:	Use APU (ACU equipment not available)