Status	Finished
Started	Friday, 16 October 2026, 6:48 PM
Completed	Friday, 16 October 2026, 6:50 PM
Duration	2 mins 28 secs
Grade	**13.00** out of 15.00 (**86.67**%)

Question **1**

Correct

Mark 1.00 out of 1.00

In the context of searching, what is a successful search?

- a. When the element is found in the list ✓
- b. When the list contains duplicate elements
- c. When the list is sorted
- d. When the search algorithm finishes

Question **2**

Correct

Mark 1.00 out of 1.00

What is the time complexity of linear search in the worst case?

- a. O👎 ✓
- b. O(n log n)
- c. O(1)
- d. O(log n)

Question **3**

Correct

Mark 1.00 out of 1.00

If the target element is greater than the middle element in binary search, where does the search continue?

- a. In the middle of the list
- b. In the right sublist ✓
- c. At the beginning of the list
- d. In the left sublist

Question **4**

Correct

Mark 1.00 out of 1.00

What is the advantage of binary search over linear search?

- a. Binary search can find multiple instances of the target element
- b. Binary search does not require dividing the list
- c. Binary search works on unsorted lists
- d. Binary search has a lower time complexity on large, sorted lists ✓

Question **5**

Correct

Mark 1.00 out of 1.00

What is the best-case time complexity of linear search?

- a. O👎
- b. O(1) ✓
- c. O(n log n)
- d. O(log n)

Question **6**

Incorrect

Mark 0.00 out of 1.00

What happens in a binary search if the list has an even number of elements?

- a. The middle element is chosen randomly
- b. The higher middle element is chosen as the middle element
- c. The search stops
- d. The lower middle element is chosen as the middle element ✗

Question **7**

Correct

Mark 1.00 out of 1.00

Given an array arr = {45,77,89,90,94,99,100} and key = 100; What are the mid values(corresponding array elements) generated in the first and second iterations?

- a. 94 and 99
- b. 90 and 100
- c. 89 and 94
- d. 90 and 99 ✓

Question **8**

Correct

Mark 1.00 out of 1.00

What is the key characteristic of binary search?

a. It always starts from the beginning of the list
b. It works on unsorted lists
c. It compares elements sequentially
d. It can be applied only if the list is sorted ✓

Question **9**

Correct

Mark 1.00 out of 1.00

In linear search, if the target element is not found in the list, what is the result?

a. An error is raised
b. The last element is returned
c. The first element is returned
d. The search is considered unsuccessful ✓

Question **10**

Correct

Mark 1.00 out of 1.00

In binary search, if the target element is less than the middle element, where does the search continue?

a. In the entire list
b. In the left sublist ✓
c. At the beginning of the list
d. In the right sublist

Question **11**

Correct

Mark 1.00 out of 1.00

Given an array arr = {45,77,89,90,94,99,100} and key = 99; what are the mid values(corresponding array elements) in the first and second levels of recursion?

a. 89 and 94
b. 90 and 99 ✓
c. 90 and 94
d. 89 and 99

Question **12**

Correct

Mark 1.00 out of 1.00

What type of search would be most appropriate for finding an element in a list that is frequently updated?

a. Binary search
b. Interpolation search
c. Linear search ✓
d. Hash search

Question **13**

Correct

Mark 1.00 out of 1.00

In _____ checks the elements of a list, one at a time, without skipping any element.

a. Both (1) & (3)
b. Binary search
c. Linear search ✓
d. Hash search

Question **14**

Incorrect

Mark 0.00 out of 1.00

In linear search, how is the element searched?

a. By comparing each element in the list sequentially
b. By using a hash function ✗
c. By sorting the list first
d. By dividing the list into halves

Question **15**

Correct

Mark 1.00 out of 1.00

The average case occurs in the linear search algorithm

a. When the item is not the array at all
b. Item is the last element in the array or item is not there at all
c. When the item is the last element in the array
d. When the item is somewhere in the middle of the array ✓